

Package ‘GenABEL’

January 2, 2012

Type Package

Title genome-wide SNP association analysis

Version 1.7-0

Date 2011-12-20

Author GenABEL developers

Maintainer GenABEL developers <genabel.project@gmail.com>

Depends R (>= 2.10.0), methods, MASS, utils

Suggests

qvalue, genetics, haplo.stats, DatABEL (>= 0.9-0), hglm, MetABEL, PredictABEL, VariABEL

Description a package for genome-wide association analysis between quantitative or binary traits and single-nucleotide polymorphisms (SNPs).

License GPL (>= 2)

Repository CRAN

Date/Publication 2011-12-21 08:53:23

R topics documented:

GenABEL-package	4
add.phdata	7
add.plot	8
arrange_probabel_phe	9
as.character.gwaa.data	10
as.character.snp.coding	11
as.character.snp.data	11
as.character.snp.strand	12
as.data.frame.gwaa.data	13
as.double.gwaa.data	14
as.double.snp.data	14

as.genotype	15
as.genotype.gwaa.data	16
as.genotype.snp.data	17
as.hsgeno	17
as.hsgeno.gwaa.data	18
as.hsgeno.snp.data	19
autosomal	20
blurGenotype	20
catable	22
ccfast	23
check.marker	24
check.marker-class	26
check.trait	27
checkPackageVersionOnCRAN	29
cocohet	30
convert.snp.affymetrix	31
convert.snp.illumina	33
convert.snp.mach	34
convert.snp.ped	36
convert.snp.text	38
convert.snp.tped	39
crnames	41
del.phdata	42
descriptives.marker	43
descriptives.scan	44
descriptives.trait	44
dprfast	45
egscore	46
egscore.old	48
emp.ccfast	50
emp.qtscore	51
estlambda	52
export.impute	54
export.merlin	55
export.plink	56
extract.annotation.impute	57
extract.annotation.mach	58
findRelatives	59
formetascore	60
GASurv	62
ge03d2	62
generateOffspring	63
getLogLikelihoodGivenRelation	64
grammar	65
gwaa.data-class	67
hom	68
hom.old	69
HWE.show	71

ibs	72
ibs.old	73
impute2databel	75
impute2mach	76
load.gwaa.data	77
mach2databel	78
makeTransitionMatrix	79
merge.gwaa.data	80
merge.snp.data	81
mlreg	83
mlreg.p	84
mmscore	85
npsubtreated	87
patch_strand	89
perid.summary	90
plot.check.marker	91
plot.scan.gwaa	92
plot.scan.gwaa.2D	93
polygenic	94
polygenic_hglm	97
qtscore	99
qvaluebh95	101
r2fast	102
r2fast.old	103
recodeChromosome	104
reconstructNPs	105
redundant	107
refresh.gwaa.data	108
rhofast	109
rntransform	110
save.gwaa.data	111
scan.glm	112
scan.glm.2D	113
scan.gwaa-class	114
scan.gwaa.2D-class	116
scan.haplo	117
scan.haplo.2D	119
show.ncbi	120
snp.coding-class	121
snp.data	121
snp.data-class	122
snp.mx-class	125
snp.names	126
snp.strand-class	127
snp.subset	128
snps.cell-class	129
sortmap.internal	129
srdata	130

sset	130
summary.check.marker	131
summary.gwaa.data	132
summary.scan.gwaa	133
summary.snp.data	133
Xfix	134
ztransform	135

Index	137
--------------	------------

GenABEL-package	<i>GenABEL: an R package for Genome Wide Association Analysis...</i>
-----------------	--

Description

GenABEL: an R package for Genome Wide Association Analysis

Details

Genome-wide association (GWA) analysis is a tool of choice for identification of genes for complex traits. Effective storage, handling and analysis of GWA data represent a challenge to modern computational genetics. GWA studies generate large amount of data: hundreds of thousands of single nucleotide polymorphisms (SNPs) are genotyped in hundreds or thousands of patients and controls. Data on each SNP undergoes several types of analysis: characterization of frequency distribution, testing of Hardy-Weinberg equilibrium, analysis of association between single SNPs and haplotypes and different traits, and so on. Because SNP genotypes in dense marker sets are correlated, significance testing in GWA analysis is preferably performed using computationally intensive permutation test procedures, further increasing the computational burden.

To make GWA analysis possible on standard desktop computers we developed GenABEL library which addresses the following objectives:

- (1) Minimization of the amount of rapid access memory (RAM) used and the time required for data transactions. For this, we developed an effective data storage and manipulation model.
- (2) Maximization of the throughput of GWA analysis. For this, we designed optimal fast procedures for specific genetic tests.

Embedding GenABEL into R environment allows for easy data characterization, exploration and presentation of the results and gives access to a wide range of standard and special statistical analysis functions available in base R and specific R packages, such as "haplo.stats", "genetics", etc.

To see (more or less complete) functionality of GenABEL, try running `demo(ge03d2)`.

Other demo of interest could be run with `demo(srdta)`. Depending on your user privileges in Windows, it may well not run. In this case, try `demo(srdtawin)`.

The most important functions and classes are:

For converting data from other formats, see

[convert.snp.illumina](#) (Illumina/Affymetrix-like format). This is our preferred converting function, very extensively tested. Other conversion functions include: [convert.snp.text](#) (conversion

from human-readable GenABEL format), [convert.snp.ped](#) (Linkage, Merlin, Mach, and similar files), [convert.snp.mach](#) (Mach-format), [convert.snp.tped](#) (from PLINK TPED format), [convert.snp.affymetrix](#) (BRML-style files).

For converting of GenABEL's data to other formats, see [export.merlin](#) (MERLIN and MACH formats), [export.impute](#) (IMPUTE, SNPTEST and CHIAMO formats), [export.plink](#) (PLINK format, also exports phenotypic data).

To load the data, see [load.gwaa.data](#).

For conversion to DatABEL format (used by ProbABEL and some other GenABEL suite packages), see [impute2databel](#), [impute2mach](#), [mach2databel](#).

For data management and manipulations see [merge.gwaa.data](#), [merge.snp.data](#), [gwaa.data-class](#), [snp.data-class](#), [snp.names](#), [snp.subset](#).

For merging extra data to the phenotypic part of [gwaa.data-class](#) object, see [add.phdata](#).

For traits manipulations see [ztransform](#) (transformation to standard Normal), [rntransform](#) (rank-transformation to normality), [npsubtreated](#) (non-parametric routine to "impute" trait's values in these medicated).

For quality control, see [check.trait](#), [check.marker](#), [HWE.show](#), [summary.snp.data](#), [perid.summary](#), [ibs](#), [hom](#).

For fast analysis function, see [scan.gwaa-class](#), [ccfast](#), [qtscore](#), [mmscore](#), [egscore](#), [ibs](#), [r2fast](#) (estimate linkage disequilibrium using R²), [dprfast](#) (estimate linkage disequilibrium using D'), [rhofast](#) (estimate linkage disequilibrium using ρ ')

For specific tools facilitating analysis of the data with stratification (population stratification or (possibly unknown) pedigree structure), see [qtscore](#) (implements basic Genomic Control), [ibs](#) (computations of IBS / genomic IBD), [egscore](#) (stratification adjustment following Price et al.), [polygenic](#) (heritability analysis), [polygenic_hglm](#) (another function for heritability analysis), [mmscore](#) (score test of Chen and Abecasis), [grammar](#) (grammar test of Aulchenko et al.).

For functions facilitating construction of tables for your manuscript, see [descriptives.marker](#), [descriptives.trait](#), [descriptives.scan](#).

For functions recunstructing relationships from genomic data, see [findRelatives](#), [reconstructNPs](#).

For meta-analysis and related, see help on [formetascore](#).

For link to WEB databases, see [show.ncbi](#).

For interfaces to other packages and standard R functions, also for 2D scans, see [scan.glm](#), [scan.glm.2D](#), [scan.haplo](#), [scan.haplo.2D](#), [scan.gwaa-class](#), [scan.gwaa.2D-class](#).

For graphical facilities, see [plot.scan.gwaa](#), [plot.check.marker](#).

Author(s)

Yurii Aulchenko et al. (see help pages for specific functions)

References

If you use GenABEL package in your analysis, please cite the following work:

Aulchenko Y.S., Ripke S., Isaacs A., van Duijn C.M. GenABEL: an R package for genome-wide association analysis. *Bioinformatics*. 2007 23(10):1294-6.

If you used [polygenic](#), please cite

Thompson EA, Shaw RG (1990) Pedigree analysis for quantitative traits: variance components without matrix inversion. *Biometrics* 46, 399-413.

If you used environmental residuals from [polygenic](#) for [qtscore](#), used GRAMMAR and/or GRAMMAS analysis, please cite

Aulchenko YS, de Koning DJ, Haley C. Genomewide rapid association using mixed model and regression: a fast and simple method for genome-wide pedigree-based quantitative trait loci association analysis. *Genetics*. 2007 177(1):577-85.

Amin N, van Duijn CM, Aulchenko YS. A genomic background based method for association analysis in related individuals. *PLoS ONE*. 2007 Dec 5;2(12):e1274.

If you used [mmscore](#), please cite

Chen WM, Abecasis GR. Family-based association tests for genome-wide association scans. *Am J Hum Genet*. 2007 Nov;81(5):913-26.

For exact HWE (used in [summary.snp.data](#)), please cite:

Wigginton G.E., Cutler D.J., Abecasis G.R. A note on exact tests of Hardy-Weinberg equilibrium. *Am J Hum Genet*. 2005 76: 887-893.

For [haplo.stats](#) ([scan.haplo](#), [scan.haplo.2D](#)), please cite:

Schaid DJ, Rowland CM, Tines DE, Jacobson RM, Poland GA. Score tests for association between traits and haplotypes when linkage phase is ambiguous. *Am J Hum Genet*. 2002 70:425-434.

For fast LD computations (function [dprfast](#), [r2fast](#)), please cite:

Hao K, Di X, Cawley S. LdCompare: rapid computation of single- and multiple-marker r^2 and genetic coverage. *Bioinformatics*. 2006 23:252-254.

If you used [npsubtreated](#), please cite

Levy D, DeStefano AL, Larson MG, O'Donnell CJ, Lifton RP, Gavras H, Cupples LA, Myers RH. Evidence for a gene influencing blood pressure on chromosome 17. Genome scan linkage results for longitudinal blood pressure phenotypes in subjects from the framingham heart study. *Hypertension*. 2000 Oct;36(4):477-83.

See Also

[DatABEL](#), [genetics](#), [haplo.stats](#), [qvalue](#)

Examples

```
## Not run:
demo(ge03d2)
demo(srda)
demo(srdtawin)

## End(Not run)
```

add.phdata	<i>Adds phenotypic variables to gwaa...</i>
------------	---

Description

Adds phenotypic variables to gwaa.data object

Usage

```
add.phdata(data, newphdata, name)
```

Arguments

data	an object of gwaa.data-class
newphdata	data frame or a vector with new phenotypic data
name	if 'newphdata' is a vector, the name of new variable should be specified in 'name'

Details

Adds phenotypic variables to phdata part of an [gwaa.data-class](#) object

If "newphdata" is a data frame, it is simply merged to the phdata part of the "data", and is sorted according to the right order. In this case, The "newphdata" frame should contain single variable named "id", preferably of "character" class. It may contain "sex" variable, but that will be re-named to avoid duplication with the default sex variable presented in phdata.

If 'newphdata' is a vector, it should be of the same length as the number of people in the 'data' and is assumed to have the same order. In this case, you also need to supply the name of the new phenotype via the 'name' argument

Value

An (updated) object of [gwaa.data-class](#)

Author(s)

Yurii Aulchenko

See Also

[merge.gwaa.data](#) [merge.snp.data](#)

Examples

```

data(srda)
# take a small subset for this example
srda <- srda[1:10,1:5]
srda
# add single var
rnd <- rnorm(nids(srda))
srda1 <- add.phdata(srda,rnd,name="random")
srda1
# add > 1 var
# generate id names
ids <- paste("p",c(2,1,7,3,5,9,11,22,27),sep="")
# generate some random trait values
newtra1 <- rnorm(9)
newtra2 <- rnorm(9)
# make data frame
x <- data.frame(id=ids,newtra1=newtra1,newtra2=newtra2)
x
# now add this new trait to the data
srda1 <- add.phdata(srda,x)
srda1

```

add.plot

function to plot additional GWAA results

Description

Add plot of results of GWA analysis

Usage

```
add.plot(x, ..., df = 1, col=c("lightgreen","lightblue"), sort=TRUE, delta = 1)
```

Arguments

x	object of type scan.gwaa-class, as returned by scan.glm , qtscore , ccfast , emp.ccfast , emp.qtscore , or scan.haplo ; or of type scan.gwaa.2D-class, as returned by scan.haplo.2D or scan.glm.2D .
...	additional arguments to be passed to plot
df	P-value at which df to add (1, 2 or "Pc1df")
col	which colors to use to depict consecutive chromosomes
sort	whether results should be plotted after sorting by chromosome and position
delta	gap width between chromosomes

Value

No value returned.

Author(s)

Yurii Aulchenko

See Also[plot](#), [snp.subset](#), [scan.glm](#), [qtsscore](#), [ccfast](#), [emp.qtsscore](#), [emp.ccfast](#), [scan.haplo](#), [scan.haplo.2D](#), [scan.glm.2D](#)**Examples**

```
data(srdta)
a <- ccfast("bt", srdta, snps=c(1:100))
plot(a)
a1 <- qtsscore(bt, srdta, snps=c(1:100))
add.plot(a1, col="red", type="l")
```

`arrange_probabel_phe` *arrange_probabel_phe*

Description

arranges ProbABEL phenotype-file

Usage

```
arrange_probabel_phe(modelterms, phedata, gendata, file="probabel.PHE")
```

Arguments

<code>modelterms</code>	vector of character, which specifies the variables to be included into ProbABEL phenotype-file. Should contain, and start with 'id' column, which should provide the same ID codes as these in gendata
<code>phedata</code>	phenotypic data (matrix, data.frame, or gwa.data-class object)
<code>gendata</code>	genetic data to be used with ProbABEL, either <code>databel-class</code> object or name of the (index/data) file containing filevector data for ProbABEL
<code>file</code>	name of the ProbABEL phenotype file

Details

Function to arrange ProbABEL phenotype-file; it takes phenotypic data as input and aligns that with genotypic data of ProbABEL

Value

file with phenotypes ready for use with ProbABEL

Author(s)

Yurii Aulchenko

as.character.gwaa.data

Attempts to convert genotypic part of gwaa.data to character

Description

A function to convert @gtdata slot of an object of [gwaa.data-class](#) to "character"

Usage

```
## S3 method for class 'gwaa.data'  
as.character(x, ...)
```

Arguments

x	An object of gwaa.data-class
...	...

Value

A matrix containing genotypes in character format

Author(s)

Yurii Aulchenko

See Also

[as.character.snp.data](#), [as.double.gwaa.data](#), [as.double.snp.data](#), [as.hsgeno](#), [as.genotype.gwaa.data](#),
[as.genotype.snp.data](#)

Examples

```
data(srdta)  
as.character(srdta[1:5,1:10])
```

```
as.character.snp.coding
```

Attempts to convert internal snp.coding-class to character

Description

A function to convert an object of [snp.coding-class](#) to "character"

Usage

```
## S3 method for class 'snp.coding'  
as.character(x, ...)
```

Arguments

x	An object of snp.coding-class
...	...

Value

A vector containing actual (nucleotide) coding, for corresponding SNPs, in character format

Author(s)

Yurii Aulchenko

See Also

[as.character.snp.strand](#), [as.character.snp.data](#), [as.double.snp.data](#), [as.hsgeno](#), [as.genotype.snp.data](#)

Examples

```
data(srdata)  
as.character(srdata@gtdata@coding[1:5])
```

```
as.character.snp.data
```

Attempts to convert snp.data to character

Description

A function to convert an object of [snp.data-class](#) to "character"

Usage

```
## S3 method for class 'snp.data'  
as.character(x, ...)
```

Arguments

x An object of [snp.data-class](#)
... ...

Value

A matrix containing genotypes in character format

Author(s)

Yurii Aulchenko

See Also

[as.double.snp.data](#), [as.hsgeno](#), [as.genotype.snp.data](#)

Examples

```
data(srdta)
as.character(srdta@gtdata[1:5,1:10])
```

as.character.snp.strand

Attempts to convert internal strand-class to character

Description

A function to convert an object of [snp.strand-class](#) to "character"

Usage

```
## S3 method for class 'snp.strand'
as.character(x, ...)
```

Arguments

x An object of [snp.strand-class](#)
... ...

Value

A vector containing strand ("+", "-" or "u"), for corresponding SNPs, in character format

Author(s)

Yurii Aulchenko

See Also

[as.character.snp.coding](#), [as.character.snp.data](#), [as.double.snp.data](#), [as.hsgeno](#), [as.genotype.snp.data](#)

Examples

```
data(srdta)
as.character(srdta@gtdata@strand[1:5])
```

```
as.data.frame.gwaa.data
```

Attempts to convert snp.data to "hsgeno"

Description

A function taking @phdata part (data.frame) of the object of [gwaa.data-class](#)

Usage

```
## S3 method for class 'gwaa.data'
as.data.frame(x, ...)
```

Arguments

x	An object of data.frame-class
...	...

Details

Use is mainly internal

Value

A data-frame containing phenotypic data

Author(s)

Yurii Aulchenko

See Also

[as.character.snp.data](#), [as.double.snp.data](#), [as.genotype.snp.data](#)

Examples

```
data(srdta)
as.data.frame(srdta[1:5,])
```

as.double.gwaa.data *Attempts to convert gwaa.data to double*

Description

A function to convert an object of [gwaa.data-class](#) to "double"

Usage

```
## S3 method for class 'gwaa.data'  
as.double(x, ...)
```

Arguments

x	An object of gwaa.data-class
...	...

Value

A matrix containing genotypes in double (numeric) format

Author(s)

Yurii Aulchenko

See Also

[as.character.gwaa.data](#), [as.character.snp.data](#), [as.double.gwaa.data](#), [as.double.snp.data](#),
[as.hsgeno](#), [as.genotype.gwaa.data](#), [as.genotype.snp.data](#)

Examples

```
data(srdta)  
as.double(srdta[1:5,1:10])
```

as.double.snp.data *Attempts to convert snp.data to double*

Description

A function to convert an object of [snp.data-class](#) to "double"

Usage

```
## S3 method for class 'snp.data'  
as.double(x, ...)
```

Arguments

x An object of [snp.data-class](#)
... ...

Value

A matrix containing genotypes in double (numeric) format

Author(s)

Yurii Aulchenko

See Also

[as.character.snp.data](#), [as.hsgeno](#), [as.genotype.snp.data](#)

Examples

```
data(srdta)
as.double(srdta@gtdata[1:5,1:10])
```

as.genotype	<i>Attempts to convert object to "genotype"</i>
-------------	---

Description

A function to convert an object to "genotype" data frame

Usage

```
as.genotype(x, ...)
```

Arguments

x An object of [snp.data-class](#)
... ...

Value

A data-frame containing "genotype" data class, consumable by "genetics" library

Author(s)

Yurii Aulchenko

See Also

[as.character.gwaa.data](#), [as.character.snp.data](#), [as.double.gwaa.data](#), [as.double.snp.data](#), [as.hsgeno](#), [as.genotype.gwaa.data](#), [as.genotype.snp.data](#)

Examples

```
data(srdta)
as.genotype(srdta@gtdata[1:5,1:10])
```

`as.genotype.gwaa.data` *Attempts to convert gwaa.data to "genotype"*

Description

A function to convert @gtdata slot of an object of [gwaa.data-class](#) to "genotype" data frame

Usage

```
## S3 method for class 'gwaa.data'
as.genotype(x, ...)
```

Arguments

x	An object of gwaa.data-class
...	...

Value

A data-frame containing genotypes consumable by "genetics" library

Author(s)

Yurii Aulchenko

See Also

[as.character.gwaa.data](#), [as.character.snp.data](#), [as.double.gwaa.data](#), [as.double.snp.data](#), [as.hsgeno](#), [as.genotype.gwaa.data](#), [as.genotype.snp.data](#)

Examples

```
data(srdta)
as.genotype(srdta[1:5,1:10])
```

as.genotype.snp.data *Attempts to convert snp.data to "genotype"*

Description

A function to convert an object of [snp.data-class](#) to "genotype" data frame

Usage

```
## S3 method for class 'snp.data'  
as.genotype(x, ...)
```

Arguments

x An object of [snp.data-class](#)
... ...

Value

A data-frame containing genotypes consumable by "genetics" library

Author(s)

Yurii Aulchenko

See Also

[as.character.snp.data](#), [as.double.snp.data](#), [as.hsgeno](#)

Examples

```
data(srdta)  
as.genotype(srdta@gtdata[1:5,1:10])
```

as.hsgeno *Attempts to convert object to "hsgeno"*

Description

A function to convert an object to "hsgeno" data frame, to be used by "haplo.stats" library

Usage

```
as.hsgeno(x, ...)
```

Arguments

x An object of [snp.data-class](#) or [gwaa.data-class](#)
... ...

Value

A data-frame containing alleles, consumable by "haplo.stats" library

Author(s)

Yurii Aulchenko

See Also

[as.character.snp.data](#), [as.double.snp.data](#), [as.genotype.snp.data](#)

Examples

```
data(srdta)
as.hsgeno(srdta[1:5,1:3])
as.hsgeno(srdta@gtdata[1:5,1:3])
```

as.hsgeno.gwaa.data *Attempts to convert gwaa.data to "hsgeno"*

Description

A function to convert @gtdata slot of an object of [gwaa.data-class](#) to "hsgeno" data frame

Usage

```
## S3 method for class 'gwaa.data'
as.hsgeno(x, ...)
```

Arguments

x An object of [gwaa.data-class](#)
... ...

Value

A data-frame containing alleles, consumable by "haplo.stats" library

Author(s)

Yurii Aulchenko

See Also

[as.character.gwaa.data](#), [as.character.snp.data](#), [as.double.gwaa.data](#), [as.double.snp.data](#), [as.hsgeno](#), [as.genotype.gwaa.data](#), [as.genotype.snp.data](#)

Examples

```
data(srdta)
as.hsgeno(srdta[1:5,1:10])
```

as.hsgeno.snp.data *Attempts to convert snp.data to "hsgeno"*

Description

A function to convert an object of [snp.data-class](#) to "hsgeno" data frame

Usage

```
## S3 method for class 'snp.data'
as.hsgeno(x, ...)
```

Arguments

x	An object of snp.data-class
...	...

Value

A data-frame containing alleles, consumable by "haplo.stats" library

Author(s)

Yurii Aulchenko

See Also

[as.character.snp.data](#), [as.double.snp.data](#), [as.genotype.snp.data](#)

Examples

```
data(srdta)
as.hsgeno(srdta@gtdata[1:5,1:10])
```

`autosomal`*Function telling all autosomal SNPs*

Description

Function telling all autosomal SNPs

Usage

```
autosomal(data)
```

Arguments

`data` object of `gwaa.data-class` or `snp.data-class`

Details

For every SNP, looks up the chromosome, and, when it is an utosome (not X, Y, XY, or mt), reports the name back

Value

Vector of SNP names

Author(s)

Yurii Aulchenko

Examples

```
data(ge03d2)
autosomal(ge03d2)[1:10]
```

`blurGenotype`*blur genotype calls into probabilit...*

Description

blur genotype calls into probabilit...

Usage

```
blurGenotype(g, q, epsilon=0.01)
```

Arguments

g	vector of genotypes for a particular person (at locus 1, locus 2, etc., coded as 0, 1, 2 (corresponding to genotypes AA, AB, and BB, respectively) and NA.
q	(optional) vector of coded allele frequencies for locus 1, locus 2, etc.
epsilon	error rate

Details

'blurs' genotype calls into probabilities: translates single genotype g2, into probability distribution $P(g1|g2)$, that is probability that true genotype is g1 given g2 is the observed 'called' genotype and error rate is epsilon. Probability that 'true' genotype is called genotype is set to $(1-\epsilon)^2$, the probability that true genotype differs at 1 allele is set to $\epsilon*(1-\epsilon)$, and both alleles differ = ϵ^2 .

Value

matrix with columns corresponding to SNPs and rows corresponding to 'g0', 'g1', 'g2'. For a particular SNP, a value in cell 'gK' is the probability that true genotype is 'K', given the original call and error-rate.

Author(s)

Yurii Aulchenko

Examples

```
data(srdata)
# select 10 first SNPs
df <- srdata[,1:10]
# compute effect allele freq
EAF <- summary(gtdata(df))$"Q.2"
EAF
# get genotypes of first 5 people
g1 <- as.numeric(df[1:5,])
g1
# blur the genotype of person 1, snp 1
blurGenotype(g1[1,1])
# blur all genotypes of person 2; assume no info for missing
blurGenotype(g1[2,])
# blur all genotypes of person 2; use HWE to infer missing
blurGenotype(g1[2,],q=EAF)
```

catable *function to generate summary table for quantitative data*

Description

This function makes a table with number of observations which fall between user-defined categories

Usage

```
catable(data, categories = c(quantile(data,c(0.01,0.1,0.5,0.9,0.99),na.rm=TRUE)), cumulative = FALSE,
```

Arguments

data	A vector of numerics
categories	vector containing desired cut-off levels
cumulative	whether cumulative distribution should be shown
na.rm	how to treat NAs
digits	number of digits to be saved in rounding

Value

table with number and proportion of observations falling between categories

Author(s)

Yurii Aulchenko

See Also

[summary.snp.data](#), [perid.summary](#)

Examples

```
data(srdata)
callr <- summary(srdata@gtdata)[,"CallRate"]
catable(callr,c(0.93,0.95,0.99))
catable(callr)
catable(callr,cum=TRUE)
```

ccfast *fast case-control analysis*

Description

Fast case-control analysis by computing chi-square test from 2x2 (allelic) or 2x3 (genotypic) tables

Usage

```
ccfast(y, data, snpsubset, idsubset, times=1, quiet=FALSE, bcast=10, clambda=TRUE, propPs=1.0)
```

Arguments

y	character name of the vector of case-control status. Cases are denoted as 1 and controls as 0.
data	An object of gwaab.data-class
snpsubset	Index, character or logical vector with subset of SNPs to run analysis on. If missing, all SNPs from data are used for analysis.
idsubset	Index, character or logical vector with subset of IDs to run analysis on. If missing, all people from data are used for analysis.
times	If more than one, the number of replicas to be used in derivation of empirical genome-wide significance. See emp.qtscore , which calls qtscore with times>1 for details
quiet	do not print warning messages
bcast	If the argument times > 1, progress is reported once in bcast replicas
clambda	If inflation factor Lambda is estimated as lower than one, this parameter controls if the original P1df (clambda=TRUE) to be reported in Pc1df, or the original 1df statistics is to be multiplied onto this "deflation" factor (clambda=FALSE). If a numeric value is provided, it is used as a correction factor.
propPs	proportion of non-corrected P-values used to estimate the inflation factor Lambda, passed directly to the estlambda

Value

Object of class [scan.gwaab-class](#)

Author(s)

Yurii Aulchenko

See Also

[emp.ccfast](#), [plot.scan.gwaab](#), [scan.gwaab-class](#)

Examples

```

data(srdta)
a <- ccfast("bt", data=srdta, snps=c(1:10), ids=c(1:100))
a
a <- ccfast("bt", data=srdta)
plot(a)

```

check.marker

function to do genotypic quality control

Description

This function helps selecting the marker which should enter into GWA analysis based on call rate, minor allele frequency, value of the chi-square test for Hardy-Weinberg equilibrium, and redundancy, defined as concordance between the distributions of the genotypes (including missing values).

Usage

```

check.marker(data, snpsubset, idsubset, callrate = 0.95,
perid.call=0.95, extr.call = 0.1, extr.perid.call = 0.1, het.fdr = 0.01,
ibs.threshold = 0.95, ibs.mrk = 2000, ibs.exclude="both", maf, p.level = -1, fdrate = 0.2,
odds = 1000, hweidsubset, redundant = "no",
minconcordance = 2.0, qoption = "bh95", imphetasmissing = TRUE, XXY.call=0.8,
intermediateXF = c(0.5, 0.5))

```

Arguments

data	gwaa.data or snp.data object
snpsubset	a subset of SNPs to check (names, indexes, logical), default is all from data
idsubset	a subset of people to check (names, indexes, logical), default is all from data
callrate	cut-off SNP call rate
perid.call	cut-off individual call rate (maximum percent of missing genotypes in a person)
extr.call	SNPs with this low call rate are dropped prior to main analysis
extr.perid.call	people with this low call rate are dropped prior to main analysis
het.fdr	FDR rate for unacceptably high individual heterozygosity
ibs.threshold	threshold value for acceptable IBS
ibs.mrk	How many random markers should be used to estimate IBS. When <code>ibs.mrk < 1</code> , IBS checks are turned off. When "all" all markers are used.
ibs.exclude	"both", "lower" or "none" – whether both samples with <code>IBS > ibs.threshold</code> should be excluded, the one with lower call rate, or no check (equivalent to use of <code>'ibs.mrk = -1'</code>).

maf	cut-off Minor Allele Frequency. If not specified, the default value is 5 chromosomes $5/(2*nids(data))$
p.level	cut-off p-value in check for Hardy-Weinberg Equilibrium. If negative, FDR is applied
fdrate	cut-off FDR level in check for Hardy-Weinberg Equilibrium
odds	cut-off odds to decide whether marker/person should be excluded based on sex/X-linked marker data inconsistency
hweidssubset	a subset of people to check (names, indexes, logical) to use for HWE check
redundant	if "bychrom", redundancy is checked within chromosomes; "all" – all pairs of markers; "no" – no redundancy checks
minconcordance	a parameter passed to "redundant" function. If "minconcordance" is > 1.0 only pairs of markers which are exactly the same, including NA pattern, are considered as redundant; if $0 < \text{"minconcordance"} < 1$, then pairs of markers with concordance $> \text{"minconcordance"}$ are considered redundant. see redundant for details. Note that if "minconcordance" < 1 the program will take much longer time to run
qoption	if "bh95", BH95 FDR used; if "storey", qvalue package (if installed) is used
imphetasmissing	If "impossible heterozygotes" (e.g. heterozygous mtDNA, and male Y- and X-chromosome markers) should be treated as missing genotypes in the QC procedure
XXY.call	What proportion of Y-chromosome markers should be called to consider that Y-chromosome is present (in presence of XX)
intermediateXF	X-chromosomal F to be considered 'intermediate' and regarded as error; currently use of default disables this check

Details

In this procedure, sex errors are identified initially and then possible residual errors are removed iteratively. At the first step, of the iterative procedure, per-marker (minor allele frequency, call rate, exact P-value for Hardy-Weinberg equilibrium) and between-marker statistics are generated and controlled for, mostly using the internal call to the function [summary.snp.data](#).

At the second step of the iterative procedure, per-person statistics, such call rate within a person, heterozygosity and between-person statistics (identity by state across a random sample of markers) are generated, using [perid.summary](#) and [ibs](#) functions. Heterozygosity and IBS are estimated using only autosomal data. If IBS is over [ibs.threshold](#) for a pair, one person from the pair is added to the [ibsfail](#) list and excluded from the [idok](#) list. At the second step, only the markers passing the first step are used.

The procedure is applied recursively till no further markers and people are eliminated.

Value

Object of class [check.marker-class](#)

Author(s)

Yurii Aulchenko

See Also

[check.trait](#), [ibs](#), [summary.snp.data](#), [perid.summary](#), [plot.check.marker](#), [summary.check.marker](#), [redundant](#), [HWE.show](#), [check.marker-class](#)

Examples

```
# usual way
data(ge03d2c)
# many errors
mc0 <- check.marker(ge03d2c)
# take only people and markers passing QC
fixed0 <- ge03d2c[mc0$idok,mc0$snpok]
# major errors fixed, still few males are heterozygous for X-chromosome markers
mc1 <- check.marker(fixed0)
# fix minor X-chromosome problems
fixed1 <- Xfix(fixed0)
# no errors
mc2 <- check.marker(fixed1)
summary(mc2)
# ready to use fixed1 for analysis

# let us look into redundancy
data(srdta)
mc <- check.marker(data=srdta,ids=c(1:300),call=.92,perid.call=.92)
names(mc)
mc$nohwe
mc <- check.marker(data=srdta@gtdata[,1:100],call=0.95,perid.call=0.9,maf=0.02,minconcordance=0.9,fdr=0.1,redundant=0.1)
summary(mc)
HWE.show(data=srdta,snps=mc$nohwe)
plot(mc)
```

check.marker-class *Class "check.marker"*

Description

This class contains results of genotypic quality control. This is an list object, usually generated by [check.marker](#).

Names

snpok Markers which passed all criteria

idok People which passed all criteria

nohwe Markers which did not pass HWE check

Pex.nohwe Exact HWE P-values for markers which did not pass HWE check

nocall Markers with call rate < specified callrate

nofreq Markers with MAF < specified maf
Xmrkfail X-linked markers with too many heterozygous male genotypes
redundant Redundant markers
details.redundancy List with details on redundant markers (reference-marker <-> redundant-markers)
idncall People with too low SNP call rate across al SNPs
hetfail People having too high heterozygosity
ibsfail People having too high IBS with other people
Xidfail Men with too many heterozygous X-linked markers
call List with details on call: call, name (of marker), map, chromosome

Methods

summary signature(object = "check.marker"): gives a cross table summarising how many markers did not pass because of this or that criteria
plot signature(object = "check.marker"): Plots summary of genotypic data QC

Author(s)

Yurii Aulchenko

See Also

[check.marker](#), [summary.check.marker](#), [redundant](#), [plot.check.marker](#)

Examples

```
data(srda)
mc <- check.marker(data=srda@gtdata[,1:100],redundant="all",maf=0.01,minconcordance=0.9,fdr=.1,ibs.mrk=0)
class(mc)
names(mc)
names(mc$call)
mc$nohwe
mc$Pex.nohwe
summary(mc)
plot(mc)
```

check.trait

function to do primitive trait quality control

Description

This function check for outliers (using FDR framework) and plots the raw data.

Usage

```
check.trait(trait, data, fdrate = 0.05, graph = TRUE, binshow = FALSE,
option = "bh95")
```

Arguments

trait	name (or list of names) of trait(s) to be checked
data	gwaadata object or data frame containing the trait
fdrate	false discovery rate to apply for QC
graph	if graphical output should be produced
binshow	if binary traits should be plotted
qoption	how to compute q-values (not implemented, currently using only BH95)

Details

The P-value that a particular measurement is an outlier is computed as following. Consider trait vector Y with particular i^{th} measurement denoted as y_i . Let $Y(-i)$ is vector, which is the same as Y , except that i^{th} measurement is dropped. Then Chi-square for measurement i is computed as

$$Chi_i = (mean(Y(-i)) - y_i)^2 / var(Y(-i))$$

P-value is computed using 1 d.f., and the vector of P-values enters FDR computation procedure (BH95 by default).

Value

No value returned, output is made to the screen and graphical device.

Author(s)

Yurii Aulchenko

See Also

[check.marker](#)

Examples

```
data(srdata)
check.trait("qt3", data=srdata)
n <- names(srdata@phdata)
check.trait(n, data=srdata)
```

`checkPackageVersionOnCRAN`*checks what is the version of package on CRAN...*

Description

checks what is the version of package on CRAN

Usage

```
checkPackageVersionOnCRAN(packageName,  
  baseUrlCRAN="http://cran.r-project.org/web/packages/", timeout=10)
```

Arguments

<code>packageName</code>	name of the package to check
<code>baseUrlCRAN</code>	path to CRAN repository
<code>timeout</code>	web check timeout

Details

Checks what is the version of package on CRAN. The CRAN page (`baseUrlCRAN+packageName`) is checked and parsed extracting the line with "Package source: `packageName_Version.tar.gz`" e.g. "Package source: GenABEL_1.6-9.tar.gz" and then the 'Version' is returned. Otherwise, NULL is returned.

Value

string containing CRAN version of the package

Author(s)

Yurii Aulchenko

Examples

```
library(GenABEL)  
packageVersion("GenABEL")  
checkPackageVersionOnCRAN("GenABEL")
```

cocoHet	<i>Detecting rare recessive and compound heterozygote alleles in genome wide association.</i>
---------	---

Description

Detecting rare recessive and compound heterozygote alleles in genome wide association.

Usage

```
cocoHet(data, trait, window, return_all_result=TRUE, manhattan_filename="manhattan_plot.jpeg", test="
```

Arguments

data	Genotype data for analysis. Object of class <code>snp.data</code>
trait	Vector with binary trait data. Object of class <code>integer</code> or <code>numeric</code> .
window	Number of SNPs on the "right" of a given SNP which are used in analysis with a SNP. Object of class <code>integer</code>
return_all_result	If FALSE then return only a vector where each element is a chisq obtained as a maximum chisq between a given SNP and SNPs on the right within a window. If TRUE then return also a matrix where chisq's for all tests are stored. Object of class <code>logical</code>
manhattan_filename	File name where manhattan plot will be saved after analysis. Object of class <code>character</code>
test	Name of the test to be performed. Available tests are "CHI2", "YATES" (chi2 with Yates correction), and "FISHER". Object of class <code>character</code>
min_expected_cut_off	In case this is ≥ 0 and test is NOT Pearson's chisq test then Pearson's chisq test (!) is performed only for SNPs which produce a contingency table where the expected number of subjects in each field is $> \text{min_expected_cut_off}$. Otherwise the specified test is performed. Object of class <code>integer</code> or <code>numeric</code>

Details

The function is an implementation of the method aimed to detect a gene-phenotype association caused by recessive and compound heterozygote genotype states of multiple rare variants at a particular gene locus. The paper 'Detecting rare recessive and compound heterozygote alleles in genome wide association and sequencing studies with red hair color as example'; Fan Liu, Maksim V. Struchalin, Kate van Duijn, Albert Hofman, Andre Uitterlinden2 Yuri S. Aulchenko2 and Manfred Kayser1. Submitted to 'PLOS Genetics'.

The three tests are implemented: Pearson's chi-square test, Pearson's chi-square test with Yates correction, Fisher exact test. In case when the input parameter `min_expected_cut_off` is < 0 the chosen in the input parameter "test" test is performed. If `min_expected_cut_off` ≥ 0 then always

Pearson's chi-square test is performed except of the cases when expected number of subjects in a field of contingency table is `<min_expected_cut_off`. In this case the test choosen in the input parameter `test` is performed.

Value

A list is returned.

<code>chi2_max</code>	A vector where each element is a test statistic choosen as a maximum chisq among tests where a SNP and SNPs on the right within a window are involved.
<code>chi2_all</code>	Statistics of all tests done in the analysis. Each row of the matrix contains tests statistics for a SNP and all SNPs on the right of him within of a given window. For example: the ellement <code>chi2_all[1,1]</code> stands for a test

Author(s)

Maksim Struchalin

Examples

```
data(srda)
chis2_nocorrection <- cocohet(data=srda@gtdata, trait=srda@phdata$bt, window=3, test="CHI2")
```

`convert.snp.affymetrix`

function to convert genotypic data from Affymetrix to internal format

Description

Converts genotypic data from Affymetrix format to internal genotypic data formatted file

Usage

```
convert.snp.affymetrix(dir, map, outfile, skipaffym)
```

Arguments

<code>dir</code>	Directory which affymetrix files storages.
<code>map</code>	File name with map (annotation) information.
<code>outfile</code>	Output data file.
<code>skipaffym</code>	Number of lines to skip in the Affymetrix file.

Details

Affymetrix file has following format:

some information...

some information...

some information...

SNPID Call Confidence others column ...

AFFX-7317060 AB 0.01709367 ...

AFFX-7317061 BB 0.01683776 ...

AFFX-7317067 AB 0.01704767 ...

AFFX-7317077 AB 0.01817814 ...

AFFX-7317078 AA 0.0006741961 ...

AFFX-7317079 AA 0.004776776 ...

AFFX-7317063 AB 0.006349149 ...

AFFX-7317064 AB 0.04771883 ...

AFFX-7317067 AA 0.04387166 ...

The first several lines do not contain genotype information and have to be skipped. Skipped numbers of lines can be setted. by setting skipaffym input parameter. For above examble it has to be skipaffym=3.

Every row corresponds to a SNP. The first column is snp name, the second - genotype. The second column can contain letters (AA, AB, BB) or figures (1, 2, 3). Another values consider as unmeasured.

All affymetrix files must have same SNP amount and same SNP order.

The first two lines in the map file will be skipped.

If SNP does not exist in map (annotation) file this SNP will be skipped.

Output will be written into file pointed in outfile.

Value

Does not return any value, but writes file with GenABEL raw data

Note

The function does not check if "outfile" already exists, thus it is always over-written

Author(s)

Maksim Struchalin

See Also

[load.gwaa.data](#), [convert.snp.text](#), [convert.snp.mach](#), [convert.snp.tped](#) [convert.snp.illumina](#)

Examples

```
## Not run:
convert.snp.affymetrix(dir="where_is_our_aff_files", map="map_file", outfile="output.raw", skipaffym=3)

## End(Not run)
```

convert.snp.illumina *function to convert genotypic data from Illumina/Affymetrix to internal format*

Description

Converts genotypic data from Illumina/Affymetrix-like format to internal genotypic data formatted file

Usage

```
convert.snp.illumina(infile, outfile, strand = "+", bcast = 10000000)
```

Arguments

infile	Map + genotypic data file name
outfile	Output data file
strand	Specification of strand, one of "u" (unknown), "+", "-" or "file". In the latter case, extra column specifying the strand (again, one of "u", "+", or "-") should be included on the infile.
bcast	Reports progress after reading bcast portion of SNP genotypes

Details

Input file is the one which could be typically obtained from Illumina BeadStudio software. For example:

```
Name Chr Pos id1 id2 id3
rs1001 2 12897 AC AA AA
rs2401 3 12357 AG GG AG
rs123 3 5327 TC TT CC
```

Here, every row corresponds to a SNP, and each column, starting with the 4th, corresponds to a person.

When strand information is available (option strand="file"), the file should look like

Accepted allele codes: 1/2, A/B, A/T, A/G, A/C, T/G, T/C, G/C, A/-, T/-, G/-, C/-. Here, "-" stands of a deletion. Missing data can be coded as "-" or "00". Make sure that the coding for missing is "00" if you use one of the codings A/-, T/-, G/-, C/-!

```
Name Chr Pos Strand id1 id2 id3
```

rs1001 2 12897 + AC AA AA

rs2401 3 12357 - AG GG AG

rs123 3 5327 + TC TT CC

Accepted strand coding: +, -, u (unknown)

The procedure always codes genotypes that "0", "1" and "2" correspond to AA, AB, and BB, where B is the less frequent allele. Thus GWA analysis procedures will return effect of the minor allele.

Value

Does not return any value, but writes file with GenABEL raw data

Note

The function does not check if "outfile" already exists, thus it is always over-written

Author(s)

Yurii Aulchenko

See Also

[load.gwaa.data](#), [convert.snp.text](#), [convert.snp.mach](#), [convert.snp.tped](#)

Examples

```
#
# convert.snp.illumina(infile="pedin.18",out="genos.raw",strand="+")
#
```

convert.snp.mach	<i>function to convert genotypic data from MACH format to internal data format</i>
------------------	--

Description

Converts genotypic data from MACH format to internal genotypic data formatted file (NOT recommended)

Usage

```
convert.snp.mach(pedfile, mapfile, infofile, outfile, quality = 0.9, column.quality = 7, strand = "+", .
```

Arguments

pedfile	File with genotypic data from MACH (geno or mlgeno)
mapfile	Name of the map file (note that header line should be included)
infofile	Name MACH info-file
outfile	Output data file
quality	Drop the SNPs with quality (as specified in some column of info-file) lower than this threshold.
column.quality	What column of the info-file provides "quality". Default = 7 or r2; possible values include 6 (average posterior probability).
strand	Specification of strand, one of "u" (unknown), "+", "-" or "file". In the latter case, map-file should contain an extended map (the one including strand and coding). See options to convert.snp.ped for details.
...	Other arguments passed to convert.snp.ped

Details

This is a simple script converting the MACH data with [convert.snp.ped](#), re-loading data, and filtering the snp.data object based on quality as specified in MACH info-file

Note that it is NOT recommended to process imputations results with this procedure, as uncertainty inherent to imputations is lost after processing ("hard" calls are made)! For the purposes of GWA analysis, we recommend procedures, which make direct use of estimated allele dose or genotypic probabilities.

Value

Does not return any value, but writes file with GenABEL raw data

Note

The function does not check if "outfile" already exists, thus it is always over-written

Author(s)

Yurii Aulchenko

See Also

[load.gwa.data](#), [convert.snp.illumina](#), [convert.snp.text](#), [convert.snp.ped](#), [convert.snp.tped](#)

Examples

```
#  
# convert.snp.mach(ped="pedin.18",map="map.18",out="genos.raw")  
#
```

convert.snp.ped	<i>function to convert genotypic data in pedigree format (+map) to internal data format</i>
-----------------	---

Description

Converts genotypic data in a variety of pedigree formats (+map) to internal genotypic data formatted file

Usage

```
convert.snp.ped(pedfile, mapfile, outfile, format = "premakeped", traits = 1,
strand = "u", bcast = 10000000, wslash=FALSE, mapHasHeaderLine=TRUE)
```

Arguments

pedfile	Pre-makeped linkage genotypic data file name (no header line)
mapfile	Name of the map file (note that by default header line should be included, see 'mapHasHeaderLine' to modify that)
outfile	Output data file
format	Input data format, either "premakeped" (default, also works with Merlin files), or "mach"
traits	How many traits are specified in the pedigree file (usually 1 – affection – or 2 – affection and liability). Has no effect when format = "mach".
strand	Specification of strand, one of "u" (unknown), "+", "-" or "file". In the latter case, map-file should contain an extended map (the one including strand and coding)
bcast	Reports progress after reading bcast portion of SNPs
wslash	Whether alleles are separated with slash (is true for Mach/Merlin format), otherwise it is assumed that alleles are separated with space. When wslash=T it is assumed that genotypes are coded with single characters, separated with slash (no spaces), e.g. "A/G", and not "A/ G" or "A / G".
mapHasHeaderLine	Whether map-file has a header line

Details

Pedfile must be standard pre-makeped/Merlin linkage file, or a Mach file. In pre-makeped linkage file, columns are

```
ped id fa mo sex trait snp1.allele1 snp1.allele2 snp2.allele1 snp2.allele2 ...
```

For example

```
1 1 0 0 1 2 A A G T ...
```

```
1 2 0 0 1 0 A G T T ...
```

```
1 3 0 0 2 1 A A T T ...
```

```
...
```

Would imply that persons 1, 2 and 3 are "founders" (which would be typical for a case-control study), 1 and 2 are males and 3 is female. Person 1 is homozygous for allele 1 at locus 1 and heterozygous at locus 2. Person 2 is heterozygous at both loci. Person 3 is homozygous for allele 2 at locus 1 and allele 1 at locus 2.

Only the second and the marker columns are used, thus make sure the IDs are unique!

Accepted allele codes: 1/2, A/B, A/T, A/G, A/C, T/G, T/C, G/C, A/-, T/-, G/-, C/-. Here, "-" stands of a deletion.

The map file is standard Merlin map. For example:

```
chrom name position
```

```
18 rs679153 2859916
```

```
18 rs9965482 2860891
```

Says that locus 1 is named rs679153 and located at chromosome 18 position 2859916. Locus 2 (rs9965482) is located at chromosome 18, position 2860891.

In extended map format, there should be 4th column specifying the strand

```
chrom name position strand
```

```
18 rs679153 2859916 -
```

```
18 rs9965482 2860891 +
```

Accepted strand coding: +, -, u (unknown)

Please note that by default the header line (e.g. "chrom name position") SHOULD be present in your file, though you can use 'mapHasHeaderLine' argument to modify this behavior

Value

Does not return any value, but writes file with GenABEL raw data

Note

The function does not check if "outfile" already exists, thus it is always over-written

Author(s)

Yurii Aulchenko

See Also

[load.gwaa.data](#), [convert.snp.illumina](#), [convert.snp.mach](#), [convert.snp.text](#), [convert.snp.tped](#)

Examples

```
#
# convert.snp.ped(ped="pedin.18",mapfile="map.18",out="genos.raw")
#
```

convert.snp.text	<i>function to convert integer genotypic data file to raw internal data formatted file</i>
------------------	--

Description

Converts integer genotypic data file to raw internal data formatted file

Usage

```
convert.snp.text(infile, outfile, bcast = 10000)
```

Arguments

infile	Input data file name
outfile	Output data file
bcast	Reports progress after reading bcast portion of SNPs

Details

Input genotypic data file contains all kind of genetic information. The first line of this file contains IDs of all study subjects. The second line gives names of all SNPs in the study. The third line list the chromosomes the SNPs belong to. Sequential numbers are used for autosomes and "X" (capital!) is used for the sex-chromosome. The forth line lists genomic position of the SNPs, in order which is the same as order in the line 2. The genomic position can be chromosome-specific (each chromosome starts with "0") or, better, a true genomic position (chromosome 1 starts with 0 and chromosome 2 continues at the point chromosome 1 ends).

Starting with the line five, genetic data are presented. The 5th line contains the data for SNP, which is listed first on the second line. The first column of this line specifies the genotype for the person, who is listed first on the line 1; the second column gives the genotype for the second person, so on. The genotypes are coded as 0 (missing), 1 (for AA), 2 (for AB) and 3 (for BB). Here is a small example:

```
289982 325286 357273 872422 1005389
SNP-1886933 SNP-2264565 SNP-2305014
1 1 1
825852 2137143 2585920
3 3 3 3 2
3 2 3 3 3
2 2 1 1 1
```

In this example, we can see that SNP-2305014 (number 3 in the second line) is located on chromosome 1 at the position 2585920. If we would like to know what is genotype of person with ID 325286 (second in the first line), we need to take second column and the third line of the genotypic data. This cell contains 1, thus, person 325286 has genotype "AA" at SNP-2305014.

In the event that you do not want to use a map for some reason (such as prior ordering of the polymorphisms in the genotype file), make a dummy map-line, which contains order information.

The above described genotypic data file is (more or less) human-readable; actually, to achieve the aim of effective data storage GWAA package uses internal format. In this format, four genotypes are stored in single byte; "raw" data format of R is used.

Value

Does not return any value

Note

The function does not check if "outfile" already exists, thus it is always over-written

Author(s)

Yurii Aulchenko

See Also

[load.gwaa.data](#), [convert.snp.illumina](#), [convert.snp.ped](#), [convert.snp.mach](#), [convert.snp.tped](#)

Examples

```
#  
# convert.snp.text("genos.dat", "genos.raw")  
#
```

convert.snp.tped	<i>function to convert genotypic data in transposed-ped format (.tped and .tfam) to internal genotypic data formatted file</i>
------------------	--

Description

Converts genotypic data in transposed-ped format (.tped and .tfam) to internal genotypic data formatted file

Usage

```
convert.snp.tped(tpedfile, tfamfile, outfile, strand = "u", bcast = 10000)
```

Arguments

tpedfile	Name of transposed-ped format (.tped) file to read
tfamfile	Name of individual data (.tfam) file to read
outfile	Name for output data file
strand	Specification of strand, one of "u" (unknown), "+", "-" or "file". In the latter case, extra column specifying the strand (again, one of "u", "+", or "-") should be included on the tpedfile.
bcast	Reports progress every time this number of SNPs have been read

Details

The transposed-ped file format may be preferred when extremely large numbers of markers have been genotyped. This file format is supported by plink! See <http://pngu.mgh.harvard.edu/~purcell/plink/> for details.

The conversion is performed by C++ code that is both fast and memory efficient.

The genotype data are stored in the main transposed-ped format file, usually with a .tped file extension. If there are NSNP markers genotyped in NIND individuals, this file has NSNP rows and $4+NIND*2$ columns. There is one row per marker, and no header. The first four columns are:

Chromosome

Marker name (e.g. rs number)

Genetic position (in Morgans)

Physical position (in bp)

These are followed by two columns per individual, which contain the genotype, coded as two characters. The '0' character is used for missing data. For example, a file containing data for six individuals genotyped at two SNPs would look like:

```
1 rs1234 0 5000650 A A 0 0 C C A C C C C C
```

```
1 rs5678 0 5000830 G T G T G G T T G T T T
```

In this example, the second individual is missing data for SNP rs1234, etc. The alleles can be coded by any two distinct characters, e.g. 'C' and 'G', or '1' and '2'. The '0' character is reserved for missing data, and each individual genotype must be either complete, or completely missing. In the current implementation, only the physical positions of the SNPs are read, and the genetic positions are ignored.

The indices for the columns are stored in a separate file, usually with a .tfam file extension. Traditionally, this file has six columns, and no header. In the current implementation, only the second column is used. This column must contain the individual id. Other columns are ignored.

Value

Does not return any value

Note

The function does not check if "outfile" already exists, thus it is always over-written

Author(s)

Toby Johnson <tooby.johnson@unil.ch>

See Also

[convert.snp.ped](#), [convert.snp.illumina](#), [convert.snp.text](#), [convert.snp.mach](#), [load.gwaa.data](#)

Examples

```
#  
# convert.snp.tped("c21.tped",map="c21.tfam",out="c21.raw")  
#
```

crnames

Return column and row names

Description

Given a dimnames, returns column and row names for index cells

Usage

```
crnames(dnames, idx)
```

Arguments

dnames	object dimnames
idx	index (or logical condition on the original object)

Examples

```
data(ge03d2ex)  
a <- as.numeric(ge03d2ex[1:20,1:3])  
crnames(dimnames(a),a==1)
```

del.phdata	<i>delete phenotypes from phdata...</i>
------------	---

Description

delete phenotypes from phdata

Usage

```
del.phdata(data, what, all=FALSE)
```

Arguments

data	an object of gwaa.data-class
what	which phenotypes (variables) to delete, expressed as (vector of) names (character) or integer (column of phdata data frame)
all	if 'all'=TRUE and 'what' is missing, all phenotypes are deleted, and only the 'id' and 'sex' are kept

Details

This function is used to delete certain phenotypes from phenotypic part (phdata) of an object of [gwaa.data-class](#)

Author(s)

Yurii Aulchenko

Examples

```
data(srdta)
phdata(srdta)[1:5,]
srdta <- del.phdata(srdta,"qt1")
phdata(srdta)[1:5,]
srdta <- del.phdata(srdta,all=TRUE)
phdata(srdta)[1:5,]
```

descriptives.marker *Function to generate descriptive summary tables for genotypic data*

Description

Function to generate descriptive summary tables for genotypic data

Usage

```
descriptives.marker(data, snpsubset, idsubset, file, mafc, hwec, snpc, idcc, digits = 3)
```

Arguments

data	an object of <code>snp.data-class</code> or <code>gwaa.data-class</code>
snpsubset	Index, character or logical vector with subset of SNPs to run analysis on. If missing, all SNPs from data are used for analysis.
idsubset	Index, character or logical vector with subset of IDs to run analysis on. If missing, all people from data are used for analysis.
file	A string specifying the name of a file to write the tables to (default is missing).
mafc	vector containing desired cut-off levels for minor allele frequency
hwec	vector containing desired cut-off levels for exact HWE P-values
snpc	vector containing desired cut-off levels for SNP call rate
idcc	vector containing desired cut-off levels for individual SNP call rate
digits	number of digits to be printed

Value

A list containing descriptive tables and statistics

Author(s)

Yurii Aulchenko

Examples

```
data(srdta)
descriptives.marker(srdta)
```

descriptives.scan *Function to describe "top" hits in GWA scan*

Description

Describes "top" hits in GWA scan

Usage

```
descriptives.scan(data, file, top=10, sortby="P1df", sep = "\t")
```

Arguments

data	an object of snp.data-class or gwaa.data-class
file	A string specifying the name of a file to write the tables to (default is no file output).
top	How many "top" hits to describe
sortby	How to pick up "top" hits ("P1df", "P2df", "Pgw1df", "Pgw2df")
sep	field separator (takes effect only if file argument provided)

Value

A descriptive table

Author(s)

Yurii Aulchenko

Examples

```
data(srda)
x <- qt2score(qt2, srda)
descriptives.scan(x)
```

descriptives.traits *Function to generate descriptive summary tables for phenotypic data*

Description

Function to generate descriptive summary tables for phenotypic data

Usage

```
descriptives.traits(data, subset, file, by.var=NULL, digits = 3)
```

Arguments

data	an object of <code>snp.data-class</code> or <code>gwaa.data-class</code>
subset	Subset of people to run analysis on. If missing, all people from data are used for analysis.
file	A string specifying the name of a file to write the tables to (default is no file output).
by.var	a binary variable or a character scalar specifying the name of a binary trait in data; statistics will be produced separately for the groups and compared
digits	number of digits to be printed

Value

A table with descriptive statistics. Ptt: t-test; Pkw: kruskal.test; Pex: Fisher exact test (for factors with <5 levels)

Author(s)

Yurii Aulchenko

Examples

```
data(srdata)
descriptives.trait(srdata)
descriptives.trait(srdata,by.var=srdata@phdata$sex)
descriptives.trait(srdata,by.var="sex")
attach(phdata(srdata))
descriptives.trait(srdata,by.var=sex)
detach(phdata(srdata))
```

dprfast

Estimates D' between multiple markers

Description

Given a set of SNPs, computes a matrix of D'

Usage

```
dprfast(data, snpsubset, idsubset)
```

Arguments

data	object of <code>snp.data-class</code>
snpsubset	Index, character or logical vector with subset of SNPs to run analysis on. If missing, all SNPs from data are used for analysis.
idsubset	Index, character or logical vector with subset of IDs to run analysis on. If missing, all people from data are used for analysis.

Details

The function is based on slightly modified code of Hao et al.

Value

A (Nsnps X Nsnps) matrix giving D' values between a pairs of SNPs above the diagonal and number of SNP genotype measured for both SNPs below the diagonal

Author(s)

Yurii Aulchenko

References

Hao K, Di X, Cawley S. (2006) LdCompare: rapid computation of single- and multiple-marker D' and genetic coverage. *Bioinformatics*, 23: 252-254.

See Also

[rhofast](#)

Examples

```
data(ge03d2)
# D's using D'fast
a <- dprfast(ge03d2,snps=c(1:10))
## Not run:
library(genetics)
# D's using package genetics
b <- LD(as.genotype(ge03d2[,1:10]))$"D'"
# see that the D's are not exactly the same
cor(a[upper.tri(a)],b[upper.tri(b)])
plot(a[upper.tri(a)],b[upper.tri(b)])

## End(Not run)
```

egscore

Fast score test for association, corrected with PC

Description

Fast score test for association between a trait and genetic polymorphism, adjusted for possible stratification by principal components.

Usage

```
egscore(formula,data,snpsubset,idssubset,kinship.matrix,naxes=3,strata,times=1,quiet=FALSE,bcast=10,
```

Arguments

formula	Formula describing fixed effects to be used in analysis, e.g. $y \sim a + b$ means that outcome (y) depends on two covariates, a and b. If no covariates used in analysis, skip the right-hand side of the equation.
data	An object of gwaa.data-class
snpsubset	Index, character or logical vector with subset of SNPs to run analysis on. If missing, all SNPs from data are used for analysis.
idssubset	Index, character or logical vector with subset of IDs to run analysis on. If missing, all people from data/cc are used for analysis.
kinship.matrix	kinship matrix, as returned by ibs , Use weight="freq" with ibs and do not forget to replace the diagonal with Var returned by hom , as shown in example!
naxes	Number of axes of variation to be used in adjustment (should be much smaller than number of subjects)
strata	Stratification variable. If provided, scores are computed within strata and then added up.
times	If more than one, the number of replicas to be used in derivation of empirical genome-wide significance.
quiet	do not print warning messages
bcast	If the argument times > 1, progress is reported once in bcast replicas
clambda	If inflation factor Lambda is estimated as lower than one, this parameter controls if the original P1df (clambda=TRUE) to be reported in Pc1df, or the original 1df statistics is to be multiplied onto this "deflation" factor (clambda=FALSE). If a numeric value is provided, it is used as a correction factor.
propPs	proportion of non-corrected P-values used to estimate the inflation factor Lambda, passed directly to the estlambda

Details

The idea of this test is to use genomic kinship matrix to first, derive axes of genetic variation (principal components), and, second, adjust both trait and genotypes onto these axes. Note that the diagonal of the kinship matrix should be replaced (default it is $.5+F$, and for EIGENSTRAT one needs variance). These variances are produced by [hom](#) function (see example).

The traits is first analysed using LM and with covariates as specified with formula and also with axes of variation as predictors. Corrected genotypes are defined as residuals from regression of genotypes onto axes (which are orthogonal). Correlation between corrected genotypes and phenotype is computed, and test statistics is defined as square of this correlation times $(N - K - 1)$, where N is number of genotyped subjects and K is the number of axes.

This test is defined only for 1 d.f.

Value

Object of class [scan.gwaa-class](#)

Author(s)

Yurii Aulchenko

References

Price A. L. et al, Principal components analysis corrects for stratification in genome-wide association studies. Nat Genet 38: 904-909.

See Also

[qtscore](#), [mmscore](#), [ibs](#), [scan.gwaa-class](#)

Examples

```
data(ge03d2c)
#egscore with stratification
gkin <- ibs(ge03d2c[,autosomal(ge03d2c)],w="freq")
#replace the diagonal with right elements
diag(gkin) <- hom(ge03d2c[,autosomal(ge03d2c)])$Var
a <- egscore(dm2~sex+age,data=ge03d2c,kin=gkin)
plot(a,df="Pc1df")
```

egscore.old

Fast score test for association, corrected with PC

Description

Fast score test for association between a trait and genetic polymorphism, adjusted for possible stratification by principal components.

Usage

```
egscore.old(formula,data,snpsubset,idssubset,kinship.matrix,naxes=3,strata,times=1,quiet=FALSE,bcast
```

Arguments

formula	Formula describing fixed effects to be used in analysis, e.g. $y \sim a + b$ means that outcome (y) depends on two covariates, a and b . If no covariates used in analysis, skip the right-hand side of the equation.
data	An object of gwaa.data-class
snpsubset	Index, character or logical vector with subset of SNPs to run analysis on. If missing, all SNPs from data are used for analysis.
idssubset	Index, character or logical vector with subset of IDs to run analysis on. If missing, all people from data/cc are used for analysis.
kinship.matrix	kinship matrix, as returned by ibs , (use weight="freq!")
naxes	Number of axes of variation to be used in adjustment (should be much smaller than number of subjects)

strata	Stratification variable. If provided, scores are computed within strata and then added up.
times	If more then one, the number of replicas to be used in derivation of empirical genome-wide significance.
quiet	do not print warning messages
bcast	If the argument times > 1, progress is reported once in bcast replicas
clambda	If inflation facot Lambda is estimated as lower then one, this parameter controls if the original P1df (clambda=TRUE) to be reported in Pc1df, or the original 1df statistics is to be multiplied onto this "deflation" factor (clambda=FALSE). If a numeric value is provided, it is used as a correction factor.
propPs	proportion of non-corrected P-values used to estimate the inflation factor Lambda, passed directly to the estlambda

Details

The idea of this test is to use genomic kinship matrix to first, derive axes of genetic variation (principal components), and, second, adjust both trait and genotypes onto these axes.

The traits is first analysed using LM and with covariates as specified with formula and also with axes of variation as predictors. Corrected genotypes are defined as residuals from regression of genotypes onto axes (which are orthogonal). Correlaton between corrected genotypes and phenotype is computed, and test statistics is defined as square of this correlation times $(N - K - 1)$, where N is number of genotyped subjects and K is the number of axes.

This test is defined only for 1 d.f.

Value

Object of class [scan.gwaa-class](#)

Author(s)

Yurii Aulchenko

References

Price A. L. et al, Principal components analysis corrects for stratification in genome-wide association studies. Nat Genet 38: 904-909.

See Also

[qtscore](#), [mmscore](#), [ibs](#), [scan.gwaa-class](#)

Examples

```
#data(ge03d2ex)
##egscore.old with stratification
#gkin <- ibs(ge03d2ex,w="freq")
#a <- egscore.old(dm2~sex+age,data=ge03d2ex,kin=gkin)
#plot(a,df="Pc1df")
```

emp.ccfast *Genome-wide significance for a case-control GWA scan*

Description

Genome-wide significance for a case-control GWA scan. Analysis function is [ccfast](#).

Usage

```
emp.ccfast(y, data, snpsubset, idsubset, times = 200, quiet=FALSE,
          bcast = 10)
```

Arguments

	All arguments are the same as in and passed intact to the ccfast . See help for this function.
	character name of the vector of case-control status. Cases are denoted as 1 and controls as 0.
<code>data</code>	An object of gwa.data-class
<code>snpsubset</code>	Index, character or logical vector with subset of SNPs to run analysis on. If missing, all SNPs from <code>data</code> are used for analysis.
<code>idsubset</code>	Index, character or logical vector with subset of IDs to run analysis on. If missing, all people from <code>data</code> are used for analysis.
<code>times</code>	If more then one, the number of replicas to be used in derivation of empirical genome-wide significance. See emp.qtscore , which calls <code>qtscore</code> with <code>times>1</code> for details
<code>quiet</code>	do not print warning messages
<code>bcast</code>	If the argument <code>times > 1</code> , progress is reported once in <code>bcast</code> replicas

Details

In the analysis of empirical significance, first time the function [ccfast](#) is called and result object is saved. Later, the function [ccfast](#) is called `times` times with `replace=FALSE` in order to generate the distribution under the null. Each call, minimal P-value is extracted and compared with original P-values. For a particular SNP, empirical P-value is obtained as a proportion of times minimal Ps from resampled data was less then the original P.

The list elements `effB`, `effAB` and `effBB` are the ones obtained from the analysis of the original (not permuted) data set

Value

Object of class [scan.gwa-class](#)

Author(s)

Yurii Aulchenko

See Also

[ccfast](#), [emp.qtscore](#), [scan.gwaa-class](#)

Examples

```
data(srdta)
a<-ccfast("bt",data=srdta,snps=c(500:800))
plot(a)
# this does not make sense, as the whole experiment must be analysed, not a small region!
b<-emp.ccfast("bt",data=srdta,snps=c(500:800),bcast=10)
plot(b)
# compare qvalues and empirical P
qv<-qvaluebh95(a[, "P1df"])$qval
qv
b[, "P1df"]
plot(qv,b[, "P1df"],xlim=c(0,1),ylim=c(0,1))
abline(a=0,b=1)
```

emp.qtscore

Genome-wide significance for a GWA scan

Description

Genome-wide significance for a GWA scan. Analysis function is [qtscore](#).

Usage

```
emp.qtscore(formula , data, snpsubset, idsubset, strata, trait.type="gaussian", times = 200,
quiet=FALSE, bcast = 10)
```

Arguments

All arguments are the same as in and passed intact to the [qtscore](#). See help for this function.

Formula describing fixed effects to be used in analysis, e.g. $y \sim a + b$ means that outcome (y) depends on two covariates, a and b . If no covariates used in analysis, skip the right-hand side of the equation.

formula	An object of gwaa.data-class
snpsubset	Index, character or logical vector with subset of SNPs to run analysis on. If missing, all SNPs from data are used for analysis.
idsubset	Index, character or logical vector with subset of IDs to run analysis on. If missing, all people from data/cc are used for analysis.
strata	Stratification variable. If provided, scores are computed within strata and then added up.
trait.type	"gaussian" or "binomial". If not specified, the procedure guesses the type

times	If more then one, the number of replicas to be used in derivation of empirical genome-wide significance. See emp.qtscore , which calls qtscore with times>1 for details
quiet	do not print warning messages
bcast	If the argument times > 1, progress is reported once in bcast replicas

Details

In the analysis of empirical significance, first time the function [qtscore](#) is called and result object is saved. Later, the function [qtscore](#) is called times times with `replace=FALSE` in order to generate distribution under the null. Each call, minimal P-value is extracted and compared with original P-values. For a particular SNP, empirical P-value is obtained as a proportion of times minimal Ps from resampled data was less then original P.

The list elements `effB`, `effAB` and `effBB` are the ones obtained from the analysis of the original (not permuted) data set

The function does not yet implement correct analysis for X-linked data.

Value

Object of class [scan.gwaa-class](#)

Author(s)

Yurii Aulchenko

See Also

[qtscore](#), [emp.ccfast](#), [scan.gwaa-class](#)

Examples

```
data(srdta)
a<-qtscore(qt3~age+sex,data=srdta,snps=c(1:200))
plot(a)
# this does not make sense, as the whole experiment must be analysed, not a small region!
b<-emp.qtscore(qt3~age+sex,data=srdta,snps=c(1:200))
plot(b)
```

estlambda

Estimate the inflation factor for a distribution of P-values...

Description

Estimate the inflation factor for a distribution of P-values

Usage

```
estlambda(data, plot=FALSE, proportion=1, method="regression",
          filter=TRUE, ...)
```

Arguments

<code>data</code>	A vector of reals. If all are ≤ 1 , it is assumed that this is a vector of P-values, else it is treated as a vector of chi-squares with 1 d.f.
<code>plot</code>	Whether the plot should be presented
<code>proportion</code>	The proportion of lowest P (Chi2) to be used when estimating the inflation factor Lambda
<code>method</code>	"regression", "median", or "KS" method to be used for Lambda estimation
<code>filter</code>	if the test statistics with 0-value of chi-square should be excluded prior to estimation of Lambda
<code>...</code>	arguments passed to plot function

Details

Estimate the inflation factor for a distribution of P-values or 1df chi-square test. The major use of this procedure is the Genomic Control, but can also be used to visualise the distribution of P-values coming from other tests. Methods implemented include 'median' ($\text{median}(\text{chi}2)/0.455\dots$), regression (of observed onto expected) and 'KS' (optimizing the $\text{chi}2.1\text{df}$ distribution fit by use of Kolmogorov-Smirnov test)

Value

A list with elements

<code>estimate</code>	Estimate of Lambda
<code>se</code>	Standard error of the estimate

Author(s)

Yurii Aulchenko

See Also

[ccfast](#), [qtscore](#)

Examples

```
data(srdata)
pex <- summary(gtdata(srdata))["Pexact"]
estlambda(pex, plot=TRUE)
estlambda(pex, method="regression", proportion = 0.95)
estlambda(pex, method="median")
estlambda(pex, method="KS")
a <- qtscore(bt, srdata)
lambda(a)
```

export.impute	<i>function to export GenABEL data in IMPUTE format</i>
---------------	---

Description

Exports GenABEL data to IMPUTE/SNPTEST/GTOOLS format

Usage

```
export.impute(data,genofile="impute.gen",samplefile="impute.sample",
strandfile="impute.strand",cachesizeMb=128)
```

Arguments

data	gwaa.data object
genofile	Output genotype data file name
samplefile	Output sample information file name, 'id' header line + IDs of people will be written there
strandfile	name for strand output file
cachesizeMb	approximate amount of RAM to be used to generate chunks of data

Details

The most interesting part is the genotype file which is generated, this file contains one SNP per row, with columns

```
SNP_name_1 SNP_name_2 Position Allele1 Allele2 P_1_11 P_1_12 P_1_22 P_2_11 P_2_12 P_2_22
...
```

where SNP_name_1 = SNP_name_2 is SNP name, Position is SNP position, Allele1 and Allele2 are reference and effective alleles; P_i_jk is the probability that person i has genotype jk; these are (1 0 0) for genotype Allele1Allele1, (0 1 0) for genotype Allele1Allele2, (0 0 1) for genotype Allele2Allele2, and (0 0 0) if genotype is missing

Strand file contains the SNP name, position and strand, as generated by `as.character(data@gtdata@strand)`; this is up to user if this slot contains correct data (see eg [convert.snp.illumina](#) on how to import strand info)

Value

No value returned; all info stored in files

Author(s)

Yurii Aulchenko

See Also

[export.merlin.](#)

Examples

```
## Not run:
load(srdta)
export.impute(srdta[1:50,1:3])

## End(Not run)
```

export.merlin	<i>function to export GenABEL data in merlin format</i>
---------------	---

Description

Exports GenABEL data to Merlin and other pedigree formats

Usage

```
export.merlin(data, pedfile = "merlin.ped", datafile = "merlin.dat", mapfile = "merlin.map",
  format = "merlin", fixstrand = "no", extendedmap = TRUE, traits = 1, order = TRUE,
  stepids = 100, dpieceFun = "new")
```

Arguments

data	gwaa.data object
pedfile	Output pedigree data file name
datafile	Output data (information) file name; no output if NULL
mapfile	Output map file name
format	Output format, either "merlin" or "plink"
fixstrand	"no" – the strand information and coding comes from the data; "+" – change all coding to "+" strand, "-" – change all coding to "-" strand
extendedmap	if TRUE extended map (+ strand, + coding) is saved with the name "mapfile.ext", where "mapfile" is the parameter supplied by user
traits	How many fake traits to insert before first column of marker data
order	Should output be ordered by chromosome and position
stepids	make this larger for faster processing and smaller for lower RAM use
dpieceFun	function used to dump data. Do use default.

Details

The use is straightforward, with only the "fixstrand" option requiring some explanation. Consider a SNP on "-" strand with alleles G and A. If this SNP is accessed on "+" strand, the corresponding alleles would be C and T. While for example Affymetrix reports SNPs on bot "+" and "-" strands, HapMap reports coding on "+" strand only. To make data compatible, and/or to run imputations, one will need to convert all SNP codes to "+" strand. This can be achieved by running export.merlin() with fixstrand="+" parameter.

Value

No value returned; files saved on HDD

Author(s)

Yurii Aulchenko

See Also

To load the data to GenABEL again, use [convert.snp.ped](#), [load.gwaa.data](#).

Examples

```
#
# load(srdta)
# export.merlin(srdta[1:50,1:3])
#
```

export.plink

Export GenABEL data in PLINK format...

Description

Export GenABEL data in PLINK format

Usage

```
export.plink(data, filebasename="plink", phenotypes="all",
             transpose=FALSE, export012na=FALSE, ...)
```

Arguments

data	GenABEL data object of 'gwaa.data'-class to be exported
filebasename	base file name for exported data, extensions '.ped', '.map' and '.phe' (for phenotype file) are added for specific output files
phenotypes	NULL (no phenotypes exported), "all" for all phenotypes or a vector of character with names of phenotypes to be exported
transpose	if FALSE, regular 'tped' files produced, else 'ped' files are produced
export012na	if true, export in numeric (0, 1, 2, NA) format (as opposed to ATGC format)
...	arguments passed to export.merlin

Details

Export GenABEL data in PLINK format. This function is a simple wrapper to [export.merlin](#) function with specific arguments + few lines of code to export phenotypes

Author(s)

Yurii Aulchenko

`extract.annotation.impute`*extracts SNP annotation from IMPUTE files...*

Description

extracts SNP annotation from IMPUTE files

Usage

```
extract.annotation.impute(genofile, infofile, chromosome=NA,
  order_genosnp_a0_a1=c(2, 4:5), skip_geno=0,
  order_info_snp_pos_freq1_info_qual_type=c(2:7), skip_info=1,
  allow_duplicated_names=FALSE)
```

Arguments

<code>genofile</code>	IMPUTE genotype file name
<code>infofile</code>	IMPUTE info-file name
<code>chromosome</code>	chromosome
<code>order_genosnp_a0_a1</code>	which columns to extract from geno-file, and what is the order for snp name, a0, and a0? (default is OK)
<code>skip_geno</code>	how many lines of geno-file are to be skipped? (default is OK)
<code>order_info_snp_pos_freq1_info_qual_type</code>	which columns to extract from info-file, and what is the order for SNP name, position, frequency of allele 1, info (Rsq), and quality (average max post prob)? Default works for IMPUTE v2.0, but has to be changed for other versions. Always check!
<code>skip_info</code>	how many lines of info-file are to be skipped before information starts? IMPUTE v2.0 has a header line, therefore <code>skip_info=1</code> works fine; this may be different for other versions of IMPUTE
<code>allow_duplicated_names</code>	if duplicated SNP names are allowed (same order in geno and info- files is assumed then)

Details

This function extracts SNP annotation information from IMPUTE files. The major problem at the moment that info-file format of IMPUTE is a little bit unstable (reported information and column order varies between impute v1, v2, and beta-version). Therefore take special care to read specification of 'order_info_snp_pos_freq1_info_qual_type'

Value

data frame containing annotaton

Author(s)

Yurii Aulchenko

extract.annotation.mach

extracts SNP annotation from MACH/HapMap legend files...

Description

extracts SNP annotation from MACH/HapMap legend files

Usage

```
extract.annotation.mach(infile, legendfile, chromosome=NA)
```

Arguments

infile	MACH (ml)info-file name
legendfile	HapMap legend file name
chromosome	chromosome

Details

This function extracts SNP annotation from MACH info and HapMap legend files.

Value

data frame containing annotaton

Author(s)

Yurii Aulchenko

findRelatives	<i>guesses relations between individuals...</i>
---------------	---

Description

guesses relations between individuals

Usage

```
findRelatives(gtdata, nmeivec=c(1:2), q, epsilon=0.01, quiet=FALSE,
              OddsVsNull=1000, OddsVsNextBest=100, twoWayPenalty=log(10),
              doTwoWay=TRUE, vsIDs, gkinCutOff, kinshipMatrix)
```

Arguments

gtdata	genotypic data, either 'gwaa.data' or 'snp.data' class, or matrix or 'databel' matrix (see details for format).
nmeivec	vector providing the degree of relationship to be tested (1: parent-offspring; 2: sibs, grandparent-grandchild; etc.).
q	vector of effect allele frequencis for the data.
epsilon	genotyping error rate
quiet	if TRUE, screen outputs supressed
OddsVsNull	threshold used in relationships inferences (see details)
OddsVsNextBest	threshold used in relationships inferences (see details)
twoWayPenalty	penalty on likelihoods resulting from models assuming two meiotic pathways
doTwoWay	or not
vsIDs	specific IDs to be tested vs others
gkinCutOff	if not null, sets a threshold used to pre-screen pairs before guessing relations. If value < 0 provided, procedure sets threshold automatically (recommended)
kinshipMatrix	(genomic) kinship matrix (used if gkinCutOff!=NULL)

Details

This function guesses relationships (expressed as estimated number meiotic connection(s)) using genomic data. Compared to guessing relations from genomic kinship matrix, this procedure offers several enhancements:

(1) by use of IBD/IBS 3-state space, it allows to distinguish between some pairs, which have the same kinship (e.g. parent-offspring from brother-sister; uncle-nephew from grandparent-grandchild, etc.)

(2) it reports likelihood, allowing for more rigorous inferences

If 'gtdata' are provided as a matrix (or 'databel' matrix), genotypes should be coded as 0, 1, or 2; each SNP corresponds to a column and each ID is a row. 'q' corresponds to the frequency of 'effect' (aka 'coded') allele, which is also equivalent to the mean(SNP)/2.0 provided coding is correct.

'nmeivec' is a sequence of integers, e.g. c(1,2) will test for parent-offspring pairs and pairs separated by two meioses (sibs, grandparent-grandchild, etc.). If 'nmeivec' does not contain '0' as its first element, it will be automatically added (testing for twins). Also, nmeivec will be updated with c(nmeivec,max(nmeivec)+1,100) to allow for the testing of testing vs. 'null' (unrelated, 100) and 'most distant' specified by user (max(nmeivec)).

While one may be interested to test only a sub-set of the data for relationships, it is recommended to provide 'q' estimated using all data available (see example).

'gkinCutOff' allows use of genomic kinship matrix (computed internally) to pre-screen pairs to be tested. Use of this option with value '-1' is recommended: in this case threshold is set to $0.5^{(\max(\text{nmeivec})+2)}$. If not NULL, only pairs passing gkinCutOff are tested with the likelihood procedure.

After likelihood estimation, inference on relationship is made. Relationship (in terms of number of meioses) is 'guessed' if odds of likelihoods under the meiotic distance providing max likelihood and under the 'null' (maximal meiotic distance tested + 100) is greater than 'OddsVsNull' parameter AND odds max-lik vs. the next-best meiotic distance is greater than 'OddsVsNextBest' parameter.

Value

A list with elements call – details of the call; profile – table detailing likelihood for all pairs tested; estimatedNmeioses – nids x nids matrix containing maximum likelihood estimate of meiotic distance for all pairs of individuals guess – same as estimatedNmeioses, but all estimates not passing inference criteria (OddsVsNull, OddsVsNextBest) are NAed; compressedGuess – same as above, but removing rows and cols with missing-only elements

Examples

```
data(ge03d2.clean)
df <- ge03d2.clean[,autosomal(ge03d2.clean)]
df <- df[,sort(sample(1:nsnps(df),1000))]
eaf <- summary(gtdata(df))$"Q.2"
relInfo <- findRelatives(df[27:30,],q=eaf)
relInfo
# look only for 1st and 2nd degree relatives
relInfo1 <- findRelatives(df[27:30,],q=eaf,gkinCutOff=-1,nmeivec=c(1,2,3))
relInfo1
relInfoVS <- findRelatives(df[27:30,],q=eaf,nmeivec=c(1:6),vsIDs=idnames(df[27:30,])[1:2])
relInfoVS
```

formetascore

function to run GWA analysis oriented for future meta-analysis

Description

Function to run GWA analysis – using all functions available in GenABEL – and produce output oriented for future meta-analysis

Usage

```
formetascore(formula, data, stat = qtscore, transform = "no",
             build = "unknown", verbosity = 1, ...)
```

Arguments

formula	standard formula
data	object of gwa.data-class
stat	which GWA analysis function to apply. Could be mlreg , qtscore , mmscore , grammar , egscore , etc.
transform	Which trait transform to apply, could be ztransform or rntransform . Default value is "no" – no transformation.
build	if you need that in output, specify genomic build here (e.g. "35")
verbosity	how much output is produced? Possible values are 0, 1, and 2
...	further arguments, passed to the "stat" GWA analysis function

Details

This function should be applied to analysis of quantitative traits, if meta-analysis is aimed afterwards.

A transformation is applied to the formula-defined residual, and the resulting trait is analysed with specified function. Results are arranged as data-frame.

Value

Data frame, containing GWA summary. The fields include: (1) SNP name (2) chromosome (3) position (4) number of people with available data (5) effect of the allele (6) standard error of the effect (7) P-value for the test (8) corrected P-value (we will use Genomic Control) (9) coding, with reference allele coming first (10) strand (11) frequency of the reference allele (12) Exact P-value for HWE test, etc. (depends on "verbosity" parameter).

Author(s)

Yurii Aulchenko

See Also

[ztransform](#), [qtscore](#)

Examples

```
data(ge03d2c)
x <- formetascore(bmi ~ sex+age, ge03d2c)
x[1:10,]
x <- formetascore(bmi ~ sex+age, ge03d2c, trans=ztransform)
x[1:10,]
x <- formetascore(bmi ~ sex+age, ge03d2c, trans=rntransform, verbosity=2)
x[1:10,]
```

GASurv	<i>Makes survival data object for reg.gwaa</i>
--------	--

Description

Helper to [mlreg](#): makes survival data object

Usage

```
GASurv(fuptime, status)
```

Arguments

fuptime	Follow-up time
status	status (1=event, 0=censored)

Value

Matrix with column 1 = follow-up time, and 2 = status

Author(s)

Yurii Aulchenko

See Also

[mlreg](#)

ge03d2	<i>GWA-type data on few small region</i>
--------	--

Description

ge03d2 A small data set (approximately 1,000 people and 8,000 SNPs) containing data on 3 autosomes and X chromosome. Is a good set for demonstration of the QC procedures (different genotyping errors are introduced) and GWA analysis. Run `demo(ge03d2)` to see a demo. This data set was developed for the "Advances in population- based studies" (Ge03) course of the Nihes.

ge03d2c A small data set (approximately 200 people and 8,000 SNPs) containing data on 3 autosomes and X chromosome. This data set is complementary to [ge03d2](#).

ge03d2ex A small data set (approximately 150 people and 4,000 SNPs) containing data on 3 autosomes and X chromosome. Is a good set for demonstration of the QC procedures (different genotyping errors are introduced) and GWA analysis. This data set was developed for the "Advances in population- based studies" (Ge03) course of the Nihes. See vignette "GenABEL-tutorial.pdf" for details.

The data sets with extension ".clean" are sets after QC.

Usage

```
data(ge03d2)
```

Examples

```
#main example: use this to see full functionality
# demo(ge03d2)

# load and work with ge03d2
data(ge03d2)
a <- qtscore(dm2,ge03d2)
plot(a)
```

generateOffspring *simulates offspring's genotypes...*

Description

simulates offspring's genotypes

Usage

```
generateOffspring(g1, g2, q)
```

Arguments

g1	vector of genotypes of parent 1, coded with 0, 1, 2 and NA
g2	vector of genotypes of parent 2, coded with 0, 1, 2 and NA
q	vector of the frequencies of effects alleles (used to simulate missings in parental genotypes). If NULL, c(0.25,0.5,0.25) is used.

Details

Simulat offspring's genotypes given genotypes of the parents. No LD is assumed.

Value

a vector containing simulated genotypes of offspring

Author(s)

Yurii Aulchenko

Examples

```
eaf <- runif(10)
g1 <- rbinom(10,2,eaf)
g2 <- rbinom(10,2,eaf)
generateOffspring(g1,g2)
```

getLogLikelihoodGivenRelation
computes logLik of two blurGenotypes...

Description

computes logLik of two blurGenotypes

Usage

```
getLogLikelihoodGivenRelation(bGenotype1, bGenotype2, TransitionMatrix,  
q)
```

Arguments

bGenotype1	blurred genotype of person 1
bGenotype2	blurred genotype of person 2
TransitionMatrix	transition probability matrix
q	vector of effect allele frequencies

Details

Compute logLik of genotypes of person 1 given genotypes of person 2 and assumed relation between the two persons (expressed with transition probability matrix; as returned with 'makeTransitionMatrix').

Author(s)

Yurii Aulchenko

Examples

```
data(srdata)  
# select 10 first SNPs  
df <- srdata[,1:10]  
# compute effect allele freq  
EAF <- summary(gtdata(df))$"Q.2"  
# get genotypes of first 2 people  
g1 <- as.numeric(df[1:2,])  
# blur all genotypes of person 1; use HWE to infer missing  
bg1 <- blurGenotype(g1[1,],q=EAF)  
# blur all genotypes of person 2; use HWE to infer missing  
bg2 <- blurGenotype(g1[2,],q=EAF)  
# generate sib-sib transition matrices  
trss <- makeTransitionMatrix(EAF,nmei=c(2,2))  
getLogLikelihoodGivenRelation(bg1,bg2,trss,EAF)
```

 grammar

Approximate score test for association in related people

Description

Fast approximate score test for association between a trait and genetic polymorphism, in samples of related individuals. When used with argument "times=1", it is equivalent to running `qtscore` on "environmental residuals" from `polygenic`. However, it does not produce correct results with permutations, because the raw trait values, which are not exchangeable, are permuted. Use `qtscore` on "environmental residuals" when you want to have empirical GW significance with GRAMMAR method.

Usage

```
grammar(h2object, data, snpsubset, idsubset, strata, times=1, quiet=FALSE, bcast=10, clambda=FALSE, propPs=1)
```

Arguments

<code>h2object</code>	An object returned by <code>polygenic</code> polygenic mixed model analysis routine. The sub-objects used are <code>measuredIDs</code> , <code>residualY</code> , <code>h2an\$estimates</code> (last element, total variance, only), and <code>InvSigma</code> . One can supply <code>grammar</code> with a fake <code>h2object</code> , containing these list elements.
<code>data</code>	An object of <code>gwa.data-class</code>
<code>snpsubset</code>	Index, character or logical vector with subset of SNPs to run analysis on. If missing, all SNPs from <code>data</code> are used for analysis.
<code>idsubset</code>	Index, character or logical vector with subset of IDs to run analysis on. If missing, all people from <code>data/cc</code> are used for analysis.
<code>strata</code>	Stratification variable. If provided, scores are computed within strata and then added up.
<code>times</code>	If more than one, the number of replicas to be used in derivation of empirical genome-wide significance. NOTE: do not use <code>times > 1</code> unless you are really sure you understand what you are doing!
<code>quiet</code>	do not print warning messages
<code>bcast</code>	If the argument <code>times > 1</code> , progress is reported once in <code>bcast</code> replicas
<code>clambda</code>	If inflation factor <code>Lambda</code> is estimated as lower than one, this parameter controls if the original <code>P1df</code> (<code>clambda=TRUE</code>) to be reported in <code>Pc1df</code> , or the original <code>1df</code> statistics is to be multiplied onto this "deflation" factor (<code>clambda=FALSE</code>). With GRAMMAR, <code>Lambda</code> is expected to be less than 1. If a numeric value is provided, it is used as a correction factor.
<code>propPs</code>	proportion of non-corrected P-values used to estimate the inflation factor <code>Lambda</code> , passed directly to the <code>estLambda</code>

Details

Approximate score test is performed using the formula

$$\sigma^4 \frac{((G - E[G])V^{-1}residualY)^2}{(G - E[G])(G - E[G])}$$

where σ^4 is the square of the residual variance, G is the vector of genotypes (coded 0, 1, 2) and $E[G]$ is a vector of (strata-specific) mean genotypic values; V^{-1} is the InvSigma and $residualY$ are residuals from the trait analysis with [polygenic](#) procedure.

Compared to score test implemented in [mmscore](#), grammar test is faster and computation time grows only linearly with the number of subjects (with [mmscore](#) this relation is quadratic). While raw P1df from grammar are not quite correct, the GC p-values correspond very closely to these from the [mmscore](#).

Value

Object of class [scan.gwaa-class](#); only 1 d.f. test is implemented currently.

Author(s)

Yurii Aulchenko

References

Aulchenko YS, de Koning DJ, Haley C. Genomewide rapid association using mixed model and regression: a fast and simple method for genome-wide pedigree-based quantitative trait loci association analysis. *Genetics*. 2007 177(1):577-85.

Amin N, van Duijn CM, Aulchenko YS. A genomic background based method for association analysis in related individuals. *PLoS ONE*. 2007 Dec 5;2(12):e1274.

See Also

[grammar](#), [qtscore](#), [plot.scan.gwaa](#), [scan.gwaa-class](#)

Examples

```
# ge03d2.clean is rather bad data set to demonstrate grammar,
# because this is a population-based study
data(ge03d2.clean)
#take half for speed
ge03d2.clean <- ge03d2.clean[1:100,]
gkin <- ibs(ge03d2.clean,w="freq")
h2ht <- polygenic(height ~ sex + age,kin=gkin,ge03d2.clean)
h2ht$est
# can use "grammar", but ...
a <- grammar(h2ht,data=ge03d2.clean)
# ... use rather qtscore (note clam=FALSE), which is a better alternative for the same thing
a <- qtscore(h2ht$pgres,data=ge03d2.clean,clam=FALSE)
# compare to GC:
```

```

b <- qtscore(height ~ sex + age,data=ge03d2.clean)
plot(b,df="Pc1df")
add.plot(a,df="Pc1df")
# relatively large difference is due to high heritability
# note that locus at chromosome 2 should indeed be there...

```

gwaa.data-class *Class "gwaa.data"*

Description

This class contains objects holding all GWAA data – phenotypes, genotypes and other relevant information

Slots

phdata: dataframe with phenotypic data used in GWAA
gtdata: object of class [snp.data-class](#) used to store genotypic data, map, etc.

Methods

[signature(x = "gwaa.data", i = "ANY", j = "ANY", drop = "ANY"): subset operations. x[i,j] will select people listed in i and SNPs listed in j.
show signature(object = "gwaa.data"): shows both parts of the object. Take care that the objects are usually very large!
summary signature(object = "gwaa.data"): Calls standard summary to describe phenotypic part and calls [summary.snp.data](#) to [snp.data-class](#)
gtdata signature(object = "gwaa.data"): returns genotypic data (object of [snp.data-class](#))
phdata signature(object = "gwaa.data"): returns phenotypic data (a data.frame)
phdata<- signature(object = "gwaa.data"): method do modify phenotypic data (a data.frame)

Author(s)

Yurii Aulchenko

See Also

[snp.data-class](#), [load.gwaa.data](#), [snp.mx-class](#)

Examples

```

data(srdta)
srdta@phdata[1:10,]
srdta@gtdata[1:10,1:12]
srdta[1:10,1:12]
as.numeric(srdta@gtdata[1:12,1:10])
# very long output:
summary(srdta)

```

hom *function to compute average homozygosity within a person*

Description

This function computes average homozygosity (inbreeding) for a set of people, across multiple markers. Can be used for Quality Control (e.g. contamination checks)

Usage

```
hom(data, snpsubset, idsubset, snpfreq, n.snpfreq = 1000)
```

Arguments

data	Object of gwaa.data-class or snp.data-class
snpsubset	Subset of SNPs to be used
idsubset	People for whom average homozygosity is to be computed
snpfreq	when option weight="freq" used, you can provide fixed allele frequencies
n.snpfreq	when option weight="freq" used, you can provide a vector supplying the number of people used to estimate allele frequencies at the particular marker, or a fixed number

Details

Homozygosity is measured as proportion of homozygous genotypes observed in a person.

Inbreeding for person i is estimated with

$$f_i = \frac{(O_i - E_i)}{(L_i - E_i)}$$

where O_i is observed homozygosity, L_i is the number of SNPs measured in individual i and

$$E_i = \sum_{j=1}^{L_i} (1 - 2p_j(1 - p_j)) \frac{T_{Aj}}{T_{Aj} - 1}$$

where T_{Aj} is the number of measured genotypes at locus j ; T_{Aj} is either estimated from data or provided by "n.snpfreq" parameter (vector). Allelic frequencies are either estimated from data or provided by the "snpfreq" vector.

This measure is the same as used by PLINK (see reference).

The variance (Var) is estimated as

$$V_i = \frac{1}{N} \sum_k \frac{(x_{i,k} - p_k)^2}{(p_k * (1 - p_k))}$$

where k changes from 1 to N = number of SNPs, $x_{i,k}$ is a genotype of i th person at the k th SNP, coded as 0, 1/2, 1 and p_k is the frequency of the "+" allele.

Only polymorphic loci with number of measured genotypes >1 are used with this option.

This variance is used as diagonal of the genomic kinship matrix when using EIGENSTRAT method.

You should use as many people and markers as possible when estimating inbreeding/variance from marker data.

Value

A matrix with rows corresponding to the ID names and columns showing the number of SNPs measured in this person (NoMeasured), the number of measured polymorphic SNPs (NoPoly), homozygosity (Hom), expected homozygosity (E(Hom)), variance, and the estimate of inbreeding, F.

Author(s)

Yurii Aulchenko, partly based on code by John Barnard

References

Purcell S. et al, (2007) PLINK: a toolset for whole genome association and population-based linkage analyses. Am. J. Hum. Genet.

See Also

[ibs](#), [gwaa.data-class](#), [snp.data-class](#)

Examples

```
data(ge03d2)
h <- hom(ge03d2[,c(1:100)])
h[1:5,]
homsem <- h[, "Hom"]*(1-h[, "Hom"])/h[, "NoMeasured"]
plot(h[, "Hom"], homsem)
# wrong analysis: one should use all people (for right frequency) and markers (for right F) available!
h <- hom(ge03d2[,c(1:10)])
h
```

hom.old

function to compute average homozygosity within a person

Description

This function computes average homozygosity (inbreeding) for a set of people, across multiple markers. Can be used for Quality Control (e.g. contamination checks)

Usage

```
hom.old(data, snpsubset, idsubset, weight="no")
```

Arguments

data	Object of gwaa.data-class or snp.data-class
snpsubset	Subset of SNPs to be used
idsubset	People for whom average homozygosity is to be computed
weight	When "no", homozygosity is computed as a proportion of homozygous genotypes. When "freq", an estimate of inbreeding coefficient is computed (see details).

Details

With "freq" option, for person i inbreeding is estimated with

$$f_i = \frac{O_i - E_i}{(L_i - E_i)}$$

where O_i is observed homozygosity, L_i is the number of SNPs measured in individual i and

$$E_i = \sum_{j=1}^{L_i} (1 - 2p_j(1 - p_j)) \frac{T_{Aj}}{T_{Aj} - 1}$$

where T_{Aj} is the number of measured genotypes at locus j .

Only polymorphic loci with number of measured genotypes >1 are used with this option.

This measure is the same as used by PLINK (see reference).

You should use as many people and markers as possible when estimating inbreeding from marker data.

Value

With option `weight="no"`: A matrix with rows corresponding to the ID names and columns showing the number of genotypes measured (NoMeasured) and homozygosity (Hom).

With option `weight="freq"`: the same as above + expected homozygosity (E(Hom)) and the estimate of inbreeding, F.

Author(s)

Yurii Aulchenko

References

Purcell S. et al, (2007) PLINK: a toolset for whole genome association and population-based linkage analyses. *Am. J. Hum. Genet.*

See Also

[ibs](#), [gwa.data-class](#), [snp.data-class](#)

Examples

```
data(ge03d2)
h <- hom(ge03d2[,c(1:100)])
homsem <- h[, "Hom"]*(1-h[, "Hom"])/h[, "NoMeasured"]
plot(h[, "Hom"], homsem)
# wrong analysis: one should use all people (for right frequency) and markers (for right F) available!
h <- hom(ge03d2[,c(1:10)])
h
```

HWE.show

show HWE tables

Description

This function displays HWE tables and shows Chi2 and exact HWE P-values

Usage

```
HWE.show(data, idsubset = c(1:data@gtdata@nids),
snpsubset = c(1:data@gtdata@nsnps))
```

Arguments

data	object of class gwa.data-class or snp.data-class
snpsubset	Index, character or logical vector with subset of SNPs to run analysis on. If missing, all SNPs from data are used for analysis.
idsubset	Index, character or logical vector with subset of IDs to run analysis on. If missing, all people from data/cc are used for analysis.

Value

Only screen output

Author(s)

Yurii Aulchenko

See Also

[check.marker](#)

Examples

```
data(srdata)
mc <- check.marker(srdata,p.lev=0.01,ibs.mrk=0)
mc$nohwe
HWE.show(data=srdata,snps=mc$nohwe)
```

ibs *Computes (average) Identity-by-State for a set of people and markers*

Description

Given a set of SNPs, computes a matrix of average IBS for a group of people

Usage

```
ibs(data, snpsubset, idsubset, cross.idsubset, weight="no", snpfreq)
```

Arguments

data	object of snp.data-class
snpsubset	Index, character or logical vector with subset of SNPs to run analysis on. If missing, all SNPs from data are used for analysis.
idsubset	IDs of people to be analysed. If missing, all people from data are used for analysis.
cross.idsubset	Parameter allowing parallel implementation. Not to be used normally. If supplied together with idsubset, the ibs/kinship for all pairs between idsubset and cross.idsubset computed.
weight	"no" for direct IBS computations, "freq" to weight by allelic frequency
snpfreq	when option weight="freq" used, you can provide fixed allele frequencies

Details

This function facilitates quality control of genomic data. E.g. people with extremely high (close to 1) IBS may indicate duplicated samples (or twins), simply high values of IBS may indicate relatives.

When weight "freq" is used, IBS for a pair of people i and j is computed as

$$f_{i,j} = \sum_k \frac{(x_{i,k} - p_k) * (x_{j,k} - p_k)}{(p_k * (1 - p_k))}$$

where k changes from 1 to N = number of SNPs GW, $x_{i,k}$ is a genotype of ith person at the kth SNP, coded as 0, 1/2, 1 and p_k is the frequency of the "+" allele. This apparently provides an unbiased estimate of the kinship coefficient.

Only with "freq" option monomorphic SNPs are regarded as non-informative.

ibs() operation may be very lengthy for a large number of people.

Value

A (Npeople X Npeople) matrix giving average IBS (kinship) values between a pair below the diagonal and number of SNP genotype measured for both members of the pair above the diagonal.

On the diagonal, homozygosity $0.5*(1+inbreeding)$ is provided.

attr(computedobject, "Var") returns variance (replacing the diagonal when the object is used by [egscore](#)

Author(s)

Yurii Aulchenko

See Also

[check.marker](#), [summary.snp.data](#), [snp.data-class](#)

Examples

```
data(ge03d2c)
# compute IBS based on a random sample of 1000 autosomal marker
a <- ibs(ge03d2c,snps=sample(autosomal(ge03d2c),1000,replace=FALSE))
a[1:5,1:5]
mds <- cmdscale(as.dist(1-a))
plot(mds)
# identify smaller cluster of outliers
km <- kmeans(mds,centers=2,nstart=1000)
c11 <- names(which(km$cluster==1))
c12 <- names(which(km$cluster==2))
if (length(c11) > length(c12)) c11 <- c12;
c11
# PAINT THE OUTLIERS IN RED
points(mds[c11,],pch=19,col="red")
# compute genomic kinship matrix to be used with e.g. polygenic, mmscore, etc
a <- ibs(ge03d2c,snps=sample(autosomal(ge03d2c),1000,replace=FALSE),weight="freq")
a[1:5,1:5]
# now replace diagonal with EIGENSTRAT-type of diagonal to be used for egscore
diag(a) <- hom(ge03d2c[,autosomal(ge03d2c)])$Var
a[1:5,1:5]
```

 ibs.old

Computes (average) Identity-by-State for a set of people and markers

Description

Given a set of SNPs, computes a matrix of average IBS for a group of people

Usage

```
ibs.old(data, snpsubset, idsubset, weight="no")
```

Arguments

data	object of snp.data-class
snpsubset	Index, character or logical vector with subset of SNPs to run analysis on. If missing, all SNPs from data are used for analysis.
idssubset	Index, character or logical vector with subset of IDs to run analysis on. If missing, all people from data are used for analysis.
weight	"no" for direct IBS computations, "freq" to weight by allelic frequency

Details

This function facilitates quality control of genomic data. E.g. people with extremely high (close to 1) IBS may indicate duplicated samples (or twins), simply high values of IBS may indicate relatives.

When weight "freq" is used, IBS for a pair of people *i* and *j* is computed as

$$f_{i,j} = \sum_k \frac{(x_{i,k} - p_k) * (x_{j,k} - p_k)}{(p_k * (1 - p_k))}$$

where *k* changes from 1 to *N* = number of SNPs GW, $x_{i,k}$ is a genotype of *i*th person at the *k*th SNP, coded as 0, 1/2, 1 and p_k is the frequency of the "+" allele. This apparently provides an unbiased estimate of the kinship coefficient.

Only with "freq" option monomorphic SNPs are regarded as non-informative.

ibs() operation may be very lengthy for a large number of people.

Value

A (Npeople X Npeople) matrix giving average IBS (kinship) values between a pair below the diagonal and number of SNP genotype measured for both members of the pair above the diagonal.

On the diagonal, homozygosity (0.5+inbreeding) is provided.

Author(s)

Yurii Aulchenko

See Also

[check.marker](#), [summary.snp.data](#), [snp.data-class](#)

Examples

```
data(ge03d2c)
a <- ibs(data=ge03d2c,ids=c(1:10),snps=c(1:1000))
a
# compute IBS based on a random sample of 1000 autosomal marker
a <- ibs(ge03d2c,snps=sample(ge03d2c@gtdata@snpsnames[ge03d2c@gtdata@chromosome!="X"],1000,replace=FALSE),weight
mds <- cmdscale(as.dist(1-a))
plot(mds)
# identify smaller cluster of outliers
```

```
km <- kmeans(mds,centers=2,nstart=1000)
c11 <- names(which(km$cluster==1))
c12 <- names(which(km$cluster==2))
if (length(c11) > length(c12)) c11 <- c12;
c11
# PAINT THE OUTLIERS IN RED
points(mds[c11,],pch=19,col="red")
```

impute2databel	<i>impute2databel</i>
----------------	-----------------------

Description

converts IMPUTE-imputed files to DatABEL (filevector) format

Usage

```
impute2databel(genofile, samplefile, outfile, makeprob=TRUE, old=FALSE)
```

Arguments

genofile	IMPUTE genotype file name
samplefile	IMPUTE sample file name
outfile	output file name
makeprob	wheather probability-files are also to be arranged
old	for developers' use

Details

this function converts IMPUTE-imputed files to DatABEL (filevector) format containing estimated dosages. After conversion, two files (outfile.fvi and outfile.fvd), corresponding to single filevector object, will appear on the disk; 'databel-class' object connected to these files will be returned to R.

Value

'databel-class' object

impute2mach	<i>converts IMPUTE to MACH files...</i>
-------------	---

Description

converts IMPUTE to MACH files

Usage

```
impute2mach(genofile, infofile, samplefile, machbasename,  
            maketextdosefile=TRUE, ...)
```

Arguments

genofile	IMPUTE genotype file name
infofile	IMPUTE info file name
samplefile	IMPUTE sample file name
machbasename	base name for MACH-formatted outputs
maketextdosefile	whether text dosefile is to be generated (if not, only filevector (*.fvi / *.fvd) files, usable with ProbABEL, will be generated)
...	arguments passed to extract.annotation.impute (DO CHECK documentation, otherwise your annotation may be skewed up!)

Details

function to convert IMPUTE files to MACH format

Value

nothing returned except files generated on the disk

Author(s)

Yurii Aulchenko

load.gwaa.data	<i>function to load GWAA data</i>
----------------	-----------------------------------

Description

Load data (genotypes and phenotypes) from files to gwaa.data object

Usage

```
load.gwaa.data(phenofile = "pheno.dat", genofile = "geno.raw",
force = TRUE, makemap = FALSE, sort = TRUE, id = "id")
```

Arguments

phenofile	data table with phenotypes
genofile	internally formatted genotypic data file (see convert.snp.text to convert data)
force	Force loading the data if heterozygous X-chromosome genotypes are found in male
makemap	Make a consecutive map in case if map is provided chromosome-specifically
sort	Should SNPs be sorted in ascending order according to chromosome and position?
id	name of the column containing personal identification code in the phenofile

Details

The genofile must be the one resulting from [convert.snp.text](#), [convert.snp.ped](#), [convert.snp.tped](#), or [convert.snp.illumina](#) (see documentation for these functions for the file formats).

The phenotype file relates study subjects with their covariate and outcome values. In the phenotypic data file, the first line gives a description of the data contained in a particular column; the names should be unique, otherwise R will change them. The first column of the phenotype file **MUST** contain the subjects' unique ID, named "id"; there should also be a column named "sex" and giving sex information (0 = female, 1 = male). Other columns in the file should contain phenotypic information. Missing values should be coded with "NA"; binary traits should have values 0 or 1. An example of few first lines of a phenotype file is as follows:

```
id sex age bt1 qt qt1
"289982" 0 30.33 NA NA 3.93
"325286" 0 36.514 1 0.49 3.61
"357273" 1 37.811 0 1.65 5.30
"872422" 1 20.393 0 1.95 4.07
"1005389" 1 28.21 1 0.35 3.90
```

This file tells us that, for example, person 325286 is female (0 in second column), and she has "1" (usually this means a "case") value for the trait "bt1", so on. Person 289982 has measurements only for sex, age and qt1, while other measurements are missing (NA, Not Available).

IDs are better kept in quotation (this would keep away the problem of e.g., leading zeros).

Value

Object of class `gwaal.data`

Author(s)

Yurii Aulchenko

See Also

[save.gwaal.data](#), [convert.snp.text](#), [convert.snp.ped](#), [convert.snp.tped](#), [convert.snp.illumina](#)

`mach2databel`

mach2databel

Description

converts MACH-imputed files to DatABEL (filevector) format

Usage

```
mach2databel(imputedgenofile, mlinfofile, outfile, isprobfile=FALSE)
```

Arguments

<code>imputedgenofile</code>	MACH <code>mldose</code> (or <code>mlprob</code>) file name
<code>mlinfofile</code>	MACH <code>mlinfo</code> file name
<code>outfile</code>	output file name
<code>isprobfile</code>	whether <code>imputedgenofile</code> is a prob-file (default is <code>FALSE</code> , that is dose-file assumed)

Details

This function converts mach-imputed files to DatABEL (filevector) format. After conversion, two files (`outfile.fvi` and `outfile.fvd`), corresponding to single filevector object, will appear on the disk; 'databel-class' object connected to these files will be returned to R

Value

databel-class object

Author(s)

Yurii Aulchenko

makeTransitionMatrix *Genotype transition probabilities matrices...*

Description

Genotype transition probabilities matrices

Usage

```
makeTransitionMatrix(q, nmeioses=1000)
```

Arguments

`nmeioses` number of meioses separating two individuals ((a vector) of non-negative integers). If a vector, it is assumed it lists all meiotic paths connecting the pair

`q` (a vector of) the coded allele frequency(ies) (e.g. "Q.2" of GenABEL-package)

Details

Function to generate genotypic transition probabilities matrices, which represent conditional probabilities $P(g_1|g_2, nmeioses)$, where g_1 is genotype of person one (AA, AB or BB), g_2 is genotype of person two, and $nmeioses$ is the number of meioses separating these two individuals (0 for twins, 1 for parent-offspring, c(2,2) for sibs, 2 for grandparent-grandchild pairs, etc.)

Value

If `q` is scalar, a 3x3 matrix is returned, where elements represent conditional transition probabilities $P(g_1|g_2, nmeioses)$; rows correspond to the genotypes of g_1 , and columns correspond to the genotypes of g_2 . If coded allele is 'B', then e.g. element [1,2] gives the probability $P(g_1='AA'|g_2='AB', nmeioses=nmeioses)$.

If `q` is a vector, series of above-described matrices are returned as an 'array' object. A matrix constructed for certain element `q[i]` can be accessed via `result[,i]`.

Author(s)

Yurii Aulchenko

Examples

```
# transition matrix for parent-offspring, for q=0.1
makeTransitionMatrix(0.1, nmeioses=1)
# for a set of q's
makeTransitionMatrix(c(0.1, 0.9), nmeioses=1)
# for sibs
makeTransitionMatrix(0.1, nmeioses=c(2, 2))
# for half-sibs (or grandparent-grandchild)
makeTransitionMatrix(0.1, nmeioses=2)
# for remote relatives
makeTransitionMatrix(0.1, nmeioses=10)
```

```
# for independent  
makeTransitionMatrix(0.1,nmeioses=1000)
```

merge.gwaa.data	<i>function to merge objects of gwaa.data-class</i>
-----------------	---

Description

function to merge two objects of gwaa.data-class

Usage

```
## S3 method for class 'gwaa.data'  
merge(x, y, ...)
```

Arguments

x	the first object of gwaa.data-class
y	the second object of gwaa.data-class
...	arguments passed to merge.snp.data

Details

This function calls [merge.snp.data](#) to merge gtdata slots of the incoming objects; the phenotypic data contained in phdata slots are merged using standard function for data frames with arguments by="id" and all=TRUE. The merged object is filtered and sorted according to order of ids presented in the merged snp.data object.

Value

Merged object of [gwaa.data-class](#)

Author(s)

Maksim Struchalin, Yurii Aulchenko

See Also

[merge.snp.data](#), [add.phdata](#)

Examples

```

data(srdta)
x1 <- srdta[c(1,3,5,6),c(2,4,5,6)]
x2 <- srdta[c(2,4,5,6),c(1,3,5,6)]
x3 <- merge(x1,x2)
x1
as.character(x1)
x2
as.character(x2)
x3
as.character(x3)
srdta[1:6,1:6]
as.character(srdta[1:6,1:6])

```

merge.snp.data	<i>function to merge objects of snp.data-class</i>
----------------	--

Description

function to merge two objects of snp.data-class

Usage

```

## S3 method for class 'snp.data'
merge(x, y, ... , error_amount = 1e+06, replacena = TRUE,
forcestranduse = FALSE, sort = TRUE, intersected_snps_only = FALSE)

```

Arguments

x	the first object of snp.data-class
y	the second object of snp.data-class
...	additional arguments (not used or passed)
error_amount	if this amount of errors is exceeded, only error table is returned
replacena	Some genotypes may be missing in set 1, but measured in set 2. If replacena=TRUE, genotypes from the set 2 will appear in the merged data.
forcestranduse	if TRUE, forces use of strand information even if coding information is sufficient for merging
sort	if TRUE, sorts the object according to chromosome and SNP position
intersected_snps_only	if TRUE, then only intersected SNPs will be in output

Details

By default, when a genotype for a person is measured in both set "x" and set "y", and these are not equal, the value specified by set "x" is returned in the merged set. In case when genotype is NA in the first set, the behaviour depends on the value of the "replacena" parameter – if set to TRUE (default), these are replaced with the non-NA values from set "y".

When "forcestranduse" is set to FALSE, strand information is not used unless the coding is not sufficient for merging the data (i.e. strand information is used only to merge A/T and G/C polymorphisms).

SNP error is returned to "snp" table when SNP coding is incompatible between the two sets. For such SNPs, only the data provided by set "x" are used in the merged data.

ID error is returned to "id" table when genotypes of the same person at the same SNP are different between set "x" and set "y". For such genotypes, the data provided by set "x" are used in the merged data.

Value

A list is returned

id	This table summarises individual genotype inconsistencies. These may occur when some person is present and genotyped for the same marker in both sets, but these genotypes are inconsistent. The table's first column, "id", contains personal ID, the second, "snpnames", contain SNP name, and third (set "x") and fourth (set "y") contain the genotypes for this person at this SNP in sets 1 and 2.
snp	This table summarises coding errors. These occur when for some SNPs coding in the set 1 is not compatible with set 2. The table's first column ("snpnames") provides SNP name, and second (set "x") and third (set "y") report coding used in respective sets.
data	merged object of snp.data-class

Author(s)

Maksim Struchalin, Yurii Aulchenko

See Also

[merge.gwaa.data](#), [add.phdata](#)

Examples

```
data(srdta)
x1 <- srdta[c(1,3,5,6),c(2,4,5,6)]@gtdata
x2 <- srdta[c(2,4,5,6),c(1,3,5,6)]@gtdata
x3 <- merge(x1,x2)
as.character(x1)
as.character(x2)
as.character(x3$data)
as.character(srdta[1:6,1:6])
```

mlreg	<i>Linear and logistic regression and Cox models for genome-wide SNP data</i>
-------	---

Description

Linear and logistic regression and Cox models for genome-wide SNP data

Usage

```
mlreg(formula, data, gtmode = "additive", trait.type = "guess", propPs = 1)
```

Arguments

formula	Standard formula object
data	an object of gwaa.data-class
gtmode	Either "additive", "dominant", "recessive" or "overdominant". Specifies the analysis model.
trait.type	Either "gaussian", "binomial" or "survival", corresponding to analysis using linear regression, logistic regression, and Cox proportional hazards models, respectively. When default vale "guess" is used, the program tries to guess the type
propPs	proportion of non-corrected P-values used to estimate the inflation factor Lambda, passed directly to the estlambda

Details

Linear regression is performed using standard approach; logisitc regression is implemented using IRLS; Cox model makes use of code contributed by Thomas Lumley (survival package).

For logistic and Cox, $\exp(\text{effB})$ gives Odds Ratios and Hazard Ratios, respectively.

Value

An object of [scan.gwaa-class](#)

Author(s)

Yurii Aulchenko

See Also

[GASurv](#), [qtscore](#)

Examples

```

data(ge03d2)
dta <- ge03d2[,1:100]
# analysis using linear model
xq <- mlreg(bmi~sex,dta)
# logistic regression, type guessed automatically
xb <- mlreg(dm2~sex,dta)
# Cox proportional hazards model, assuming that age is the follow-up time
# generally this does not make sense (could be ok if age is age at onset)
xs <- mlreg(GASurv(age,dm2)~sex,dta)

```

mlreg.p

EXPERIMENTAL Linear and logistic regression and Cox models for genome-wide SNP data

Description

Linear and logistic regression and Cox models for genome-wide SNP data

Usage

```
mlreg.p(formula, data, snpsubset, idsubset, gtmode = "additive", trait.type = "guess")
```

Arguments

formula	Standard formula object
data	an object of gwaa.data-class
snpsubset	Index, character or logical vector with subset of SNPs to run analysis on. If missing, all SNPs from data are used for analysis.
idsubset	Index, character or logical vector with subset of IDs to run analysis on. If missing, all people from data/cc are used for analysis.
gtmode	Either "additive", "dominant", "recessive" or "overdominant". Specifies the analysis model.
trait.type	Either "gaussian", "binomial" or "survival", corresponding to analysis using linear regression, logistic regression, and Cox proportional hazards models, respectively. When default vale "guess" is used, the program tries to guess the type

Details

Linear regression is performed using standard approach; logisitic regression is implemented using IRLS; Cox model makes use of code contributed by Thomas Lumley (survival package).

For logistic and Cox, exp(effB) gives Odds Ratios and Hazard Ratios, respectively.

Value

An object of [scan.gwaa-class](#)

Author(s)

Yurii Aulchenko

See Also

[GASurv](#), [qtsscore](#)

Examples

```
data(ge03d2)
dta <- ge03d2[,1:100]
# analysis using linear model
xq <- mlreg.p(bmi~sex,dta)
# logistic regression, type guessed automatically
xb <- mlreg.p(dm2~sex,dta)
# Cox proportional hazards model, assuming that age is the follow-up time
# generally this does not make sense (could be ok if age is age at onset)
xs <- mlreg.p(GASurv(age,dm2)~sex,dta)
```

mmscore

Score test for association in related people

Description

Score test for association between a trait and genetic polymorphism, in samples of related individuals

Usage

```
mmscore(h2object,data,snpsubset,idsubset,strata,times=1,quiet=FALSE,bcast=10,clambda=TRUE,propPs=1.
```

Arguments

h2object	An object returned by polygenic polygenic mixed model analysis routine. The sub-objects used are measuredIDs, residualY, and InvSigma. One can supply mmscore with a fake h2object, containing these list elements.
data	An object of gwaa.data-class . ALWAYS PASS THE SAME OBJECT WHICH WAS USED FOR ipolygenic ANALYSIS, NO SUB-SETTING IN IDs (USE IDSUBSET ARGUMENT FOR SUB-SETTING)!!!
snpsubset	Index, character or logical vector with subset of SNPs to run analysis on. If missing, all SNPs from data are used for analysis.
idsubset	Index, character or logical vector with subset of IDs to run analysis on. If missing, all people from data/cc are used for analysis.

strata	Stratification variable. If provided, scores are computed within strata and then added up.
times	If more then one, the number of replicas to be used in derivation of empirical genome-wide significance. NOTE: The structure of the data is not exchangeable, therefore do not use times > 1 unless you are really sure you understand what you are doing!
quiet	do not print warning messages
bcast	If the argument times > 1, progress is reported once in bcast replicas
clambda	If inflation facot Lambda is estimated as lower then one, this parameter controls if the original P1df (clambda=TRUE) to be reported in Pc1df, or the original 1df statistics is to be multiplied onto this "deflation" factor (clambda=FALSE). If a numeric value is provided, it is used as a correction factor.
propPs	proportion of non-corrected P-values used to estimate the inflation factor Lambda, passed directly to the estlambda
cppFun	Serves for testing purposes; do use default.

Details

Score test is performed using the formula

$$\frac{((G - E[G])V^{-1}residualY)^2}{(G - E[G])V^{-1}(G - E[G])}$$

where G is the vector of genotypes (coded 0, 1, 2) and $E[G]$ is a vector of (strata-specific) mean genotypic values; V^{-1} is the InvSigma and $residualY$ are residuals from the trait analysis with [polygenic](#) procedure.

This test is similar to that implemented by Abecasis et al. (see reference).

Value

Object of class [scan.gwaa-class](#); only 1 d.f. test is implemented currently.

Author(s)

Yurii Aulchenko

References

Chen WM, Abecasis GR. Family-based association tests for genome-wide association scans. *Am J Hum Genet.* 2007 Nov;81(5):913-26.

See Also

[grammar](#), [qtsscore](#), [egsscore](#), [plot.scan.gwaa](#), [scan.gwaa-class](#)

Examples

```

# ge03d2 is rather bad data set to demonstrate grammar,
# because this is a population-based study
data(ge03d2.clean)
#take half for speed
ge03d2.clean <- ge03d2.clean[1:100,]
gkin <- ibs(ge03d2.clean,w="freq")
h2ht <- polygenic(height ~ sex + age,kin=gkin,ge03d2.clean)
h2ht$est
mm <- mmscore(h2ht,data=ge03d2.clean)
# compute grammar
gr <- qtscore(h2ht$pgres,data=ge03d2.clean,clam=FALSE)
#compute GC
gc <- qtscore(height ~ sex + age,data=ge03d2.clean)
#compare
plot(mm,df="Pc1df",cex=0.5)
add.plot(gc,df="Pc1df",col="red")
add.plot(gr,df="Pc1df",col="lightgreen",cex=1.1)
# can see that mmscore and grammar are quite the same... in contrast to GC

```

npsubtreated

non-parametric trait "imputations" in treated people

Description

For people on treatment, the algorithm substitutes the value of the trait using non-parametric algorithm described in Tobin et al., 2005. This algorithm assumes that the measurement in treated subject is a right-censored trait. Essentially, the algorithm substitutes the QT for a person on treatment with the mean of the above-ranked substituted QT value.

Usage

```
npsubtreated(trait, medication, increase = FALSE)
```

Arguments

trait	vector of trait values
medication	medication indicator (0/1)
increase	if medication INCREASE the value of the trait (should never be true for e.g. blood pressure, LDL cholesterol, etc.)

Details

Should put the formulas here...

Value

Vector of trait values, where the values for treated people are substituted with average of the above-ranked substituted trait value.

Author(s)

Yurii Aulchenko

References

Levy D, DeStefano AL, Larson MG, O'Donnell CJ, Lifton RP, Gavras H, Cupples LA, Myers RH. Evidence for a gene influencing blood pressure on chromosome 17. Genome scan linkage results for longitudinal blood pressure phenotypes in subjects from the framingham heart study. *Hypertension*. 2000 Oct;36(4):477-83.

Tobin MD, Sheehan NA, Scurrah KJ, Burton PR. Adjusting for treatment effects in studies of quantitative traits: antihypertensive therapy and systolic blood pressure. *Stat Med*. 2005 Oct 15;24(19):2911-35.

Examples

```
# simulate SBP data
simmeddat <- function(mu=144,bage=0.5,bsex=4.,bg=2.,pB=0.3,rvar=21^2,N=1000) {
  ageb <- c(25,74)
  pmale <- .5
  htthresh <- 160
  trprob <- .5
  mutreff <- (-15.)
  trvar <- 4^2
  age <- runif(N,min=ageb[1],max=ageb[2])
  sex <- 1*(runif(N)<=pmale)
  gt <- rbinom(N,size=2,prob=pB)
  y.true <- rnorm(N,mu,sqrt(rvar)) + bage*age + bsex*sex + bg*gt
  d.true <- (y.true>=htthresh)
  medication <- 1*d.true
  medication[d.true] <- 1*(runif(sum(d.true))<=trprob)
  treatm <- rnorm(sum(medication),mutreff,sqrt(trvar))
  treatm[treatm>0] <- 0
  treff <- rep(0,N)
  treff[medication==1] <- treatm
  y.obs <- y.true + treff
  out <- data.frame(age,sex,gt,y.true,d.true,medication,treff,y.obs)
  out
}
x <- simmeddat(bg=2.0,N=3000)
x[1:15,]

# substitute value of treated people
imptra <- npsubreated(x$y.obs,x$medication)
imptra[1:15]

# Almost always, correlation should be higher for the "imputed" trait
cor(x$y.true,x$y.obs)
cor(x$y.true,imptra)

# see what comes out of regression
# analysis of true value
```

```
summary(lm(y.true~sex+age+gt,data=x))
# ignore treatment (as a rule, betas are underestimated; on average, power goes down)
summary(lm(y.obs~sex+age+gt,data=x))
# treatment as covariate (as a rule, betas are underestimated; on average, power goes down)
summary(lm(y.obs~sex+age+gt+medication,data=x))
# analyse "imputed" trait (as a rule betas are better; power approaches that of analysis of "true" trait)
summary(lm(imptra~sex+age+gt,data=x))
```

patch_strand	<i>function to change strand</i>
--------------	----------------------------------

Description

Changes strand in gwaa.data-class object

Usage

```
patch_strand(data,snpid,strand,based_on="snpnames", quiet = TRUE)
```

Arguments

data	gwaa.data or snp.data object
snpid	vector of ids of snsp (name or position)
strand	vector of strands ("+", "-", "u")
based_on	either "snpnames" or "map" depending on what info is provided by snpid
quiet	indicates if recoding report should be directed to the screen

Details

For SNPs, as identified by 'snpid', changes strand to strand specified by 'strand'

Value

object of gwaa.data or snp.data class

Author(s)

Yurii Aulchenko

Examples

```
data(srdta)
as.character(srdta@gtdata@strand[1:20])
a <- patch_strand(srdta,srdta@gtdata@snpnames[1:10],rep("+",10))
as.character(a@gtdata@strand[1:20])
a <- patch_strand(srdta,srdta@gtdata@map[1:10],rep("+",10),based_on="map")
as.character(a@gtdata@strand[1:20])
```

perid.summary	<i>Summary of marker data per person</i>
---------------	--

Description

Produces call rate and heterozygosity per person

Usage

```
perid.summary(data, snpsubset, idsubset, ... )
```

Arguments

data	object of snp.data-class
snpsubset	Index, character or logical vector with subset of SNPs to run analysis on. If missing, all SNPs from data are used for analysis.
idsubset	Index, character or logical vector with subset of IDs to run analysis on. If missing, all people from data are used for analysis.
...	additional parameters to be passed to hom

Details

This function facilitates quality control of genomic data. E.g. extreme outliers for heterozygosity indicate possibly contaminated DNA samples, while low call rate of a person may indicate poor DNA quality.

Value

A matrix, giving per person (row) its' average heterozygosity ("Het" column) and call rate ("CallPP"), over all SNPs

Author(s)

Yurii Aulchenko

See Also

[check.marker](#), [summary.snp.data](#), [snp.data-class](#)

Examples

```
data(ge03d2c)
a <- perid.summary(data=ge03d2c,snps=c(1:100),ids=c(1:10))
a
a <- perid.summary(data=ge03d2c)
hist(a[, "CallPP"])
hist(a[, "Het"])
```

plot.check.marker *plots "check.marker" object*

Description

Plots "check.marker" object, as returned by [check.marker](#)

Usage

```
## S3 method for class 'check.marker'  
plot(x, y, ...)
```

Arguments

x	Object of class "check.marker", as returned by check.marker or snp.subset
y	this argument is not used
...	other arguments to be passed to plot

Details

In this plot, along the X axes, you can see colour representation of markers which did not pass (pass – black) the QC. The diagonal shows redundant markers. If for some marker there exist markers, which show exactly the same (or some minimum concordance) genotypic distribution, such markers are depicted as crosses an solid line is dropped on the X axes from it. Other solid line connects the original SNP with the redundant ones (depicted as circles). From each redundant SNP, a dashed line is dropped on X. Normally, one expects that redundant markers are positioned very closely and redundancy appears because of linkage disequilibrium.

Value

No value returned. Explanatory note is shown on the screen.

Author(s)

Yurii Aulchenko

See Also

[check.marker](#), [snp.subset](#)

Examples

```
data(srda)  
mc <- check.marker(data=srda@gtdata[,1:100],redundant="all",maf=0.01,minconcordance=0.9,fdr=.1,ibs.mrk=0)  
mc <- check.marker(data=srda@gtdata[,1:100],maf=0.01,fdr=.1,ibs.mrk=0)  
plot(mc)  
mc1 <- snp.subset(mc,snps=srda@gtdata@snpnames[20:40])  
plot(mc1)
```

plot.scan.gwaa *function to plot GWAA results*

Description

Plots results of GWA analysis

Usage

```
## S3 method for class 'scan.gwaa'  
plot(x, y, ..., df=1, ystart=0, col=c("blue","green"),  
sort=TRUE, ylim, delta = 1 , main = getcall(x))
```

Arguments

x	object of type scan.gwaa-class , as returned by scan.glm , qtscore , ccfast , emp.ccfast , emp.qtscore , or scan.haplo
y	this argument is not used
...	additional arguments to be passed to plot
df	Plot results of 1 or 2-df test (1, 2). Could be also "Pc1df" (for GC corrected P-values) and "Pc2df" (for robust genomic control of the 2 df test)
ystart	truncate lower value of Y at this point (can help avoiding plotting too many points)
ylim	ylim, same as in the standard plot function
col	which colors to use to depict consecutive chromosomes
sort	whether results should be plotted after sorting by chromosome and position
delta	gap width between chromosomes
main	title of the plot

Value

No value returned.

Author(s)

Yurii Aulchenko

See Also

[scan.gwaa-class](#), [add.plot](#), [snp.subset](#), [scan.glm](#), [qtscore](#), [ccfast](#), [emp.qtscore](#), [emp.ccfast](#), [scan.haplo](#)

Examples

```
data(srdta)
a <- qtscore(bt,srdta,snps=c(1:250))
plot(a)
add.plot(a,df="Pc1df",col="green")
```

plot.scan.gwaa.2D *function to plot 2D scan results*

Description

Plots results of 2D analysis produced by [scan.glm.2D](#) or [scan.haplo.2D](#)

Usage

```
## S3 method for class 'scan.gwaa.2D'
plot(x, y, ..., df=1)
```

Arguments

x	object of type scan.gwaa.2D-class , as returned by scan.glm.2D or scan.haplo.2D
y	this argument is not used
...	additional arguments to be passed to plot
df	Whether 1, 2, or "all" d.f.s should be plotted. Note that for scan.haplo.2D 1 and 2 d.f. list the same values.

Details

Now plots only "allelic" results. This is fine for [scan.haplo.2D](#) as only allelic tests are produced; however, [scan.glm.2D](#) also produces "genotypic" results.

Value

No value returned.

Author(s)

Yurii Aulchenko

See Also

[scan.gwaa.2D-class](#), [scan.glm.2D](#), [scan.haplo.2D](#)

Examples

```

data(srdta)
a <- scan.glm.2D("qt3~CRSNP",data=srdta,snps=c(1:10))
# "allelic" results
plot(a)
# to plot "genotypic" results:
filled.contour(x=a$map,y=a$map,z=-log10(a$P2df))

```

polygenic

*Estimation of polygenic model...***Description**

Estimation of polygenic model

Usage

```

polygenic(formula, kinship.matrix, data, fixh2, starth2=0.3,
  trait.type="gaussian", opt.method="nlm", scaleh2=1, quiet=FALSE,
  steptol=1e-08, gradtol=1e-08, optimbou=8, fglschecks=TRUE,
  maxnfgls=8, maxdiffgls=1e-04, patchBasedOnFGLS=TRUE,
  llfun="polylik_eigen", ...)

```

Arguments

formula	Formula describing fixed effects to be used in the analysis, e.g. $y \sim a + b$ means that outcome (y) depends on two covariates, a and b. If no covariates used in the analysis, skip the right-hand side of the equation.
kinship.matrix	Kinship matrix, as provided by e.g. <code>ibs(weight="freq")</code> , or estimated outside of GenABEL from pedigree data.
data	An (optional) object of gwa.data-class or a data frame with outcome and covariates
fixh2	Optional value of heritability to be used, instead of maximisation. The uses of this option are two-fold: (a) testing significance of heritability and (b) using a priori known heritability to derive the rest of MLEs and var.-cov. matrix.
starth2	Starting value for h2 estimate
trait.type	"gaussian" or "binomial"
opt.method	"nlm" or "optim". These two use different optimisation functions. We suggest using the default <code>nlm</code> , although <code>optim</code> may give better results in some situations
scaleh2	Only relevant when "nlm" optimisation function is used. "scaleh2" is the heritability scaling parameter, regulating how "big" are parameter changes in h2 with respect to changes in other parameters. As other parameters are estimated from previous regression, these are expected to change little from the initial estimate. The default value of 1000 proved to work rather well under a range of conditions.

quiet	If FALSE (default), details of optimisation process are reported
steptol	steptol parameter of "nlm"
gradtol	gradtol parameter of "nlm"
optimbou	fixed effects boundary scale parameter for 'optim'
fglschecks	additional check for convergence on/off (convergence between estimates obtained and that from FGLS)
maxnfgls	number of fgls checks to perform
maxdiffgls	max difference allowed in fgls checks
patchBasedOnFGLS	if FGLS checks not passed, 'patch' fixed effect estimates based on FGLS expectation
llfun	function to compute likelihood (default 'polylik_eigen', also available – but not recommended – 'polylik')
...	Optional arguments to be passed to <code>nlm</code> or (<code>optim</code>) minimisation function

Details

This function maximises the likelihood of the data under polygenic model with covariates and reports twice negative maximum likelihood estimates and the inverse of the variance-covariance matrix at the point of ML.

One of the major uses of this function is to estimate residuals of the trait and the inverse of the variance-covariance matrix for further use in analysis with `mmscore` and `grammar`.

Also, it can be used for a variant of GRAMMAR analysis, which allows for permutations for GW significance by use of environmental residuals as an analysis trait with `qtscore`.

"Environmental residuals" (not to be mistaken with just "residuals") are the residual where both the effect of covariates AND the estimated polygenic effect (breeding values) are factored out. This thus provides an estimate of the trait value contributed by environment (or, turning this other way around, the part of the trait not explained by covariates and by the polygene). Polygenic residuals are estimated as

$$\sigma^2 V^{-1} (Y - (\hat{\mu} + \hat{\beta}C_1 + \dots))$$

where σ^2 is the residual variance, V^{-1} is the `InvSigma` (inverse of the var-cov matrix at the maximum of polygenic model) and $(Y - (\hat{\mu} + \hat{\beta}C_1 + \dots))$ is the trait values adjusted for covariates (also at the maximum of polygenic model likelihood).

It can also be used for heritability analysis. If you want to test significance of heritability, estimate the model and write down the function minimum reported at the "h2an" element of the output (this is twice the negative `MaxLikelihood`). Then do a next round of estimation, but set `fixh2=0`. The difference between your function minima gives a test distributed as chi-squared with 1 d.f.

The way to compute the likelihood is partly based on the paper of Thompson (see refs), namely instead of taking the inverse of the var-cov matrix every time, eigenvectors of the inverse of G (taken only once) are used.

Value

	A list with values
h2an	A list supplied by the <code>nlm</code> minimisation routine. Of particular interest are elements "estimate" containing parameter maximal likelihood estimates (MLEs) (order: mean, betas for covariates, heritability, (polygenic + residual variance)). The value of twice negative maximum log-likelihood is returned as <code>h2an\$minimum</code> .
esth2	Estimate (or fixed value) of heritability
residualY	Residuals from analysis, based on covariate effects only; NOTE: these are NOT grammar "environmental residuals"!
pgresidualY	Environmental residuals from analysis, based on covariate effects and predicted breeding value.
grresidualY	GRAMMAR+ trait transformation
grammarGamma	list with GRAMMAR+ correction factors
InvSigma	Inverse of the variance-covariance matrix, computed at the MLEs – these are used in <code>mmscore</code> and <code>grammar</code> functions.
call	The details of call
measuredIDs	Logical values for IDs who were used in analysis (traits and all covariates measured) == TRUE
convFGLS	was convergence achieved according to FGLS criterionE

Note

Presence of twins may complicate your analysis. Check the kinship matrix for singularities, or rather use `check.marker` for identification of twin samples. Take special care in interpretation.

If a trait (no covariates) is used, make sure that the order of IDs in the kinship.matrix is exactly the same as in the outcome

Please note that there is alternative to 'polygenic', `polygenic_hglm`, which is faster than `polygenic()` with the `llfun='polylik'` option, but slightly slower than the default `polygenic()`.

Author(s)

Yurii Aulchenko, Gulnara Svischeva

References

Thompson EA, Shaw RG (1990) Pedigree analysis for quantitative traits: variance components without matrix inversion. *Biometrics* 46, 399-413.

Aulchenko YS, de Koning DJ, Haley C. Genomewide rapid association using mixed model and regression: a fast and simple method for genome-wide pedigree-based quantitative trait loci association analysis. *Genetics*. 2007 177(1):577-85.

Amin N, van Duijn CM, Aulchenko YS. A genomic background based method for association analysis in related individuals. *PLoS ONE*. 2007 Dec 5;2(12):e1274.

G. Svischeva et al. (in preparation)

See Also

[polygenic_hglm](#), [mmscore](#), [grammar](#)

Examples

```
# note that procedure runs on CLEAN data
data(ge03d2ex.clean)
gkin <- ibs(ge03d2ex.clean,w="freq")
h2ht <- polygenic(height ~ sex + age, kin=gkin, ge03d2ex.clean)
# estimate of heritability
h2ht$esth2
# other parameters
h2ht$h2an
# the minimum twice negative log-likelihood
h2ht$h2an$minimum
# twice maximum log-likelihood
-h2ht$h2an$minimum

# for binary trait (experimental)
h2dm <- polygenic(dm2 ~ sex + age, kin=gkin, ge03d2ex.clean, trait="binomial")
# estimated parameters
h2dm$h2an
```

polygenic_hglm

Estimation of polygenic model...

Description

Estimation of polygenic model

Usage

```
polygenic_hglm(formula, kinship.matrix, data, family=gaussian(),
               conv=1e-06, maxit=100, ...)
```

Arguments

formula	Formula describing fixed effects to be used in analysis, e.g. $y \sim a + b$ means that outcome (y) depends on two covariates, a and b . If no covariates used in analysis, skip the right-hand side of the equation.
kinship.matrix	Kinship matrix, as provided by e.g. <code>ibs(weight="freq")</code> , or estimated outside of GenABEL from pedigree data.
data	An (optional) object of gwaa.data-class or a data frame with outcome and covariates.
family	a description of the error distribution and link function to be used in the mean part of the model (see family for details of family functions).
conv	'conv' parameter of <code>hglm</code> (stricter than default, for great precision, use $1e-8$).

```
maxit      'maxit' parameter of hglm (stricter than default).
...       other parameters passed to hglm call
```

Details

Estimation of polygenic model using a hierarchical generalized linear model (HGLM; Lee and Nelder 1996. hglm package; Ronnegard et al. 2010).

The algorithm gives extended quasi-likelihood (EQL) estimates for restricted maximum likelihood (REML) (Ronnegard et al. 2010). Implemented is the inter-connected GLM interpretation of HGLM (Lee and Nelder 2001). Testing on fixed and random effects estimates are directly done using inter-connected GLMs. Testing on dispersion parameters (variance components) can be done by extracting the profile likelihood function value of REML.

Author(s)

Xia Shen, Yurii Aulchenko

References

Ronnegard, L, Shen, X and Alam, M (2010). hglm: A Package For Fitting Hierarchical Generalized Linear Models. *The R Journal*, 2(2), 20-28.

Lee, Y and Nelder JA (2001). Hierarchical generalised linear models: A synthesis of generalised linear models, random-effect models and structured dispersions. *Biometrika*, **88**(4), 987-1006.

Lee, Y and Nelder JA (1996). Hierarchical Generalized Linear Models. *Journal of the Royal Statistical Society. Series B*, **58**(4), 619-678.

See Also

[polygenic](#), [mmscore](#), [grammar](#)

Examples

```
data(ge03d2ex.clean)
df <- ge03d2ex.clean[,autosomal(ge03d2ex.clean)]
gkin <- ibs(df,w="freq")

# ----- for quantitative traits
h2ht <- polygenic_hglm(height ~ sex + age, kin = gkin, df)
# ----- estimate of heritability
h2ht$esth2
# ----- other parameters
h2ht$h2an

# ----- test the significance of fixed effects
# ----- (e.g. quantitative trait)
h2ht <- polygenic_hglm(height ~ sex + age, kin = gkin, df)
# ----- summary with standard errors and p-values
summary(h2ht$hglm)
# ----- output for the fixed effects part
# ...
```

```

# MEAN MODEL
# Summary of the fixed effects estimates
#           Estimate Std. Error t value Pr(>|t|)
# (Intercept) 169.53525    2.57624  65.807 < 2e-16 ***
# sex          14.10694    1.41163   9.993 4.8e-15 ***
# age         -0.15332    0.05208  -2.944 0.00441 **
# ---
# Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
# Note: P-values are based on 69 degrees of freedom
# ...
# ----- extract fixed effects estimates and standard errors
h2ht$h2an

# ----- test the significance of polygenic effect
nullht <- lm(height ~ sex + age, df)
l1 <- h2ht$ProfLogLik
l0 <- as.numeric(logLik(nullht))
# the likelihood ratio test (LRT) statistic
(S <- -2*(l0 - l1))
# 5% right-tailed significance cutoff
# for 50:50 mixture distribution between point mass 0 and \chi^2(1)
# Self, SG and Liang KY (1987) Journal of the American Statistical Association.
qchisq(((1 - .05) - .50)/.50, 1)
# p-value
pchisq(S, 1, lower.tail = FALSE)/2

# ----- for binary traits
h2dm <- polygenic_hglm(dm2 ~ sex + age, kin = gkin, df, family = binomial(link = 'logit'))
# ----- estimated parameters
h2dm$h2an

```

qtscore

Fast score test for association...

Description

Fast score test for association

Usage

```

qtscore(formula, data, snpsubset, idsubset, strata,
        trait.type="gaussian", times=1, quiet=FALSE, bcast=10,
        clambda=TRUE, propPs=1, details=TRUE)

```

Arguments

`formula` Formula describing fixed effects to be used in analysis, e.g. $y \sim a + b$ means that outcome (y) depends on two covariates, a and b . If no covariates used in analysis, skip the right-hand side of the equation.

data	An object of gwaas.data-class
snpsubset	index, character or logical vector with subset of SNPs to run analysis on. If missing, all SNPs from data are used for analysis.
idssubset	index, character or logical vector with subset of IDs to run analysis on. If missing, all people from data/cc are used for analysis.
strata	Stratification variable. If provided, scores are computed within strata and then added up.
trait.type	"gaussian" or "binomial" or "guess" (later option guesses trait type)
times	If more than one, the number of replicas to be used in derivation of empirical genome-wide significance. See emp.qtscore , which calls qtscore with times>1 for details
quiet	do not print warning messages
bcast	If the argument times > 1, progress is reported once in bcast replicas
clambda	If inflation factor Lambda is estimated as lower than one, this parameter controls if the original P1df (clambda=TRUE) to be reported in Pc1df, or the original 1df statistics is to be multiplied onto this "deflation" factor (clambda=FALSE). If a numeric value is provided, it is used as a correction factor.
propPs	proportion of non-corrected P-values used to estimate the inflation factor Lambda, passed directly to the estlambda
details	when FALSE, SNP and ID names are not reported in the returned object (saves some memory). This is experimental and will be not maintained anymore as soon as we achieve better memory efficiency for storage of SNP and ID names (currently default R character data type used)

Details

Fast score test for association between a trait and genetic polymorphism

When formula contains covariates, the traits is analysed using GLM and later residuals used when score test is computed for each of the SNPs in analysis. Coefficients of regression are reported for the quantitative trait.

For binary traits, odds ratios (ORs) are reported. When adjustment is performed, first, "response" residuals are estimated after adjustment for covariates and scaled to [0,1]. Reported effects are approximately equal to ORs expected in logistic regression model.

With no adjustment for binary traits, 1 d.f., the test is equivalent to the Armitage test.

This is a valid function to analyse GWA data, including X chromosome. For X chromosome, stratified analysis is performed (strata=sex).

Value

Object of class [scan.gwaas-class](#)

Author(s)

Yurii Aulchenko

References

Aulchenko YS, de Koning DJ, Haley C. Genomewide rapid association using mixed model and regression: a fast and simple method for genome-wide pedigree-based quantitative trait loci association analysis. *Genetics*. 2007 177(1):577-85.

Amin N, van Duijn CM, Aulchenko YS. A genomic background based method for association analysis in related individuals. *PLoS ONE*. 2007 Dec 5;2(12):e1274.

See Also

[mlreg](#), [mmscore](#), [egscore](#), [emp.qtscore](#), [plot.scan.gwaa](#), [scan.gwaa-class](#)

Examples

```
data(srdata)
#qtscore with stratification
a <- qtscore(qt3~sex,data=srdata)
plot(a)
b <- qtscore(qt3,strata=phdata(srdata)$sex,data=srdata)
add.plot(b,col="green",cex=2)
# qtscore with extra adjustment
a <- qtscore(qt3~sex+age,data=srdata)
a
plot(a)
# compare results of score and chi-square test for binary trait
a1 <- ccfast("bt",data=srdata,snps=c(1:100))
a2 <- qtscore(bt,data=srdata,snps=c(1:100),trait.type="binomial")
plot(a1,ylim=c(0,2))
add.plot(a2,col="red",cex=1.5)
# the good thing about score test is that we can do adjustment...
a2 <- qtscore(bt~age+sex,data=srdata,snps=c(1:100),trait.type="binomial")
points(a2[, "Position"], -log10(a2[, "P1df"]), col="green")
```

qvaluebh95

Computes Benjamini-Hochberg (95) q-value

Description

Computes Benjamini-Hochberg (95) q-value

Usage

```
qvaluebh95(p, fdrate=0.1)
```

Arguments

p	vector containing p-values
fdrate	desired FRD

Value

A list containing

pass	Is true if this P-value passed specified FDR
qvalue	qvalue

Author(s)

Yurii Aulchenko

Examples

```
data(srdta)
a<-qtscore(qt2,data=srdta)
qv <- qvaluebh95(a[, "P1df"])
plot(a[, "Position"], -log10(qv$qvalue))
```

r2fast	<i>Estimates r2 between multiple markers</i>
--------	--

Description

Given a set of SNPs, computes a matrix of r2

Usage

```
r2fast(data, snpsubset, cross.snpsubset, idsubset)
```

Arguments

data	object of snp.data-class
snpsubset	Index, character or logical vector with subset of SNPs to run analysis on. If missing, all SNPs from data are used for analysis.
cross.snpsubset	Parameter allowing parallel implementation. Not to be used normally. If supplied together with snpsubset, the r2 for all pairs between snpsubset and cross.snpsubset computed.
idsubset	Index, character or logical vector with subset of IDs to run analysis on. If missing, all people from data are used for analysis.

Details

The function is based on slightly modified code of Hao et al.

Value

A (Nsnps X Nsnps) matrix giving r2 values between a pairs of SNPs above the diagonal and number of SNP genotype measured for both SNPs below the diagonal

Author(s)

Yurii Aulchenko

References

Hao K, Di X, Cawley S. (2006) LdCompare: rapid computation of single- and multiple-marker r^2 and genetic coverage. *Bioinformatics*, 23: 252-254.

See Also[rhofast](#)**Examples**

```
data(ge03d2)
# r2s using r2fast
a <- r2fast(ge03d2, snps=c(1:10))
## Not run:
library(genetics)
# r2s using package genetics
b <- LD(as.genotype(ge03d2[,1:10]))$"R^2"
# see that the r2s are not exactly the same
cor(a[upper.tri(a)], b[upper.tri(b)])
plot(a[upper.tri(a)], b[upper.tri(b)])

## End(Not run)
```

`r2fast.old`*Estimates r^2 between multiple markers*

Description

Given a set of SNPs, computes a matrix of r^2

Usage

```
r2fast.old(data, snpsubset, idsubset)
```

Arguments

<code>data</code>	object of snp.data-class
<code>snpsubset</code>	Index, character or logical vector with subset of SNPs to run analysis on. If missing, all SNPs from data are used for analysis.
<code>idsubset</code>	Index, character or logical vector with subset of IDs to run analysis on. If missing, all people from data are used for analysis.

Details

The function is based on slightly modified code of Hao et al.

Value

A (Nsnps X Nsnps) matrix giving r^2 values between a pairs of SNPs above the diagonal and number of SNP genotype measured for both SNPs below the diagonal

Author(s)

Yurii Aulchenko

References

Hao K, Di X, Cawley S. (2006) LdCompare: rapid computation of single- and multiple-marker r^2 and genetic coverage. *Bioinformatics*, 23: 252-254.

See Also

[rhofast](#)

Examples

```
data(ge03d2)
# r2s using r2fast.old
a <- r2fast.old(ge03d2,snps=c(1:10))
## Not run:
library(genetics)
# r2s using package genetics
b <- LD(as.genotype(ge03d2[,1:10]))$"R^2"
# see that the r2s are not exactly the same
cor(a[upper.tri(a)],b[upper.tri(b)])
plot(a[upper.tri(a)],b[upper.tri(b)])

## End(Not run)
```

recodeChromosome

Change chromosomal coding...

Description

Change chromosomal coding

Usage

```
recodeChromosome(data, rules, quiet=FALSE)
```

Arguments

data	object of class for which 'chromosome' method is defined, e.g. 'gwaa.data', 'snp.data', 'scan.gwaa'
rules	list of pairs 'from=to'; the chromosomes coded in the original data set with 'from' will be recoded with 'to' value
quiet	if summary of recoding should not be printed to the screen

Details

Recoding of chromosomes according to the provided 'rules' for from -> to pairs. Most common use is anticipated when importing data from other software using only integers to represent chromosomes. In this situation the list of rules may look like this: `list(24="X",25="Y",26="mt")`.

Value

modified 'data' object

Note

'from' entries should be unique and not overlap with entries in 'to'

Author(s)

Yurii Aulchenko

Examples

```
data(ge03d2)
table(chromosome(ge03d2))
# merge chromosome 3 and X, call chromosome 2 as 15
newdat <- recodeChromosome(ge03d2,rules=list("3"="X", "2"=15))
table(chromosome(ge03d2),chromosome(newdat))
```

reconstructNPs

reconstruct nuclear families...

Description

reconstruct nuclear families

Usage

```
reconstructNPs(relationshipGuessMatrix, sex)
```

Arguments

relationshipGuessMatrix
meiotic relationship matrix, as estimated by [findRelatives](#)

sex
Sex, coded with 1 for males and 0 for females

Details

Function for reconstruction of nuclecar families or extended pedigrees based on results of [findRelatives](#) output (estimated meiotic distance matrix). Reconstruction is based on the fact that parent-offspring pairs have meiotic distance of '1', and sibs have a distance '2+2'. If both parents and the offspring are genotyped, expected distace between offspring and both parents is '1', and distance between two parents is >2 (coded as 'NA').

Value

A matrix containing reconstructed pedigree(s) coded in linkage-like format. If "fid" is zero, this means that a pedigree could not be assigned.

Author(s)

Yurii Aulchenko

Examples

```
nloci <- 1000
q <- runif(nloci,min=0.05,max=0.95)
# g7---g8
#  _|_
#  |  |
# g9  g10---g11
#      --|_
#      |  /\
#   g12 g13 g14
#
nids <- 8
sex <- c(1,0,0,1,0,0,0,0)
names(sex) <- paste("g",c(7:14),sep="")
gt <- matrix(ncol=nloci,nrow=nids)
rownames(gt) <- paste("g",c(7:14),sep="")
gt["g7",] <- rbinom(nloci,2,q)
gt["g8",] <- rbinom(nloci,2,q)
gt["g11",] <- rbinom(nloci,2,q)
gt["g9",] <- generateOffspring(gt["g7",],gt["g8",],q=q)
gt["g10",] <- generateOffspring(gt["g7",],gt["g8",],q=q)
gt["g12",] <- generateOffspring(gt["g10",],gt["g11",],q=q)
gt["g13",] <- generateOffspring(gt["g10",],gt["g11",],q=q)
gt["g14",] <- gt["g13",]
aa<-findRelatives(gt,q=q,nmei=c(1:2))
aa$guess
aaPed <- reconstructNPs(aa$guess,sex)
aaPed
```

redundant	<i>function to do redundancy check</i>
-----------	--

Description

Checks marker redundancy, understood as comcordance between genotypic distributions (including missing values)

Usage

```
redundant(data, pairs = "bychrom", minconcordance = 2.0)
```

Arguments

data	gwaa.data or snp.data object
pairs	"bychrom" or "all" to check pairs within chromosome only or genome-wide
minconcordance	find "redundant" pairs of markers with concordance \geq "minconcordance". If "minconcordance" is more then 1.0, only pairs of markers which are exactly the same (independent of coding), including NA pattern, are considered as redundant. If "minconcordance" is \leq 1, the concordance rate is computed as percent of genotypes which are the same, including the genotypes with NA. I.e. if both genotypes are NA, this is counted as a match, if one is NA and other is measured, this is counted as mismatch. Note that option with "minconcordance" \leq 1 takes much longer time to run.

Value

A list containing reference SNP as a name and all SNPs which has "the same" genotypic distribution as values:

"refSNP1"	SNP11, SNP12, ...
"refSNP2"	SNP21, SNP22, ...
...	etc.
"refSNPlast"	SNPlast1, SNPlast2, ...
"all"	list of all redundant SNPs, which can be dropped from consideration

Author(s)

Yurii Aulchenko

See Also

[check.marker](#)

Examples

```
data(srdta)
redundant(srdta@gtdata)
redundant(srdta@gtdata[,1:50],minconcordance=0.8)
```

refresh.gwaa.data	<i>Updates an object from old to new GenABEL format</i>
-------------------	---

Description

Attempts to update an object of gwaa.data-class from old to new format

Usage

```
refresh.gwaa.data(data, force=FALSE)
```

Arguments

data	An object of gwaa.data-class in pre-1.2-6 (data version 0) format.
force	When TRUE, the refreshing is forced, with any data in @strand and @coding replaced by default data (0/1 coding, u-strand)

Details

Takes old-style gwaa.data object and sets @coding and @strand attributes to SNPs. All coding is set to 1/2 and strand is set to "u" (unknown).

Value

Object of [gwaa.data-class](#) in new (GenABEL v > 1.2-6, raw data format version 0.1) format.

Author(s)

Yurii Aulchenko

See Also

[load.gwaa.data](#)

rhofast	<i>Estimates rho between multiple markers</i>
---------	---

Description

Given a set of SNPs, computes a matrix of rho

Usage

```
rhofast(data, snpsubset, idsubset)
```

Arguments

data	object of snp.data-class
snpsubset	Index, character or logical vector with subset of SNPs to run analysis on. If missing, all SNPs from data are used for analysis.
idsubset	Index, character or logical vector with subset of IDs to run analysis on. If missing, all people from data are used for analysis.

Details

Rho is the measure of association described by N. Morton and A. Collins (see reference). The function is based on slightly modified code of Hao et al.

Value

A (Nsnps X Nsnps) matrix giving rho values between a pairs of SNPs above the diagonal and Kij below the diagonal.

Author(s)

Yurii Aulchenko

References

Collins A, Morton NE. (1998) Mapping a disease locus by allelic association. PNAS, 17:1741-1745.

Hao K, Di X, Cawley S. (2006) LdCompare: rapid computation of single- and multiple-marker rho and genetic coverage. Bioinformatics, 23: 252-254.

See Also

[r2fast](#)

Examples

```

data(ge03d2)
# rhos using rhofast
a <- rhofast(ge03d2,snps=c(1:10))
## Not run:
library(genetics)
# rhos using package genetics
b <- LD(as.genotype(ge03d2[,1:10]))$"R^2"
# see that the rhos are not exactly the same
cor(a[upper.tri(a)],b[upper.tri(b)])
plot(a[upper.tri(a)],b[upper.tri(b)])

## End(Not run)

```

rntransform

Rank-transformation to normality

Description

Rank-transformation to normality of a variable or residuals from GLM analysis.

Usage

```
rntransform(formula,data,family=gaussian)
```

Arguments

formula	GLM formula for the variable to be transformed, or just the variable
data	data.frame or gwaa.data object containing the data
family	GLM family

Details

Rank-transformation to normality generates perfectly normal distribution from ANY distribution, unless many/heavy ties are present in variable (or residuals, if formula is used).

When formula is supplied, this procedure first calls [ztransform](#), and then applies rank transformation to residuals.

Value

Vector containing transformed variable, distributed as standard normal.

Author(s)

Yurii Aulchenko

See Also[ztransform](#)**Examples**

```

# uniformly distributed variable
x <- round(runif(200)*100)
# get 7 missing values
x[round(runif(7,min=1,max=100))] <- NA
# Z-transform
y0 <- ztransform(x)
# Rank-transform to normality
y1 <- rntransform(x)
# test normality of the original and transformed var
shapiro.test(x)
shapiro.test(y0)
shapiro.test(y1)
# plot histogram
par(mfcol=c(3,1))
hist(x)
hist(y0)
hist(y1)

```

save.gwaa.data	<i>function to save gwaa.data object</i>
----------------	--

Description

Saves GenABEL data in internal format

Usage

```

save.gwaa.data(data, phenofile = "pheno.dat", genofile = "geno.raw",
human = FALSE)

```

Arguments

data	gwaa.data object
phenofile	name of file where the phenotypes will be saved to
genofile	name of file where the genotypes will be saved to
human	if human=TRUE, saves in human-readable format (to be converted to internal format later)

Details

When running with human=TRUE, a lot of memory (and time to complete the operation) is required. Probably, this option would not work because of memory limitations in a GWA scan iwth more then few hundreds of people. This is possible to fix; drop me a message if you need that.

Value

No value returned

Author(s)

Yurii Aulchenko

See Also

[load.gwaa.data](#)

scan.glm

Scan GWA data using glm

Description

Scan GWA data using glm

Usage

```
scan.glm(formula, family = gaussian(), data, snpsubset, idsubset,  
bcast = 50)
```

Arguments

formula	character string containing formula to be used in glm . You should put CRSNP argument in the formula, to arrange how the SNP from the list would be treated. This allows to put in an interaction term.
family	family to be passed to glm
snpsubset	Index, character or logical vector with subset of SNPs to run analysis on. If missing, all SNPs from data are used for analysis.
idsubset	Index, character or logical vector with subset of IDs to run analysis on. If missing, all people from data/cc are used for analysis.
data	object of class "gwaa.data"
bcast	show progress every bcast SNPs

Value

Object of class [scan.gwaa-class](#)

Author(s)

Yurii Aulchenko

See Also

[ccfast](#), [qtsscore](#), [scan.gwaa-class](#)

Examples

```

data(srdta)
a <- scan.glm("bt~sex+age+CRSNP", family=binomial(), data=srdta, snps=(1:10), bcast=2)
#plot(a)

osnp <- "rs4934"
maposnp <- srdta@gtdata@map[osnp]
maposnp
reg <- snp.names(srdta, begin=maposnp-100000, end=maposnp+100000, chrom="1")
a <- scan.glm("qt3~sex+age+CRSNP", data=srdta, snps=reg)
#plot(a)
#plot(a, df=1)
#add.plot(a, df=2)

# interaction with sex
a <- scan.glm("qt3~age+sex*CRSNP", data=srdta, snps=reg)
#plot(a, df=1)
#add.plot(a, df=2)
# you can do interaction with a selected polymorphisms in the same way

```

scan.glm.2D

*Scans regional data allowing for gene-gene interaction using glm***Description**

Scans regional data allowing for gene-gene interaction using glm

Usage

```
scan.glm.2D(formula, family = gaussian(), data, snpsubset, idsubset,
bcast = 50)
```

Arguments

formula	character string containing formula to be used in glm . You should put CRSNP argument in the formula, to arrange how the SNP from the list would be treated. This allows to put in an interaction term.
family	family to be passed to glm
snpsubset	Index, character or logical vector with subset of SNPs to run analysis on. If missing, all SNPs from data are used for analysis.
idsubset	Index, character or logical vector with subset of IDs to run analysis on. If missing, all people from data/cc are used for analysis.
data	object of class "gwaa.data"
bcast	show progress every bcast SNPs

Details

For each pair of SNPs, say `snp1` and `snp2`, `scan.glm.2D` estimates 5 models. Let us denote `snp1` when it is coded as allele dose (0,1, 2) and thus results in additive model as `snp1dose` and when it is coded as 'factor' (genotypic model) as `snp1factor`

`m00`: $y \sim \mu$ [1 regression coefficient to estimate]

`m10`: $y \sim \mu + \text{snp1dose} + \text{snp2dose}$ [3 coefficients]

`m11`: $y \sim \mu + \text{snp1dose} + \text{snp2dose} + \text{snp1dose} * \text{snp2dose}$ [4 coefficients]

`m20`: $y \sim \mu + \text{snp1factor} + \text{snp2factor}$ [5 coefficients]

`m21`: $y \sim \mu + \text{snp1factor} + \text{snp2factor} + \text{snp1factor} * \text{snp2factor}$ [9 coefficients]

In the output, "P1df" refers to the test of `m00` vs `m10` (this is actually 2 df test); "P2df" refers to the test of `m00` vs `m20` (4 df test); "Pint1df" refers to the test of `m10` vs `m11` (1 df test); "Pint2df" refers to the test of `m20` vs `m21` (4 df test). The output is in matrix format as these P-values are generated for each pair of SNPs in turn.

Value

Object of class `scan.gwaa.2D-class`

Author(s)

Yurii Aulchenko

See Also

`scan.gwaa.2D-class`, `scan.haplo.2D`

Examples

```
data(srdta)
a <- scan.glm.2D("bt~sex+age+CRSNP", family=binomial(), data=srdta, snps=(1:10), bcast=2)
plot(a)
```

`scan.gwaa-class`

Class "scan.gwaa"

Description

This class contains results of GWA analysis. This is an list object, generated by `scan.glm`, `scan.haplo`, `ccfast`, `qtscor`, `emp.ccfast`, or `emp.qtscor`.

Names

- snpnames** list of names of SNPs tested
- P1df** corresponding list of P-values of 1-d.f. (additive or allelic) test for association between SNP and trait
- P2df** corresponding list of P-values of 2-d.f. (genotypic) test for association between SNP and trait
- Pc1df** P-values from the 1-d.f. test for association between SNP and trait; the statistics is corrected for possible inflation
- effB** Effect of the B allele in allelic test (OR for `ccfast`, difference from the mean for `qtscore` and beta from the `scan.glm`)
- effAB** Effect of the AB genotype in genotypic test
- effBB** Effect of the BB genotype in genotypic test
- map** list of map positions of the SNPs
- chromosome** list of chromosomes the SNPs belong to
- idnames** list of people used in analysis
- lambda** list with elements "estimate" (inflation factor estimate, as computed using lower 90 percents of the distribution) and "se" (standard error of the estimate)
- formula** which formula/function call was used to comput P-values
- family** family of the link function / nature of the test

Methods

- plot** `signature(object = "scan.gwaa")`: Plots summary of GWAA
- `[signature(object = "scan.gwaa", i = "ANY", j = "ANY", drop = "ANY")`: subsetting operation
- annotation** `signature(object = "scan.gwaa")`: extracts annotation
- idnames** `signature(object = "scan.gwaa")`: extracts id names
- snpnames** `signature(object = "scan.gwaa")`: extracts snp names
- nids** `signature(object = "scan.gwaa")`: extracts number of ids
- nsnps** `signature(object = "scan.gwaa")`: extracts number of snps
- map** `signature(object = "scan.gwaa")`: extracts map
- chromosome** `signature(object = "scan.gwaa")`: extracts chromosome
- strand** `signature(object = "scan.gwaa")`: extracts strand
- coding** `signature(object = "scan.gwaa")`: extracts coding
- refallele** `signature(object = "scan.gwaa")`: extracts reference allele
- effallele** `signature(object = "scan.gwaa")`: extracts effective allele
- male** `signature(object = "scan.gwaa")`: extracts male indicator

Author(s)

Yurii Aulchenko

See Also

[ccfast](#), [qtscore](#), [scan.glm](#), [scan.haplo](#), [emp.ccfast](#), [emp.qtscore](#), [estlambda](#), [plot.scan.gwaa](#)

Examples

```
data(srdta)
sc <- qtscore(qt3,data=srdta,snps=c(1:10))
class(sc)
sc[, "P1df"]
sc[, "P2df"]
sc
plot(sc)
```

scan.gwaa.2D-class *Class "scan.gwaa.2D"*

Description

This class contains results of 2D analysis. This is an list object, generated by [scan.glm.2D](#) or [scan.haplo.2D](#).

Names

snpsnames list of names of SNPs tested

P1df corresponding list of P-values of allelic test for association between SNP and trait.

Pint1df corresponding list of P-values of significance of the interactions between SNPs, for the allelic model

P2df corresponding list of P-values of genotypic test for association between SNP and trait For `link{scan.haplo}` and `link{scan.haplo.2D}` this is equal to P1df and has nothing to do with the actual degrees fo freedom of the test

Pint2df corresponding list of P-values of significance of the interactions between SNPs for the genotypic test

medChi1df Median Chi-square for allelic test

medChi2df Median Chi-square on genotypic test

map list of map positions of the SNPs

chromosome list of chromosomes the SNPs belong to

formula which formula/function call was used to comput P-values

family family of the link function / nature if the test

idnames list of people used in analysis

Methods

plot `signature(object = "scan.gwaa.2D")`: Plots summary of 2D scan, using lsit element P1df

Author(s)

Yurii Aulchenko

See Also[scan.gwaa.2D-class](#), [scan.glm.2D](#), [scan.haplo.2D](#), [plot.scan.gwaa.2D](#)**Examples**

```

data(srdta)
sc <- scan.glm.2D("qt3~CRSNP", data=srdta, snps=c(1:10))
class(sc)
sc$P1df
sc$P2df
sc
plot(sc)

```

scan.haplo

*scan.haplo***Description**

Runs [haplo.score.slide](#) from the package `haplo.stats` and represents output as [scan.gwaa-class](#) data object

Usage

```
scan.haplo(formula, data, snpsubset, idsubset, n.slide = 2, bcast = 10, simulate=FALSE, trait.type, ...)
```

Arguments

formula	Formula to be used in analysis. It should be a character string following standard notation. On the left-hand side, there should be outcome. On the right-hand side, covariates are listed, with "+" separating the covariates (additive action). The left- and right-hand sides are separated by "~". You should put CRSNP argument in the formula. For example "qt3~CRSNP" would analyse association between SNPs and trait "qt3", without any adjustment. To adjust for age and sex, use "qt3~age+sex+CRSNP". Currently, only additive effects ("+") are allowed.
data	object of class gwaa.data-class
snpsubset	Index, character or logical vector with subset of SNPs to run analysis on. If missing, all SNPs from data are used for analysis.
idsubset	Index, character or logical vector with subset of IDs to run analysis on. If missing, all people from data/cc are used for analysis.
n.slide	Default = 2. Number of loci in each contiguous subset. The first subset is the ordered loci numbered 1 to n.slide, the second subset is 2 through n.slide+1 and so on. If the total number of loci in geno is n.loci, then there are n.loci - n.slide + 1 total subsets.

bcast	show progress every bcast SNPs
simulate	if simulated P-values should be generated
trait.type	Character string defining type of trait, with values of "gaussian", "binomial", "poisson", "ordinal" (see help for haplo.score.slide for details). If not specified, the routine picks up "gaussian" or "binomial" (two levels of trait).
...	other arguments to be passed to haplo.score.slide

Details

List element P2df is set equal to P1df, as only allelic results are returned. This has nothing to do with degrees of freedom.

Value

Object of class [scan.gwaa-class](#)

Author(s)

Yurii Aulchenko

References

For haplo.stats (scan.haplo, scan.haplo.2D), please cite:

Schaid DJ, Rowland CM, Tines DE, Jacobson RM, Poland GA. (2002) Score tests for association between traits and haplotypes when linkage phase is ambiguous. *Am J Hum Genet*, 70: 425-434.

See Also

[scan.gwaa-class](#), [haplo.score.slide](#)

Examples

```
data(srdta)
a <- ccfast("bt", srdta, snps=(717:733), ids=(srdta@phdata$age<40))
plot(a)
if (require(haplo.stats)) {
b <- scan.haplo("bt~sex+CRSNP", srdta, snps=(717:733),
ids=(srdta@phdata$age<40))
c <- scan.haplo("bt~sex+CRSNP", srdta, snps=(717:733),
ids=(srdta@phdata$age<40), n.slide=3)
add.plot(b, col="red", type="l")
add.plot(c, col="darkgreen", type="l")
}
```

scan.haplo.2D	<i>runs haplo.score.slide with all pairs of markers in a region</i>
---------------	---

Description

Runs [haplo.score.slide](#) from the package `haplo.stats` on all pairs of markers in a region and presents output as [scan.gwaa.2D-class](#) object

Usage

```
scan.haplo.2D(formula, data, snpsubset, idsubset, bcast = 10, simulate=FALSE, trait.type, ...)
```

Arguments

formula	Formula to be used in analysis. It should be a character string following standard notation. On the left-hand side, there should be outcome. On the right-hand side, covariates are listed, with "+" separating the covariates (additive action). The left- and right-hand sides are separated by "~". You should put CRSNP argument in the formula. For example "qt3~CRSNP" would analyse association between SNPs and trait "qt3", without any adjustment. To adjust for age and sex, use "qt3~age+sex+CRSNP". Currently, only additive effects ("+") are allowed.
data	object of class gwaa.data-class
snpsubset	Index, character or logical vector with subset of SNPs to run analysis on. If missing, all SNPs from data are used for analysis.
idsubset	Index, character or logical vector with subset of IDs to run analysis on. If missing, all people from data/cc are used for analysis.
bcast	show progress every bcast percents of progress
simulate	if simulated P-values should be generated
trait.type	Character string defining type of trait, with values of "gaussian", "binomial", "poisson", "ordinal" (see help for haplo.score.slide for details). If not specified, the routine picks up "gaussian" or "binomial" (two levels of trait).
...	other arguments to be passed to haplo.score.slide

Details

List element `P2df` is set equal to `P1df`, as only allelic results are returned. This has nothing to do with actual degrees of freedom of the test.

Value

Object of class [scan.gwaa.2D-class](#)

Author(s)

Yurii Aulchenko

References

For haplo.stats (scan.haplo, scan.haplo.2D), please cite:

Schaid DJ, Rowland CM, Tines DE, Jacobson RM, Poland GA. (2002) Score tests for association between traits and haplotypes when linkage phase is ambiguous. Am J Hum Genet, 70: 425-434.

See Also

[scan.gwa.2D-class](#), [scan.haplo](#), [scan.glm.2D](#), [haplo.score.slide](#)

Examples

```
if (require(haplo.stats)) {  
  data(srdta)  
  c <- scan.haplo.2D("bt~sex+age+CRSNP", data=srdta, snps=(717:733),  
  ids=(srdta@phdata$age<40))  
  plot(c)  
}
```

show.ncbi

Shows the region on NCBI map

Description

This function calls web browser and direct it to NCBI MapViewer, to show the region of interest.

Usage

```
show.ncbi(region)
```

Arguments

region a vector containing regional landmarks

Details

The elements of input vector could be SNP rs-names

Author(s)

Yurii Aulchenko

Examples

```
## Not run:  
show.ncbi(c("rs7926624", "rs11564708"))  
  
## End(Not run)
```

snp.coding-class	Class "snp.coding"
------------------	--------------------

Description

This class contains the actual nucleotide codes for the typed SNPs

Slots

.Data: nucleotide coding data

Methods

[signature(x = "snp.coding", i = "ANY", j = "missing", drop = "missing"): subset operations. x[i] will show coding for SNPs selected in i.

coerce signature(from = "snp.coding", to = "character"): converts SNP coding from internal (raw) to human-readable character.

show signature(object = "snp.coding"): shows the object. Take care that this is internal representation

Author(s)

Yurii Aulchenko

See Also

[snp.strand-class](#), [gwaa.data-class](#), [snp.data-class](#)

Examples

```
data(srdta)
srdta@gtdata@coding[1:10]
as.character(srdta@gtdata@coding[1:10])
```

snp.data	creates an snp.data object
----------	----------------------------

Description

Creates object of class [snp.data-class](#)

Usage

```
snp.data(nids, rawdata, idnames = as.character(c(1:nids)),
snpsnames = as.character(c(1:(length(rawdata)/ceiling(nids/4)))),
chromosome = as.factor(rep(1,(length(rawdata)/ceiling(nids/4)))),
map = as.double(seq(1,(length(rawdata)/ceiling(nids/4)))),
coding=as.raw(rep(1,length(rawdata)/ceiling(nids/4))),
strand=as.raw(rep(0,length(rawdata)/ceiling(nids/4))),
male = rep(0, nids))
```

Arguments

nids	number of people
idnames	list of IDs
male	male indicator for IDs
snpsnames	list of SNP names
chromosome	list of chromosomes SNPs belong to
coding	list of nucleotide coding for the SNPs
strand	strands of the SNPs
map	map position of SNPs
rawdata	genotypes presented in raw data format

Value

Object of class [snp.data-class](#)

Author(s)

Yurii Aulchenko

See Also

[snp.data-class](#)

snp.data-class	<i>Class "snp.data"</i>
----------------	-------------------------

Description

This class contains objects holding large arrays of single nucleotide polymorphism (SNP) genotypes

Slots

nbytes: number of bytes used to store data on a SNP
nids: number of people
male: male code
idnames: ID names
nsnps: number of SNPs
snpnames: list of SNP names
chromosome: list chromosomes corresponding to SNPs
coding: list of nucleotide coding for the SNPs
strand: strands of the SNPs
map: list SNPs' positions
gtps: [snp.mx-class](#) object used to store genotypes

Methods

[signature(x = "snp.data", i = "ANY", j = "ANY", drop = "ANY"): subset operations. x[i,j] will select people listed in i and SNPs listed in j.

coerce signature(from = "snp.data", to = "numeric"): map to codes 0, 1, 2, or NA

coerce signature(from = "snp.data", to = "character"): map to actual nucleotide codes, e.g. "A/A", "A/G", "G/G", ""

coerce signature(from = "snp.data", to = "genotype"): map to data frame with [genotype-class](#) data, for later use with package genetics

coerce signature(from = "snp.data", to = "hsgeno"): map to data frame with allelic data frame, for later use with package haplo.stats

show signature(object = "snp.data"): shows the object. Take care that the objects are usually very large!

summary signature(object = "snp.data"): calculate allele frequencies, genotype frequencies, and chi-square tests for Hardy-Weinberg equilibrium. Results are returned as a dataframe

annotation signature(object = "gwaa.data"), signature(object = "snp.data"): extracts annotation

idnames signature(object = "gwaa.data"), signature(object = "snp.data"): extracts id names

snpnames signature(object = "gwaa.data"), signature(object = "snp.data"): extracts snp names

nids signature(object = "gwaa.data"), signature(object = "snp.data"): extracts number of ids

nsnps signature(object = "gwaa.data"), signature(object = "snp.data"): extracts number of snps

map signature(object = "gwaa.data"), signature(object = "snp.data"): extracts map

chromosome signature(object = "gwaa.data"), signature(object = "snp.data"): extracts chromosome

strand signature(object = "gwaa.data"), signature(object = "snp.data"): extracts strand

strand<- signature(object = "gwaa.data"), signature(object = "snp.data"): assign strand

coding signature(object = "gwaa.data"), signature(object = "snp.data"): extracts coding

coding<- signature(object = "gwaa.data"), signature(object = "snp.data"): assign coding

refallele signature(object = "gwaa.data"), signature(object = "snp.data"): extracts reference allele

effallele signature(object = "gwaa.data"), signature(object = "snp.data"): extracts effective allele

male signature(object = "gwaa.data"), signature(object = "snp.data"): extracts male indicator

Author(s)

Yurii Aulchenko

See Also

[gwaa.data-class](#), [snp.data](#), [snp.mx-class](#)

Examples

```
data(srdata)
class(srdata)
x <- srdata@gtdata
class(x)
nids(x)
nsnps(x)
idnames(x)[1:12]
male(x)[1:12]
male(x)[c("p1", "p2", "p3", "p4")]
snpnames(x)[1:4]
chromosome(x)[1:4]
map(x)[1:4]
n4 <- c("rs18", "rs655")
n4
map(x)[n4]
n4 <- c("rs18", "rs65")
n4
map(x)[n4]
chromosome(x)[n4]
x[1:12, 1:4]
summary(x[, 1:10])
as.numeric(x[1:12, 1:4])
as.numeric(x[c("p1", "p3", "p4"), c("rs18", "rs65")])
as.character(x[c("p1", "p3", "p4"), c("rs18", "rs65")])
```

```
as.genotype(x[c("p1", "p3", "p4"), c("rs18", "rs65")])  
as.hsgeno(x[c("p1", "p3", "p4"), c("rs18", "rs65")])
```

snp.mx-class

Class "snp.mx"

Description

This low-level class contains objects holding large arrays of single nucleotide polymorphism (SNP) genotypes

Slots

.Data: object used to store genotypes

Methods

[signature(x = "snp.mx", i = "ANY", j = "ANY", drop = "ANY"): subset operations. x[i,j] will select people listed in i and SNPs listed in j.

coerce signature(from = "raw", to = "snp.mx"): makes an snp.mx object out of raw data

show signature(object = "snp.mx"): shows the object. Take care that (a) this is internal representation and (b) the objects are usually very large!

Note

User is not supposed to work with this class. Use [snp.data-class](#).

Author(s)

Yurii Aulchenko

See Also

[gwaa.data-class](#), [snp.data-class](#)

snp.names	<i>extracts names of SNPs in a region</i>
-----------	---

Description

Based on boundary conditions specified and (or) chromosome selects SNP names in the region

Usage

```
snp.names(data, begin, end, chromosome)
```

Arguments

data	object of class gwaa.data-class , snp.data-class , scan.gwaa-class or check.marker-class
begin	Start position (or name of the first SNP)
end	End-position or name of last SNP
chromosome	Chromosome code

Details

Any of the arguments, except the data can be missing

Value

A vector of names of SNPs located in the region

Author(s)

Yurii Aulchenko

See Also

[snp.data-class](#)

Examples

```
data(srdata)
snp.names(srdata, begin = 50000, end = 100000)
snp.names(srdata, begin = 50000, end = 100000, chromosome = "1")

# does not make sense with these data:
snp.names(srdata, begin = 50000, end = 100000, chromosome = "X")

# again makes sense:
snp.names(srdata, end = 100000)
snp.names(srdata, begin = 2200000)
```

```
# show summary for SNPs in region between 50,000 and 100,000
a <- snp.names(srdta, begin = 50000, end = 100000)
summary(srdta@gtdata[,a])
```

snp.strand-class	Class "snp.strand"
------------------	--------------------

Description

This class contains the strands of the typed SNPs

Slots

.Data: nucleotide strand data

Methods

[signature(x = "snp.strand", i = "ANY", j = "missing", drop = "missing"): subset operations. x[i] will show strand for SNPs selected in i.

coerce signature(from = "snp.strand", to = "character"): converts SNP strand from internal (raw) to human-readable character.

show signature(object = "snp.strand"): shows the object. Take care that this is internal representation

Author(s)

Yurii Aulchenko

See Also

[snp.coding-class](#), [gwaa.data-class](#), [snp.data-class](#)

Examples

```
data(srdta)
srdta@gtdata@strand[1:10]
as.character(srdta@gtdata@strand[1:10])
```

`snp.subset`*function to subset objects of class scan.gwaa and check.marker*

Description

Computing objects of class `scan.gwaa` may take long, especially when haplotypic analysis is performed. Therefore this function helps substracting results on some region (indicated by list of SNPs)

Usage

```
snp.subset(data, snpsubset)
```

Arguments

<code>data</code>	object of class <code>scan.gwaa-class</code> or <code>check.marker-class</code>
<code>snpsubset</code>	character vector of snps to select

Value

Object of class `scan.gwaa-class` or `check.marker-class`

Author(s)

Yurii Aulchenko

See Also

[scan.gwaa-class](#), [check.marker-class](#)

Examples

```
data(srda)
# processing check.marker object
#mc <- check.marker(data=srda@gtdata[,1:100],redundant="all",maf=0.01,minconcordance=0.9,fdr=.1,ibs.mrk=0)
mc <- check.marker(data=srda@gtdata[,1:100],maf=0.01,fdr=.1,ibs.mrk=0)
summary(mc)
#plot(mc)
mc1 <- snp.subset(mc,snps=srda@gtdata@snpnames[20:50])
summary(mc1)
#plot(mc1)
# processing scan.gwaa object
a <- qtscore(qt3~sex+age,data=srda)
plot(a)
a1 <- snp.subset(a,snps=srda@gtdata@snpnames[10:20])
plot(a1)
```

snps.cell-class	<i>Class "snps.cell"</i>
-----------------	--------------------------

Description

This is a lowest-level class based on which [snp.mx-class](#) is build

Note

User is not supposed to work with this class. Use [snp.data-class](#).

Author(s)

Yurii Aulchenko

See Also

[snp.mx-class](#), [gwa.data-class](#), [snp.data-class](#)

sortmap.internal	<i>Internal function for map-sorting...</i>
------------------	---

Description

Internal function for map-sorting

Usage

```
sortmap.internal(chrom, map, delta=1)
```

Arguments

chrom	vector of markers' chromosomes
map	vector of marlers' map ositions
delta	step to do between chroms when building cumulative map

Details

Internal function for map-sorting, not supposed to be used directly by user (is open for regression testing reasons)

Value

list, withe elements 'ix' ('sorted' order), etc.

Author(s)

Yurii Aulchenko

`srdata`*GWA-type data on small region*

Description

`srdata` contains `gwaa.data` object with results on a small region of about 2.5 Mb. 833 SNPs are typed on 2500 people. NA rate is 95%. Sex, age, two quantitative (qt1 and qt2) and one binary (bt) traits are available for analysis. Run `demo(srdata)` and check `tut-srdata.pdf` to see examples of work with this data set. Original data files used for this set are located at `YOUR_R_LIB_LOCATION/exdata/srphenos.dat` (phenotypes), `srgenos.dat` (human-readable genotypes) and `srgenos.raw` (genotypes in internal format)

Usage

```
data(srdata)
```

Format

Standard object of class `gwaa.data-class`

Examples

```
## Not run:
demo(srdata)

## End(Not run)

# load and work with srdata
data(srdata)
mc <- check.marker(data=srdata@gtdata[,1:100],redundant="all",maf=0.01,minconcordance=0.9,fdr=.1,ibs.mrk=0)
plot(mc)
check.trait(names(srdata@phdata),srdata)
```

`sset`*Internal use function for class `snp.mx-class`*

Description

Interface to C function `sset` subsetting genotypes from `snp.mx-class`

Usage

```
sset(data, nsnp, nids, list)
```

Arguments

data	genotypic data in internal format
nsnps	no. snps
nids	no. people
list	something internal...

Details

Rather simple function which I wrote before discovering R's `setdiff`, etc. functions.

Value

Sub-set from `snp.mx`-class object

Author(s)

Yurii Aulchenko

See Also

[snp.mx-class](#)

summary.check.marker *Summary of check.marker object*

Description

Provides cross-tabulation summarising number of marker which did not pass this or that criteria

Usage

```
## S3 method for class 'check.marker'  
summary(object, ...)
```

Arguments

object	object of class check.marker-class
...	additional arguments (not used)

Value

A list containing 2 tables: per-marker and per-person inconsistencies

Author(s)

Yurii Aulchenko

See Also

[check.marker](#), [check.marker-class](#)

Examples

```
data(srdta)
mc <- check.marker(srdta, ids=c(1:500))
summary(mc)
```

summary.gwaa.data *function to summarise GWAA data*

Description

Summary of phenotypic and genotypic parts of GWAA data

Usage

```
## S3 method for class 'gwaa.data'
summary(object, ...)
```

Arguments

object	object of class gwaa.data-class
...	additional arguments (not used)

Value

Returns list with two elements:

pheno	Summary for phenotypic part of gwaa.data object
geno	Summary for genotypic part of gwaa.data object

Author(s)

Yurii Aulchenko

See Also

[summary.snp.data](#)

Examples

```
data(srdta)
# be prepared : long output!
summary(srdta)
```

summary.scan.gwaa *Shortcut to 'descriptives...*

Description

Shortcut to 'descriptives.scan'

Usage

```
## S3 method for class 'scan.gwaa'  
summary(object, ...)
```

Arguments

object object of class 'scan.gwaa' as generated by [qtscore](#), [mlreg](#), etc.
... arguments passed to [descriptives.scan](#)

Details

Shortcut to 'descriptives.scan'

Author(s)

Yurii Aulchenko

Examples

```
data(srda)  
x <- qtscore(qt2, srda)  
summary(x)
```

summary.snp.data *function to summary GWAA data*

Description

Provides summary of an object of class [snp.data-class](#). Chromosome, map position, allele coding, number of observed genotypes, allelic frequency, genotypic distribution, P-value of the exact test for HWE, Fmax (estimate of deviation from HWE, allowing meta-analysis) and LRT P-value for HWE test are listed

Usage

```
## S3 method for class 'snp.data'  
summary(object, ...)
```

Arguments

object snp.data object
 ... additional arguments (not used)

Value

Data frame summary for snp.data object

Note

The P-values reported for X-chromosome are based on analysis of female data, but other statistics (frequencies, calls, ...) are based on all data. Statistics for Y-chromosome are based on male-only. P-HWE is not defined for mt- and Y- markers (set to 1.0).

Author(s)

Yurii Aulchenko

References

Wigginton, JE, Cutler, DJ, and Abecasis, GR (2005) A Note on Exact Tests of Hardy-Weinberg Equilibrium. American Journal of Human Genetics. 76: 887-93.

See Also

[summary.gwa.data](#), [snp.data-class](#)

Examples

```
data(srdata)
summary(gtdata(srdata[,1:20]))
```

Xfix

function to set impossible genotypes as missing

Description

Sets impossible genotypes (e.g. heterozygous male X-linked genotypes) to missing

Usage

```
Xfix(data)
```

Arguments

data Object of [gwa.data-class](#)

Details

Sets to missing genotypes in the following situations: (1) heterozygous male X-genotypes (2) heterozygous Y- and mtDNA genotypes (3) any Y-genotypes in females. Should only be used after [check.marker](#), which identifies systematic sex errors.

Value

The same object of [gwaa.data-class](#), with fixed genotypes

Author(s)

Yurii Aulchenko

See Also

[check.marker](#)

Examples

```
data(ge03d2c)
# many errors
mc0 <- check.marker(ge03d2c)
# take only people and markers passing QC
fixed0 <- ge03d2c[mc0$idok,mc0$snpok]
# major errors fixed, still few males are heterozygous for X-chromosome markers
mc1 <- check.marker(fixed0)
# fix minor X-chromosome problems
fixed1 <- Xfix(fixed0)
# no errors
mc2 <- check.marker(fixed1)
summary(mc2)
```

ztransform

Transformation to standard Normal

Description

Transformation of a variable or residuals from GLM analysis to standard Normal.

Usage

```
ztransform(formula,data,family=gaussian)
```

Arguments

formula	GLM formula for the variable to be transformed, or just the variable
data	data.frame or gwaa.data object containing the data
family	GLM family

Details

Transformation to normality generates a variable which has mean zero and variance of one. If formula used, residuals from regression model are scaled to standard Normal.

Value

Vector containing transformed variable, distributed as standard normal.

Author(s)

Yurii Aulchenko

See Also

[ztransform](#)

Examples

```
# uniformly distributed variable
x <- round(runif(200)*100)
# get 7 missing values
x[round(runif(7,min=1,max=100))] <- NA
# Z-transform
y0 <- ztransform(x)
# Rank-transform to normality
y1 <- rntransform(x)
# test normality of the original and transformed var
shapiro.test(x)
shapiro.test(y0)
shapiro.test(y1)
# plot histogram
par(mfcol=c(3,1))
hist(x)
hist(y0)
hist(y1)
```

Index

*Topic **IO**

- arrange_probabel_phe, 9
- convert.snp.affymetrix, 31
- convert.snp.illumina, 33
- convert.snp.mach, 34
- convert.snp.ped, 36
- convert.snp.text, 38
- convert.snp.tped, 39
- export.impute, 54
- export.merlin, 55
- export.plink, 56
- extract.annotation.impute, 57
- extract.annotation.mach, 58
- impute2mach, 76
- load.gwaa.data, 77
- mach2databel, 78
- save.gwaa.data, 111

*Topic **classes**

- check.marker-class, 26
- gwaa.data-class, 67
- scan.gwaa-class, 114
- scan.gwaa.2D-class, 116
- snp.coding-class, 121
- snp.data, 121
- snp.data-class, 122
- snp.mx-class, 125
- snp.strand-class, 127
- snps.cell-class, 129

*Topic **datasets**

- ge03d2, 62
- srdata, 130

*Topic **distribution**

- catable, 22
- descriptives.marker, 43
- descriptives.scan, 44
- descriptives.trait, 44

*Topic **hplot**

- add.plot, 8
- plot.check.marker, 91

- plot.scan.gwaa, 92
- plot.scan.gwaa.2D, 93

*Topic **htest**

- ccfast, 23
- dprfast, 45
- egscore, 46
- egscore.old, 48
- emp.ccfast, 50
- emp.qtscore, 51
- estlambda, 52
- findRelatives, 59
- formetascore, 60
- grammar, 65
- hom, 68
- hom.old, 69
- ibs, 72
- ibs.old, 73
- mlreg, 83
- mlreg.p, 84
- mmscore, 85
- perid.summary, 90
- polygenic, 94
- polygenic_hglm, 97
- qtscore, 99
- qvaluebh95, 101
- r2fast, 102
- r2fast.old, 103
- redundant, 107
- rhofast, 109
- scan.glm, 112
- scan.glm.2D, 113
- scan.haplo, 117
- scan.haplo.2D, 119
- summary.check.marker, 131
- summary.gwaa.data, 132
- summary.snp.data, 133

*Topic **manip**

- add.phdata, 7
- arrange_probabel_phe, 9

- cocohet, 30
- export.impute, 54
- extract.annotation.impute, 57
- extract.annotation.mach, 58
- GASurv, 62
- impute2mach, 76
- mach2databel, 78
- merge.gwaa.data, 80
- merge.snp.data, 81
- patch_strand, 89
- recodeChromosome, 104
- refresh.gwaa.data, 108
- *Topic **misc**
 - as.character.gwaa.data, 10
 - as.character.snp.coding, 11
 - as.character.snp.data, 11
 - as.character.snp.strand, 12
 - as.data.frame.gwaa.data, 13
 - as.double.gwaa.data, 14
 - as.double.snp.data, 14
 - as.genotype, 15
 - as.genotype.gwaa.data, 16
 - as.genotype.snp.data, 17
 - as.hsgeno, 17
 - as.hsgeno.gwaa.data, 18
 - as.hsgeno.snp.data, 19
 - autosomal, 20
 - check.marker, 24
 - check.trait, 27
 - crnames, 41
 - HWE.show, 71
 - show.ncbi, 120
 - snp.names, 126
 - snp.subset, 128
 - sset, 130
 - Xfix, 134
- *Topic **package**
 - GenABEL-package, 4
- *Topic **robust**
 - npsubttreated, 87
- *Topic **utilities**
 - rnttransform, 110
 - ztransform, 135
- [, gwaa.data, ANY, ANY, ANY-method
(gwaa.data-class), 67
- [, scan.gwaa, ANY, ANY, ANY-method
(scan.gwaa-class), 114
- [, snp.coding, ANY, missing, missing-method
(snp.coding-class), 121
- [, snp.data, ANY, ANY, ANY-method
(snp.data-class), 122
- [, snp.mx, ANY, ANY, ANY-method
(snp.mx-class), 125
- [, snp.strand, ANY, missing, missing-method
(snp.strand-class), 127
- add.phdata, 5, 7, 80, 82
- add.plot, 8, 92
- annotation (snp.data-class), 122
- annotation.gwaa.data-method
(snp.data-class), 122
- annotation.scan.gwaa-method
(scan.gwaa-class), 114
- annotation.snp.data-method
(snp.data-class), 122
- arrange_probabel_phe, 9
- as.character.gwaa.data, 10, 14, 16, 19
- as.character.snp.coding, 11, 13
- as.character.snp.data, 10, 11, 11, 13–19
- as.character.snp.strand, 11, 12
- as.data.frame.gwaa.data, 13
- as.double.gwaa.data, 10, 14, 14, 16, 19
- as.double.snp.data, 10–13, 14, 14, 16–19
- as.genotype, 15
- as.genotype.gwaa.data, 10, 14, 16, 16, 19
- as.genotype.snp.data, 10–16, 17, 18, 19
- as.hsgeno, 10–16, 17, 17, 19
- as.hsgeno.gwaa.data, 18
- as.hsgeno.snp.data, 19
- autosomal, 20
- blurGenotype, 20
- catable, 22
- ccfast, 5, 8, 9, 23, 50, 51, 53, 92, 112,
114–116
- character, 30
- check.marker, 5, 24, 26–28, 71, 73, 74, 90,
91, 96, 107, 132, 135
- check.marker-class, 25, 26, 126, 128, 131,
132
- check.marker-class, 26
- check.trait, 5, 26, 27
- checkPackageVersionOnCRAN, 29
- chi2_CG (cocohet), 30
- chromosome (snp.data-class), 122

- chromosome, gwa. data-method (snp. data-class), 122
- chromosome, scan. gwa. method (scan. gwa. class), 114
- chromosome, snp. data-method (snp. data-class), 122
- cocohet, 30
- coding (snp. data-class), 122
- coding, gwa. data-method (snp. data-class), 122
- coding, scan. gwa. method (scan. gwa. class), 114
- coding, snp. data-method (snp. data-class), 122
- coding<- (snp. data-class), 122
- coding<-, gwa. data-method (snp. data-class), 122
- coding<-, snp. data-method (snp. data-class), 122
- coerce, snp. coding, character-method (snp. coding-class), 121
- coerce, snp. data, character-method (snp. data-class), 122
- coerce, snp. data, genotype-method (snp. data-class), 122
- coerce, snp. data, hsgeno-method (snp. data-class), 122
- coerce, snp. data, numeric-method (snp. data-class), 122
- coerce, snp. mx, character-method (snp. mx-class), 125
- coerce, snp. mx, numeric-method (snp. mx-class), 125
- coerce, snp. strand, character-method (snp. strand-class), 127
- convert. snp. affymetrix, 5, 31
- convert. snp. illumina, 4, 32, 33, 35, 37, 39, 41, 54, 77, 78
- convert. snp. mach, 5, 32, 34, 34, 37, 39, 41
- convert. snp. ped, 5, 35, 36, 39, 41, 56, 77, 78
- convert. snp. text, 4, 32, 34, 35, 37, 38, 41, 77, 78
- convert. snp. tped, 5, 32, 34, 35, 37, 39, 39, 77, 78
- crnames, 41
- data. frame-class, 13
- del. phdata, 42
- descriptives. marker, 5, 43
- descriptives. scan, 5, 44, 133
- descriptives. trait, 5, 44
- dim, scan. gwa. method (scan. gwa. class), 114
- dim, snp. data-method (snp. data-class), 122
- dimnames, 41
- dimnames, scan. gwa. method (scan. gwa. class), 114
- dimnames, snp. data-method (snp. data-class), 122
- dprfast, 5, 6, 45
- effallele (snp. data-class), 122
- effallele, gwa. data-method (snp. data-class), 122
- effallele, scan. gwa. method (scan. gwa. class), 114
- effallele, snp. data-method (snp. data-class), 122
- egscore, 5, 46, 61, 73, 86, 101
- egscore. old, 48
- emp. ccfast, 8, 9, 23, 50, 52, 92, 114, 116
- emp. qtscore, 8, 9, 23, 50, 51, 51, 52, 92, 100, 101, 114, 116
- estlambda, 23, 47, 49, 52, 65, 83, 86, 100, 116
- export. impute, 5, 54
- export. merlin, 5, 54, 55, 56
- export. plink, 5, 56
- extract. annotation. impute, 57, 76
- extract. annotation. mach, 58
- family, 97
- findRelatives, 5, 59, 106
- formetascore, 5, 60
- GASurv, 62, 83, 85
- ge03d2, 62, 62
- ge03d2c (ge03d2), 62
- ge03d2ex (ge03d2), 62
- GenABEL (GenABEL-package), 4
- GenABEL-package, 4
- generateOffspring, 63
- genotype, 123
- getcall (scan. gwa. class), 114
- getcall, scan. gwa. method (scan. gwa. class), 114
- getfamily (scan. gwa. class), 114

- getfamily, scan.gwaa-method
(scan.gwaa-class), 114
- getLogLikelihoodGivenRelation, 64
- glm, 112, 113
- grammar, 5, 61, 65, 66, 86, 95–98
- gtdata (gwaa.data-class), 67
- gtdata, gwaa.data-method
(gwaa.data-class), 67
- gwaa.data-class, 5, 7, 10, 13, 14, 16, 18, 23,
42–45, 47, 48, 50, 51, 61, 65, 69, 71,
80, 83–85, 94, 97, 100, 108, 117,
119, 121, 124–127, 129, 130, 132
- gwaa.data-class, 9, 67, 68, 70, 134, 135
- haplo.score.slide, 117–120
- hom, 5, 47, 68, 90
- hom.old, 69
- HWE.show, 5, 26, 71
- ibs, 5, 25, 26, 47–49, 69, 71, 72
- ibs.old, 73
- idnames (snp.data-class), 122
- idnames, gwaa.data-method
(snp.data-class), 122
- idnames, scan.gwaa-method
(scan.gwaa-class), 114
- idnames, snp.data-method
(snp.data-class), 122
- impute2databel, 5, 75
- impute2mach, 5, 76
- integer, 30
- lambda (scan.gwaa-class), 114
- lambda, scan.gwaa-method
(scan.gwaa-class), 114
- load.gwaa.data, 5, 32, 34, 35, 37, 39, 41, 56,
67, 77, 108, 112
- logical, 30
- mach2databel, 5, 78
- makeTransitionMatrix, 79
- male (snp.data-class), 122
- male, gwaa.data-method (snp.data-class),
122
- male, scan.gwaa-method
(scan.gwaa-class), 114
- male, snp.data-method (snp.data-class),
122
- map (snp.data-class), 122
- map, gwaa.data-method (snp.data-class),
122
- map, scan.gwaa-method (scan.gwaa-class),
114
- map, snp.data-method (snp.data-class),
122
- merge.gwaa.data, 5, 7, 80, 82
- merge.snp.data, 5, 7, 80, 81
- mlreg, 61, 62, 83, 101, 133
- mlreg.p, 84
- mmscore, 5, 6, 48, 49, 61, 66, 85, 95–98, 101
- nids (snp.data-class), 122
- nids, gwaa.data-method (snp.data-class),
122
- nids, scan.gwaa-method
(scan.gwaa-class), 114
- nids, snp.data-method (snp.data-class),
122
- nlm, 94–96
- npsubreated, 5, 6, 87
- nsnps (snp.data-class), 122
- nsnps, gwaa.data-method
(snp.data-class), 122
- nsnps, scan.gwaa-method
(scan.gwaa-class), 114
- nsnps, snp.data-method (snp.data-class),
122
- numeric, 30
- optim, 94, 95
- patch_strand, 89
- perid.summary, 5, 22, 25, 26, 90
- phdata (gwaa.data-class), 67
- phdata, gwaa.data-method
(gwaa.data-class), 67
- phdata<- (gwaa.data-class), 67
- phdata<- , gwaa.data-method
(gwaa.data-class), 67
- plot, 9, 53
- plot, check.marker-method
(check.marker-class), 26
- plot, scan.gwaa.2D-method
(scan.gwaa.2D-class), 116
- plot, scan.gwaa-method
(scan.gwaa-class), 114
- plot.check.marker, 5, 26, 27, 91
- plot.scan.gwaa, 5, 23, 66, 86, 92, 101, 116

- plot.scan.gwaa.2D, [93](#), [117](#)
- polygenic, [5](#), [6](#), [65](#), [66](#), [85](#), [86](#), [94](#), [98](#)
- polygenic_hglm, [5](#), [96](#), [97](#), [97](#)
- pop2.ids (ge03d2), [62](#)
- qc.nostr (ge03d2), [62](#)
- qc.str (ge03d2), [62](#)
- qtscore, [5](#), [6](#), [8](#), [9](#), [48](#), [49](#), [51–53](#), [61](#), [65](#), [66](#), [83](#), [85](#), [86](#), [92](#), [95](#), [99](#), [112](#), [114–116](#), [133](#)
- qvaluebh95, [101](#)
- r2fast, [5](#), [6](#), [102](#), [109](#)
- r2fast.old, [103](#)
- recodeChromosome, [104](#)
- reconstructNPs, [5](#), [105](#)
- redundant, [25–27](#), [107](#)
- refallele (snp.data-class), [122](#)
- refallele, gwaa.data-method (snp.data-class), [122](#)
- refallele, scan.gwaa-method (scan.gwaa-class), [114](#)
- refallele, snp.data-method (snp.data-class), [122](#)
- refresh.gwaa.data, [108](#)
- reg.gwaa (mlreg), [83](#)
- results (scan.gwaa-class), [114](#)
- results, scan.gwaa-method (scan.gwaa-class), [114](#)
- rhofast, [5](#), [46](#), [103](#), [104](#), [109](#)
- rntransform, [5](#), [61](#), [110](#)
- save.gwaa.data, [78](#), [111](#)
- scan.glm, [5](#), [8](#), [9](#), [92](#), [112](#), [114–116](#)
- scan.glm.2D, [5](#), [8](#), [9](#), [93](#), [113](#), [116](#), [117](#), [120](#)
- scan.gwaa-class, [5](#), [23](#), [47–52](#), [66](#), [83](#), [85](#), [86](#), [92](#), [100](#), [101](#), [112](#), [117](#), [118](#), [126](#), [128](#)
- scan.gwaa-class, [114](#)
- scan.gwaa.2D-class, [5](#), [93](#), [114](#), [117](#), [119](#), [120](#)
- scan.gwaa.2D-class, [116](#)
- scan.haplo, [5](#), [6](#), [8](#), [9](#), [92](#), [114](#), [116](#), [117](#), [120](#)
- scan.haplo.2D, [5](#), [6](#), [8](#), [9](#), [93](#), [114](#), [116](#), [117](#), [119](#)
- show, gwaa.data-method (gwaa.data-class), [67](#)
- show, scan.gwaa-method (scan.gwaa-class), [114](#)
- show, snp.coding-method (snp.coding-class), [121](#)
- show, snp.data-method (snp.data-class), [122](#)
- show, snp.mx-method (snp.mx-class), [125](#)
- show, snp.strand-method (snp.strand-class), [127](#)
- show.ncbi, [5](#), [120](#)
- snp.coding-class, [11](#), [127](#)
- snp.coding-class, [121](#)
- snp.data, [30](#), [121](#), [124](#)
- snp.data-class, [5](#), [11](#), [12](#), [14](#), [15](#), [17–19](#), [43–45](#), [67](#), [69](#), [71–74](#), [81](#), [82](#), [90](#), [102](#), [103](#), [109](#), [121](#), [122](#), [125–127](#), [129](#), [133](#), [134](#)
- snp.data-class, [68](#), [70](#), [122](#)
- snp.mx-class, [67](#), [123](#), [124](#), [129–131](#)
- snp.mx-class, [125](#)
- snp.names, [5](#), [126](#)
- snp.strand-class, [12](#), [121](#)
- snp.strand-class, [127](#)
- snp.subset, [5](#), [9](#), [91](#), [92](#), [128](#)
- snpnames (snp.data-class), [122](#)
- snpnames, gwaa.data-method (snp.data-class), [122](#)
- snpnames, scan.gwaa-method (scan.gwaa-class), [114](#)
- snpnames, snp.data-method (snp.data-class), [122](#)
- snps.cell-class, [129](#)
- sortmap.internal, [129](#)
- srdata, [130](#)
- sset, [130](#)
- strand (snp.data-class), [122](#)
- strand, gwaa.data-method (snp.data-class), [122](#)
- strand, scan.gwaa-method (scan.gwaa-class), [114](#)
- strand, snp.data-method (snp.data-class), [122](#)
- strand<- (snp.data-class), [122](#)
- strand<-, gwaa.data-method (snp.data-class), [122](#)
- strand<-, snp.data-method (snp.data-class), [122](#)
- summary, check.marker-method (check.marker-class), [26](#)
- summary, gwaa.data-method

(`gwaa.data-class`), [67](#)
`summary`, `snp.data-method`
 (`snp.data-class`), [122](#)
`summary`, `snp.mx-method` (`snp.mx-class`),
 [125](#)
`summary.check.marker`, [26](#), [27](#), [131](#)
`summary.gwaa.data`, [132](#), [134](#)
`summary.scan.gwaa`, [133](#)
`summary.snp.data`, [5](#), [6](#), [22](#), [25](#), [26](#), [67](#), [73](#),
 [74](#), [90](#), [132](#), [133](#)
`summary.snp.data_old`
 (`summary.snp.data`), [133](#)

`Xfix`, [134](#)

`ztransform`, [5](#), [61](#), [110](#), [111](#), [135](#), [136](#)