

Package ‘distrDoc’

February 21, 2012

Version 2.3.3

Date 2011-11-18

Title Documentation for packages distr, distrEx, distrSim, distrTEst,distrTeach, distrMod, and distrEllipse

Description provides documentation in form of a common vignette to packages distr, distrEx, distrMod, distrSim, distrTEst,distrTeach, and distrEllipse

Author Florian Camphausen, Matthias Kohl, Peter Ruckdeschel, Thomas Stabla

Maintainer Peter Ruckdeschel <Peter.Ruckdeschel@itwm.fraunhofer.de>

Depends R(>= 2.6.0), tools, startupmsg, distr(>= 2.2.0), distrEx(>= 2.2.0), distrSim(>= 2.2.0), distrTEst(>= 2.2.0), distrTeach(>= 2.2.0), RandVar(>= 0.7), distrMod(>= 2.2.0), MASS, methods

Suggests Biobase, SweaveListingUtils

ByteCompile yes

Encoding latin1

License LGPL-3

URL <http://distr.r-forge.r-project.org/>

LastChangedDate { $\$LastChangedDate$: 2011-11-18 12:34:59 +0100 (Fr, 18 Nov 2011) $\$$ }

LastChangedRevision { $\$LastChangedRevision$: 750 $\$$ }

SVNRevision 744

Repository CRAN

Date/Publication 2012-02-21 10:07:45

R topics documented:

distrDoc-package	2
Index	4

distrDoc-package	<i>distrDoc – documentation for packages distr, distrEx, distrMod, distrTeach, distrSim, distrTEst</i>
------------------	--

Description

distrDoc provides documentation in form of a common vignette to packages **distr**, **distrEx**, **distrSim**, **distrTEst**, **distrTeach**, and **distrMod**.

Details

Package: distrDoc
 Version: 2.3
 Date: 2010-12-03
 Depends: R(>= 2.6.0), tools, distr(>= 2.2.0), startupmsg, distrEx(>= 2.2.0), distrSim(>= 2.2.0), distrTEst(>= 2.2.0), distrTeach(>= 2.2.0), distrMod(>= 2.2.0)
 LazyLoad: yes
 License: LGPL-3
 URL: <http://distr.r-forge.r-project.org/>
 SVNRevision: 699

Acknowledgement

The idea to split off a common vignette for a set of packages in a particular documentation package is due to Seth Falcon.

Start-up-Banner

You may suppress the start-up banner/message completely by setting `options("StartupBanner"="off")` somewhere before loading this package by `library` or `require` in your R-code / R-session.

If option "StartupBanner" is not defined (default) or setting `options("StartupBanner"=NULL)` or `options("StartupBanner"="complete")` the complete start-up banner is displayed.

For any other value of option "StartupBanner" (i.e., not in `c(NULL, "off", "complete")`) only the version information is displayed.

The same can be achieved by wrapping the `library` or `require` call into either `suppressStartupMessages()` or `onlytypeStartupMessages(, atypes="version")`.

As for general packageStartupMessage's, you may also suppress all the start-up banner by wrapping the `library` or `require` call into `suppressPackageStartupMessages()` from **startupmsg**-version 0.5 on.

Package versions

Note: The first two numbers of package versions do not necessarily reflect package-individual development, but rather are chosen for the distrXXX family as a whole in order to ease updating "depends" information.

Author(s)

Peter Ruckdeschel <Peter.Ruckdeschel@itwm.fraunhofer.de>,
Thomas Stabla <statho3@web.de>,
Florian Camphausen <fcampi@gmx.de>,
Matthias Kohl <Matthias.Kohl@stamats.de>

Maintainer: Peter Ruckdeschel <Peter.Ruckdeschel@itwm.fraunhofer.de>

See Also

see mails "[Rd] package vignettes, suggests and R CMD check" on r-devel by Seth Falcon,
<https://stat.ethz.ch/pipermail/r-devel/2006-November/043702.html>,
<https://stat.ethz.ch/pipermail/r-devel/2006-November/043705.html>,
and by the author,
<https://stat.ethz.ch/pipermail/r-devel/2006-November/043700.html>,
<https://stat.ethz.ch/pipermail/r-devel/2006-November/043703.html>

Examples

```
## Not run:  
## Open the distr vignette  
  vignette("distr")  
  
## End(Not run)
```

Index

*Topic **documentation**

distrDoc-package, [2](#)

*Topic **package**

distrDoc-package, [2](#)

*Topic **utilities**

distrDoc-package, [2](#)

distrDoc (distrDoc-package), [2](#)

distrDoc-package, [2](#)