

# Package ‘mathgraph’

February 14, 2012

**Version** 0.9-10

**Date** 2009-08-10

**Title** Directed and undirected graphs

**Author** Original S code by Patrick J. Burns. Ported to R by Nick Eftymiou. Adapted to new R releases by Claus Dethlefsen.

**Description** Simple tools for constructing and manipulating objects of class `mathgraph` from the book ‘‘S Poetry’’, available at <http://www.burns-stat.com/pages/spoetry.html>

**License** file LICENSE

**Maintainer** Claus Dethlefsen <cld@rn.dk>

**Depends** R (>= 2.1.1)

**Repository** CRAN

**Date/Publication** 2009-08-10 13:04:54

## R topics documented:

<code>adjamat</code>	2
<code>alldirected</code>	3
<code>commontail</code>	4
<code>getpath</code>	5
<code>incidmat</code>	6
<code>justify</code>	7
<code>mathgraph</code>	8
<code>names.mathgraph</code>	10
<code>plot.mathgraph</code>	11
<code>print.mathgraph</code>	12
<code>sortmathgraph</code>	13
<code>stable.apply</code>	14
<code>unique.mathgraph</code>	15

<b>Index</b>	<b>16</b>
--------------	-----------

---

adjamat

*Adjacency Matrix of a Mathematical Graph*

---

### Description

Returns an object of class "adjamat" which is the adjacency matrix of a numbered graph.

### Usage

```
adjamat(x, ...)  
## S3 method for class 'mathgraph'  
adjamat(x, general=FALSE, ...)  
  
is.adjamat(x)
```

### Arguments

x	an object of class "mathgraph".
general	logical flag, if TRUE, then multiple edges or arcs between the same nodes are counted; otherwise, there is a 1 no matter how many edges or arcs there are.
...	other arguments for generic function.

### Details

adjamat is a generic function with a method for class "mathgraph".

### Value

An object of class "adjamat" which is a square matrix with as many rows and columns as there are nodes in the numbered graph.

The  $i,j$  element is an indicator of an arc from node  $i$  to node  $j$ . An undirected edge between nodes  $i$  and  $j$  contributes a 1 to both the  $i,j$  element and the  $j,i$  element.

is.adjamat is the membership function for this class.

### BUGS

The general argument to adjamat.mathgraph is not functional.

### Note

S Poetry, Patrick J. Burns, <http://www.burns-stat.com/pages/spoetry.html>

### Author(s)

Nick Efthymiou

**References**

- Chachra, V., Ghare, P. M. and Moore, J. M. (1979). Applications of Graph Theory Algorithms. Elsevier North Holland, New York.
- Harary, Frank (1969). Graph Theory, p. 158. Addison Wesley.

**See Also**

[mathgraph](#), [incidmat](#), [getpath.adjamat](#)

**Examples**

```
adjamat(mathgraph(~ 1:3 * 3:5, dir=TRUE))
```

---

alldirected	<i>Transform to Directed Graph</i>
-------------	------------------------------------

---

**Description**

Returns a "mathgraph" object which has all edges directed.

**Usage**

```
alldirected(x, ...)
```

**Arguments**

x	an object representing a mathematical graph.
...	other arguments for derived functions.

**Details**

The default method merely creates an error.

**Value**

A "mathgraph" object with any undirected edges in the input split into two arcs.

**Author(s)**

Nick Efthymiou

**References**

S Poetry, Patrick J. Burns, Section 13.3, p. 305

**See Also**

[mathgraph](#)

## Examples

```
my.graph <- mathgraph(~ 1:3 / 2:4) # undirected graph with 3 edges
alldirected(my.graph) # directed graph with 6 arcs
```

---

commontail

*Common Strings in Tail*

---

## Description

Takes a list of character vectors and returns the longest vector of strings that is common to the ends of all of the components in the list.

## Usage

```
commontail(x)
```

## Arguments

x                   list of character vectors.

## Details

This is useful to get the class that is common to a number of objects.

## Value

a character vector containing the common elements of the tails of all the components in x.  
The result is NULL if there are no common elements.

## Author(s)

Nick Efthymiou

## References

S Poetry, Patrick J. Burns

## See Also

[inherits](#), [intersect](#)

## Examples

```
commontail(list(c("subA", "cls1"), c("subB", "subA", "cls1")))
commontail(list(c("subA", "cls2"), c("subB", "subA", "cls1")))

```

---

`getpath`*Find a Path in a Mathematical Graph*

---

**Description**

Returns a path, if it exists, from the start to the end.

**Usage**

```
getpath(x, start, end, ...)  
## S3 method for class 'mathgraph'  
getpath(x, start, end, ...)
```

**Arguments**

<code>x</code>	an object representing a mathematical graph.
<code>start</code>	character string or integer giving the starting node.
<code>end</code>	character string or integer giving the ending node.
<code>...</code>	generic arguments.

**Details**

`getpath` is a generic function with methods for "mathgraph", "incimat" and "adjamat". The default method converts `x` to class "incimat".

`getpath.adjamat` is an implementation of algorithm 2.2 in Chachra, Ghare and Moore (1979) and `getpath.incimat` is an implementation of their algorithm 2.3.

The distinction between non-existent paths and paths of length zero may be useful in some situations.

**Value**

When at least one path exists, a "mathgraph" object containing the edges within the first path found; this may be an empty mathgraph if `start` and `end` are equal.

When no path exists, returns NULL.

**Note**

S Poetry, Patrick J. Burns, Section 13.3

**Author(s)**

Nick Efthymiou

**References**

Chachra, V., Ghare, P. M. and Moore, J. M. (1979). Applications of Graph Theory Algorithms. Elviesier North Holland, New York.

**See Also**

[mathgraph](#), [incidmat](#), [adjamat](#)

**Examples**

```
getpath(mathgraph(~ 1:3 / 3:5), 1, 5) # returns a path
getpath(mathgraph(~ 1:3 / 3:5), 1, 4) # no path, returns NULL
getpath(mathgraph(~ 1:3 / 3:5), 1, 1) # returns mathgraph()
```

---

incidmat

*Incidence Matrix for a Mathematical Graph*


---

**Description**

Returns an object of class "incidmat" which is a matrix indicating the start and end node for each edge in the graph.

**Usage**

```
incidmat(x, ...)
## S3 method for class 'mathgraph'
incidmat(x, expand=TRUE, general=FALSE, ...)
```

```
is.incidmat(x)
```

**Arguments**

x	object representing a mathematical graph.
expand	logical flag: if TRUE, then undirected edges are represented by two columns in the output. If FALSE, then both non-zero elements of an undirected edge are positive.
general	logical flag: if TRUE, then there is a non-zero entry in a column representing a loop.
...	generic arguments.

**Details**

The incidmat function is generic, with a method for class "mathgraph".

is.incidmat is the membership function for this class.

**Value**

an object of class "incidmat" which is a matrix with rows representing nodes and columns representing edges.

Generally speaking, there is a 1 in the location where an edge begins and a -1 in the location where it ends.

Frank Harary defines incidence matrix with expand = FALSE.

**Note**

From S Poetry, Patrick J. Burns, Section 13.3, p. 312 <http://www.burns-stat.com/pages/spoetry.html>

**Author(s)**

Nick Efthymiou

**References**

Chachra, V., Ghare, P. M. and Moore, J. M. (1979). Applications of Graph Theory Algorithms. Elsevier North Holland, New York.

Harary, Frank (1969). Graph Theory, p. 160. Addison Wesley.

**See Also**

[adjamat](#), [mathgraph](#), [getpath.incidmat](#)

**Examples**

```
incidmat(mathgraph(~ 1:3 / 3:5, dir=TRUE))
incidmat(mathgraph(~ 1:3 / 3:5, dir=FALSE))
incidmat(mathgraph(~ 1:3 / 3:5, dir=FALSE), expand=FALSE)
```

---

justify

*Justify Elements of a Vector*

---

**Description**

Returns a vector like the input, but each string may have added blank spaces at the start and/or end.

**Usage**

```
justify(x, type = "r")
```

**Arguments**

x	a character vector.
type	a string giving the type of justification. This may be an abbreviation of one of "right", "left", "center".

**Value**

a character vector like x, except all elements have the same number of characters, and the text is lined up along one edge, or centered.

**Author(s)**

Nick Efthymiou

**References**

S Poetry, Patrick J. Burns

**See Also**

[format](#), [substring](#), [paste](#)

**Examples**

```
data(freeny)
as.matrix(justify(dimnames(freeny.x)[[2]], "r"))
as.matrix(justify(dimnames(freeny.x)[[2]], "l"))
as.matrix(justify(dimnames(freeny.x)[[2]], "c"))
```

---

mathgraph

*Create Mathematical Graph*

---

**Description**

Create an object of class "mathgraph" which represents a mathematical graph.

**Usage**

```
mathgraph(formula, directed = FALSE, data = sys.parent())
## S3 method for class 'mathgraph'
length(x)
## S3 method for class 'mathgraph'
c(...)

is.mathgraph(x)
```

**Arguments**

formula	a formula containing just the right-side. Special operators in the formula are + which separates terms, / which puts an edge between corresponding elements of the two vectors on which it is operating, and * which puts an edge between every pair of elements in the two vectors on which it is operating.
directed	logical flag: if TRUE, then all edges that are created are directed, otherwise they are undirected.
data	the frame in which to find objects referenced in the formula. This can be either the number of a memory frame, or a list or data frame containing the data.
...	objects to be concatenated.
x	object of class "mathgraph".

**Details**

Mathematical graphs consist of a set of nodes (vertices) and edges. Edges go between two nodes. An edge that is directed is often called an arc.

Terms in the formula (delimited by +) may be either calls to \* or /, or objects that are already of class "mathgraph".

Two other representations of graphs are adjacency matrices and incidence matrices. The functions to convert "mathgraph" objects to these are `adjamat` and `incidmat`, respectively. Most algorithms for mathematical graphs are in terms of incidence matrices or adjacency matrices.

The generic functions that have a method for class "mathgraph" include: `[], c, length, names, plot, print, unique`.

`is.mathgraph` is the membership function for this class.

**Value**

an object of class `mathgraph` which is a two-column matrix of nodes along with an additional attribute called "directed" which is a logical vector stating whether or not each edge is directed. An edge (row of the matrix) that is directed goes from the node in the first column to the node in the second column.

**Note**

S Poetry, Patrick J. Burns, <http://www.burns-stat.com/pages/spoetry.html>

**Author(s)**

Nick Efthymiou

**References**

Chachra, V., Ghare, P. M. and Moore, J. M. (1979). Applications of Graph Theory Algorithms. Elviesier North Holland, New York.

**See Also**

[adjamat](#), [incidmat](#), [getpath](#)

**Examples**

```
mathgraph(~ 1:3 / 2:4) # graph with 3 edges
mathgraph(~ 1:3 * 2:4) # graph with 9 edges

mathgraph(~ 1:3 / 2:4, dir=TRUE) # directed graph with 3 edges

# graph with some edges directed, some not
c(mathgraph(~ 1:3 * 2:4), mathgraph(~ c(3,1) / c(2,4), dir=TRUE))
```

---

names.mathgraph	<i>Edge Names in a Mathematical Graph</i>
-----------------	---

---

### Description

Sets or returns the names (corresponding to the edges) of a mathematical graph represented by a mathgraph object.

### Usage

```
## S3 method for class 'mathgraph'  
names(x)  
## S3 replacement method for class 'mathgraph'  
names(x) <- value
```

### Arguments

x	an object inheriting from mathgraph.
value	a value to be assigned to the names of the mathgraph.

### Details

In the assignment form, the names are created or changed.

### Value

Character vector of the names.

### Author(s)

Nick Efthymiou

### References

S Poetry, Patrick J. Burns, Section 13.3 Mathematical Graphs, <http://www.burns-stat.com/pages/spoetry.html>

### See Also

[mathgraph](#)

**Examples**

```
jjm <- mathgraph(~ 1:3 * 2:4)
jjm
names(jjm) <- letters[1:length(jjm)]
jjm
names(jjm)
```

---

plot.mathgraph            *Plot a Mathematical Graph*

---

**Description**

Very crude plotting method for mathgraph class.

**Usage**

```
## S3 method for class 'mathgraph'
plot(x, ...)
```

**Arguments**

x                    an object that inherits from mathgraph.  
...                  graphics parameters may be given.

**Details**

A representation of the mathematical graph is produced on the current graphics device.

**BUGS**

Needs to be smarter, and allow the user some control.

**Author(s)**

Nick Efthymiou

**References**

S Poetry, Patrick J. Burns, Section 13.3

**See Also**

[mathgraph](#), [plot](#), [par](#)

**Examples**

```
plot(mathgraph(~ 1:3 * 2:4), main="Graph K4")
```

---

print.mathgraph      *Print a Mathematical Graph*

---

### Description

Prints a representation of the graph.

### Usage

```
## S3 method for class 'mathgraph'  
print(x, prefix.node = if (is.character(x)) "" else "node", ...)
```

### Arguments

x	an object inheriting from mathgraph which represents a mathematical graph.
prefix.node	a string to put in front of each node named. The default is an empty string if the nodes are character and the string "node" if they are not.
...	other arguments to print may be given, but are not used.

### Details

The object is printed.

A ‘-’ between nodes means an undirected edge, while a single arrow means a directed edge.

### Value

the input x is returned invisibly.

### Note

The format is consistent with the dot graph language.

### Author(s)

Nick Efthymiou

### References

S Poetry, Patrick J. Burns, Section 13.3, Mathematical Graphs

### See Also

[mathgraph](#), [names.mathgraph](#)

**Examples**

```

mathgraph(~ 1:3 / 2:4)
mathgraph(~ 1:3 / 2:4, dir=TRUE)
jjm <- mathgraph(~ letters[1:3] * letters[2:4])
jjm
names(jjm) <- LETTERS[1:9]
jjm

```

---

sortmathgraph	<i>Sort a Mathematical Graph</i>
---------------	----------------------------------

---

**Description**

Sorts nodes within undirected edges and/or edges by nodes.

**Usage**

```
sortmathgraph(x, nodes = TRUE, edges = TRUE)
```

**Arguments**

x	an object that inherits from mathgraph.
nodes	logical value; if TRUE, then the nodes within undirected edges are sorted.
edges	logical value; if TRUE, then the edges are sorted by the first node with ties broken by the second node.

**Value**

an object that represents the same graph as the input, but with some rearrangement.

**Author(s)**

Nick Efthymiou

**References**

S Poetry, Patrick J. Burns, Section 13.3; <http://www.burns-stat.com/pages/spoetry.html>

**See Also**

[mathgraph](#)

**Examples**

```

jjmg <- c(mathgraph(~ 4:2 * 1:3), mathgraph(~ 3:5 / 1:3))
sortmathgraph(jjmg)
sortmathgraph(jjmg, node=FALSE)
sortmathgraph(jjmg, edge=FALSE)

```

---

stable.apply	<i>Apply with Stable Dimensions</i>
--------------	-------------------------------------

---

### Description

Does the same thing as `apply` except that when the function returns a vector, the dimensions are put back the way they started.

### Usage

```
stable.apply(X, MARGIN, FUN, ...)
```

### Arguments

X	same as in <code>apply</code> .
MARGIN	same as in <code>apply</code> .
FUN	same as in <code>apply</code> .
...	same as in <code>apply</code> .

### Value

When FUN returns a scalar or when MARGIN has a length that is not one less than the number of dimensions in X, then the same as `apply`.

Otherwise, an array similar to the result of `apply`, but with the dimensions permuted to correspond to the dimensions of X.

### Author(s)

Nick Efthymiou

### References

S Poetry, Patrick J. Burns, <http://www.burns-stat.com/pages/spoetry.html>

### See Also

[apply](#), [aperm](#)

### Examples

```
data(freeny)
stable.apply(freeny.x, 1, sort)
# compare to:
apply(freeny.x, 1, sort)
```

---

`unique.mathgraph`*Unique Edges of a Mathematical Graph*

---

**Description**

Returns a mathgraph object that may have fewer edges than the input.

**Usage**

```
## S3 method for class 'mathgraph'  
unique(x, incomparables = FALSE, ...)
```

**Arguments**

<code>x</code>	an object that inherits from mathgraph.
<code>incomparables</code>	a vector of values that cannot be compared. The only possible value is FALSE, meaning that all values can be compared.
<code>...</code>	other arguments for generic function.

**Value**

An object that is the same class as the input `x`, but redundant edges are removed.

**Author(s)**

Nick Efthymiou

**References**

S Poetry, Patrick J. Burns, Section 13.3

**See Also**

[mathgraph](#)

**Examples**

```
unique( c(mathgraph(~ 1:2*2:3), mathgraph(~ 1/3)) )
```

# Index

- \*Topic **array**
  - stable.apply, 14
- \*Topic **character**
  - justify, 7
- \*Topic **hplot**
  - plot.mathgraph, 11
- \*Topic **math**
  - adjamat, 2
  - alldirected, 3
  - getpath, 5
  - incimat, 6
  - mathgraph, 8
  - names.mathgraph, 10
  - plot.mathgraph, 11
  - print.mathgraph, 12
  - sortmathgraph, 13
  - unique.mathgraph, 15
- \*Topic **methods**
  - commontail, 4
  - unique.mathgraph, 15
- \*Topic **programming**
  - commontail, 4
  - [.mathgraph (mathgraph), 8
  - [<-.mathgraph (mathgraph), 8
- adjamat, 2, 6, 7, 9
- alldirected, 3
- aperm, 14
- apply, 14
- c.mathgraph (mathgraph), 8
- commontail, 4
- format, 8
- getpath, 5, 9
- getpath.adjamat, 3
- getpath.incimat, 7
- incimat, 3, 6, 6, 9
- inherits, 4
- intersect, 4
- is.adjamat (adjamat), 2
- is.incimat (incimat), 6
- is.mathgraph (mathgraph), 8
- justify, 7
- length.mathgraph (mathgraph), 8
- mathgraph, 3, 6, 7, 8, 10–13, 15
- names.mathgraph, 10, 12
- names<- .mathgraph (names.mathgraph), 10
- par, 11
- paste, 8
- plot, 11
- plot.mathgraph, 11
- print.mathgraph, 12
- sortmathgraph, 13
- stable.apply, 14
- substring, 8
- unique.mathgraph, 15