

Package ‘realized’

February 15, 2012

Version 1.0.1

Date 2010-08-04

Title Realized

Author Scott Payseur <scott.payseur@gmail.com>

Maintainer Scott Payseur <scott.payseur@gmail.com>

Description Realized Variance Toolkit

License GPL (>= 2)

Depends R (>= 2.10)

Repository CRAN

Date/Publication 2012-01-15 09:51:55

R topics documented:

realized-package	2
dates.example	3
ge.real.cts	3
ge.real.tts	4
merge.realizedObject	4
msft.real.cts	5
msft.real.tts	5
rAccumulation	6
rc.avg	7
rc.hy	8
rc.kernel	9
rc.naive	11
rc.timescale	12
rc.zero	13
rCumSum	14
realizedObject	15

rKernel	16
rKernel.available	17
rMarginal	17
rRealizedVariance	19
rScatterReturns	21
rSignature	22
rv.avg	24
rv.kernel	25
rv.naive	27
rv.timescale	28
rv.zero	29

Index	31
--------------	-----------

realized-package	<i>Realized Variance, Covariance and Correlation</i>
------------------	--

Description

Package contains various estimators and tools to research realized estimates of second moments.

Details

Package: realized
 Type: Package
 Version: 0.7
 Date: 2007-08-05
 License:

Author(s)

Scott Payseur <spayseur@u.washington.edu>

References

- T.G. Andersen, T. Bollerslev, F.X. Diebold, and P. Labys. Great realizations. *Risk*, 13:105-108, 2000.
- Y. Fang. Volatility modeling and estimation of high-frequency data with gaussian noise. *unpublished doctoral thesis, MIT, Sloan School of Management*, 1996.
- O. E. Barndorff-Nielsen and N. Sheppard. Econometric analysis of realised volatility and its use in estimating stochastic volatility models. *Journal of the Royal Statistical Society, Series B* 64:253-280, 2002
- T.G. Andersen, T. Bollerslev, F.X. Diebold, and P. Labys. The distribution of exchange rate volatility. *Journal of the American Statistical Association*, 96:42-55, 2001.

S. W. Payseur. A One Day Comparison of Realized Variance and Covariance Estimators. *Working Paper: University of Washington*, 2007

L. Zhang, P.A Mykland, and Y. Ait-Sahalia. A tale of two time scales: Determining integrated volatility with noisy high-frequency data. *Journal of the American Statistical Association*, 2005.

Michiel de Pooter, Martin Martens, and Dick van Dijk. Predicting the daily covariance matrix for sp100 stocks using intraday data - but which frequency to use? *Working Paper*, October 2005.

Ole E. Barndorff-Nielsen, Peter Reinhard Hansen, Asger Lunde, and Neil Shephard. Regular and modified kernel-based estimators of integrated variance: The case with independent noise. *Working Paper*, 2004.

J. E. Griffen and R. C. A. Oomen. Covariance measurement in the presence of non-synchronous trading and market microstructure noise. *Working Paper*, June 27th, 2006.

T.G. Andersen, T. Bollerslev, F.X. Diebold, and P. Labys. The distribution of exchange rate volatility. *Journal of the American Statistical Association*, 96:42-55, 2001.

Examples

```
# see users manual
```

dates.example	<i>Example dates</i>
---------------	----------------------

Description

The dates that go along with the other example data sets.

Usage

```
data(dates.example)
```

Examples

```
data(dates.example)
print(dates.example)
```

ge.real.cts	<i>General Electric Realized Objects</i>
-------------	--

Description

A list of General Electric transaction data aligned to calendar time sampling and already in realizedObjects.

Usage

```
data(ge.real.cts)
```

Source

<http://faculty.washington.edu/ezivot/ezresearch.htm>

Examples

```
data(ge.real.cts)
plot(ge.real.cts[[1]])
```

ge.real.tts

General Electric Realized Objects

Description

A list of General Electric transaction data aligned to tick time sampling and already in realizedObjects.

Usage

```
data(ge.real.tts)
```

Source

<http://faculty.washington.edu/ezivot/ezresearch.htm>

merge.realizedObject

Merging realizedObjects

Description

Merges realizedObjects, see users manual.

Usage

```
merge.realizedObject(x, y = NULL, ...)
```

Arguments

x	First object
y	Second object
...	Third, objects

Details

see users manual.

Value

Multiple instrument realized object

Author(s)

Scott Payseur <spayseur@u.washington.edu>

msft.real.cts *Microsoft Realized Objects*

Description

A list of Microsoft transaction data aligned to calendar time sampling and already in realizedObjects.

Usage

```
data(msft.real.cts)
```

Source

<http://faculty.washington.edu/ezivot/ezresearch.htm>

Examples

```
data(msft.real.cts)
plot(msft.real.cts[[1]])
```

msft.real.tts *Microsoft Realized Objects*

Description

A list of Microsoft transaction data aligned to tick time sampling and already in realizedObjects.

Usage

```
data(msft.real.tts)
```

Source

<http://faculty.washington.edu/ezivot/ezresearch.htm>

Examples

```
data(msft.real.tts)
plot(msft.real.tts[[1]])
```

rAccumulation

Realized Accumulation Plot

Description

Plots the realized estimate as it accumulates over a time interval.

Usage

```
rAccumulation(x, period = 1, y = NULL, align.period = 1, plotit = FALSE, cts = TRUE, makeReturns = FALSE)
```

Arguments

x	RealizedObject or TimeSeries for S+
y	RealizedObject or TimeSeries for S+
period	Sampling period
align.period	Align the returns to this period first
plotit	T for plot
cts	Create calendar time sampling if a non realizedObject is passed
makeReturns	Prices are passed make them into log returns

Details

Plots the realized estimate as it accumulates over a time interval. This is a good tool to determine what observations are adding (possibly subtracting for covariance) to the estimate. For version 0.7 this is only implemented for the naive estimators, in 1.0 it will be implemented generically.

Value

Realized accumulation vector if plotit = F

Author(s)

Scott Payseur <spayseur@u.washington.edu>

References

S. W. Payseur. A One Day Comparison of Realized Variance and Covariance Estimators. *Working Paper: University of Washington*, 2007

See Also

[rMarginal](#), [rRealizedVariance](#)

Examples

```

data(msft.real.cts)
data(dates.example)

cumm <- list()
cumm[[1]] <- rCumSum(msft.real.cts[[1]], period=1, align.period=60)
cumm[[2]] <- rCumSum(msft.real.cts[[1]], period=10, align.period=60)
cumm[[3]] <- rCumSum(msft.real.cts[[1]], period=20, align.period=60)
cumm[[4]] <- rCumSum(msft.real.cts[[1]], period=30, align.period=60)
accum <- list()
accum[[1]] <- rAccumulation(msft.real.cts[[1]], period=10, align.period=60)
accum[[2]] <- rAccumulation(msft.real.cts[[1]], period=20, align.period=60)
accum[[3]] <- rAccumulation(msft.real.cts[[1]], period=30, align.period=60)

par(mfrow=c(2,1))
plot(cumm[[1]], xlab="", ylab="Cumulative Returns", main="MSFT", sub=dates.example[[1]], type="p", col=16, lwd=2)
lines(cumm[[2]], col=2, lwd=2)
lines(cumm[[3]], col=3, lwd=2)
lines(cumm[[4]], col=4, lwd=2)
plot(accum[[1]], xlab="", ylab="Realized Accumulation", type="l", main="MSFT", sub=dates.example[[1]], col=2, lwd=2)
lines(accum[[2]], col=3, lwd=2)
lines(accum[[3]], col=4, lwd=2)

```

rc.avg

*Realized Covariance: Average Subsample***Description**

Realized Covariance using average subsample.

Usage

```
rc.avg(x, y, period, align.period = 1, cts = TRUE, makeReturns = FALSE, ...)
```

Arguments

x	RealizedObject or TimeSeries for S+
y	RealizedObject or TimeSeries for S+
period	Sampling period
align.period	Align the returns to this period first
cts	Create calendar time sampling if a non realizedObject is passed
makeReturns	Prices are passed make them into log returns
...	...

Value

Realized covariance using average subsample.

Author(s)

Scott Payseur <spayseur@u.washington.edu>

References

L. Zhang, P.A Mykland, and Y. Ait-Sahalia. A tale of two time scales: Determining integrated volatility with noisy high-frequency data. *Journal of the American Statistical Association*, 2005.

Michiel de Pooter, Martin Martens, and Dick van Dijk. Predicting the daily covariance matrix for sp100 stocks using intraday data - but which frequency to use? *Working Paper*, October 2005.

See Also

[rv.avg](#), [rRealizedVariance](#)

Examples

```
data(msft.real.cts)
data(ge.real.cts)

#
# Average subsampled realized covariance for CTS aligned at one second returns at
# 600 subgrids (10 minutes).
#
rc.avg(x = msft.real.cts[[1]], y = ge.real.cts[[1]], period = 600)

#
# Average subsampled realized covariance for CTS aligned at one minute returns at
# 5 subgrids (5 minutes).
#
rc.avg(x = msft.real.cts[[1]], y = ge.real.cts[[1]], period = 5, align.period=60)
```

rc.hy

Hayashi-Yoshida

Description

Hayashi-Yoshida covariance estimator

Usage

```
rc.hy(x, y, period = 1, align.period = 1, cts = TRUE, makeReturns = FALSE, ...)
```

Arguments

x	RealizedObject or TimeSeries for S+
y	RealizedObject or TimeSeries for S+
period	Sampling period
align.period	Align the returns to this period first
cts	Create calendar time sampling if a non realizedObject is passed
makeReturns	Prices are passed make them into log returns
...	...

Author(s)

Scott Payseur

References

T. Hayashi and N. Yoshida. On covariance estimation of non-synchronously observed diffusion processes. *Bernoulli*, 11:359-379, 2005.

See Also

rRealizedVariance

Examples

```
data(msft.real.cts)
data(ge.real.cts)

# Hayashi-Yoshida realized covariance for CTS aligned at one second returns at
# 600 subgrids (10 minutes).
#
rc.hy(x = msft.real.cts[[1]], y = ge.real.cts[[1]], period = 600)
```

rc.kernel

Realized Covariance: Kernel

Description

Realized covariance calculation using a kernel estimator.

Usage

```
rc.kernel(x, y, q, align.period = 1, adj = TRUE, type = 0, cts = TRUE, makeReturns = FALSE, ...)
```

Arguments

x	RealizedObject or TimeSeries for S+
y	RealizedObject or TimeSeries for S+
q	Number of lags
align.period	Align the returns to this period first
cts	Create calendar time sampling if a non realizedObject is passed
makeReturns	Prices are passed make them into log returns
adj	T to use dof adjustment
type	0-11 or a character string
...	...

Details

The different types of kernels can be found using `rKernel.available()`.

Value

Kernel estimate of realized covariance.

Author(s)

Scott Payseur <spayseur@u.washington.edu>

References

Ole E. Barndorff-Nielsen, Peter Reinhard Hansen, Asger Lunde, and Neil Shephard. Regular and modified kernel-based estimators of integrated variance: The case with independent noise. *Working Paper*, 2004.

Michiel de Pooter, Martin Martens, and Dick van Dijk. Predicting the daily covariance matrix for sp100 stocks using intraday data - but which frequency to use? *Working Paper*, October 2005.

J. E. Griffen and R. C. A. Oomen. Covariance measurement in the presence of non-synchronous trading and market microstructure noise. *Working Paper*, June 27th, 2006.

See Also

[rRealizedVariance](#), [rv.kernel](#), [rKernel.available](#), [rKernel](#)

Examples

```
data(msft.real.cts)
data(ge.real.cts)

# kernel realized covariance for CTS aligned at one minute returns
#
rc.kernel(x = msft.real.cts[[1]], y = ge.real.cts[[1]], q=1, type="bartlett", align.period=60)
```

rc.naive	<i>Realized Covariance</i>
----------	----------------------------

Description

Traditional realized covariance estimator.

Usage

```
rc.naive(x, y, period, align.period = 1, cts = TRUE, makeReturns = FALSE, ...)
```

Arguments

x	RealizedObject or TimeSeries for S+
y	RealizedObject or TimeSeries for S+
period	Sampling period
align.period	Align the returns to this period first
cts	Create calendar time sampling if a non realizedObject is passed
makeReturns	Prices are passed make them into log returns
...	...

Value

Sum of cross products of high frequency returns.

Author(s)

Scott Payseur <spayseur@u.washington.edu>

References

T.G. Andersen, T. Bollerslev, F.X. Diebold, and P. Labys. The distribution of exchange rate volatility. *Journal of the American Statistical Association*, 96:42-55, 2001.

See Also

[rv.naive](#), [rSignature](#), [rRealizedVariance](#)

Examples

```
data(msft.real.cts)
data(ge.real.cts)

# Traditional RC aligned to 60 seconds
#
rc.naive(x = msft.real.cts[[1]], y = ge.real.cts[[1]], period = 60)
```

rc.timescale *Realized Covariance: Two Timescales*

Description

Realized Covariance using a generalization of the popular two timescale variance method.

Usage

```
rc.timescale(x, y, period, align.period = 1, adj.type = "classic", cts = TRUE, makeReturns = FALSE, ...)
```

Arguments

x	RealizedObject or TimeSeries for S+
y	RealizedObject or TimeSeries for S+
period	Sampling period
align.period	Align the returns to this period first
cts	Create calendar time sampling if a non realizedObject is passed
makeReturns	Prices are passed make them into log returns
adj.type	"classic", "adj" or "aa"
...	...

Details

Realized Covariance using two timescale method.

Value

Realized covariance using two timescale method

Author(s)

Scott Payseur <spayseur@u.washington.edu>

References

L. Zhang, P.A Mykland, and Y. Ait-Sahalia. A tale of two time scales: Determining integrated volatility with noisy high-frequency data. *Journal of the American Statistical Association*, 2005.

Michiel de Pooter, Martin Martens, and Dick van Dijk. Predicting the daily covariance matrix for sp100 stocks using intraday data - but which frequency to use? *Working Paper*, October 2005.

See Also

[rv.timescale](#), [rRealizedVariance](#)

Examples

```
data(msft.real.cts)
data(ge.real.cts)
```

```
rc.timescale(x = msft.real.cts[[1]], y = ge.real.cts[[1]], period = 60, adj.type="aa")
```

rc.zero	<i>Calculates the percentage of co-zero returns at a specified sampling period</i>
---------	--

Description

Calculates the percentage of co-zero returns at a specified sampling period.

Usage

```
rc.zero(x, y, period, align.period = 1, cts = TRUE, makeReturns = FALSE, ...)
```

Arguments

x	RealizedObject or TimeSeries for S+
y	RealizedObject or TimeSeries for S+
period	Sampling period
align.period	Align the returns to this period first
cts	Create calendar time sampling if a non realizedObject is passed
makeReturns	Prices are passed make them into log returns
...	...

Value

Percentage of co-zero returns.

Author(s)

Scott Payseur <spayseur@u.washington.edu>

References

S. W. Payseur. A One Day Comparison of Realized Variance and Covariance Estimators. *Working Paper: University of Washington, 2007*

See Also

[rSignature](#), [rv.zero](#)

Examples

```

data(msft.real.cts)
data(ge.real.cts)

#
# Plot the percentage of co-zero returns for sampling periods of 1 second
# to 600 seconds.
#
plot(rSignature(1:600, x=msft.real.cts[[1]], y=ge.real.cts[[1]], type="zero", xscale=1/60), main="Percentage of

```

rCumSum

Plot cumulative returns

Description

Plots cumulative returns at a certain alignment given a return series.

Usage

```
rCumSum(x, period = 1, align.period = 1, plotit = FALSE, type = "l", cts = TRUE, makeReturns = FALSE)
```

Arguments

x	RealizedObject or TimeSeries for S+
period	Sampling period
align.period	Align the returns to this period first
plotit	T for plot
type	Line or points
cts	Create calendar time sampling if a non realizedObject is passed
makeReturns	Prices are passed make them into log returns

Value

Cummulative return vector if plotit = F

Author(s)

Scott Payseur <spayseur@u.washington.edu>

Examples

```

data(msft.real.cts)
data(dates.example)

cumm <- list()
cumm[[1]] <- rCumSum(msft.real.cts[[1]], period=1, align.period=60)
cumm[[2]] <- rCumSum(msft.real.cts[[1]], period=10, align.period=60)
cumm[[3]] <- rCumSum(msft.real.cts[[1]], period=20, align.period=60)
cumm[[4]] <- rCumSum(msft.real.cts[[1]], period=30, align.period=60)
plot(cumm[[1]], xlab="", ylab="Cumulative Returns", main="MSFT", sub=dates.example[[1]], type="p", col=16, lwd=2)
lines(cumm[[2]], col=2, lwd=2)
lines(cumm[[3]], col=3, lwd=2)
lines(cumm[[4]], col=4, lwd=2)

```

realizedObject

realizedObject

Description

Creates an object of type realizedObject to be passed to most of the functions from the realized library

Usage

```
realizedObject(x, cts = TRUE, makeReturns = FALSE, millisstart = 34200000, millisend = 57600000)
```

Arguments

x	Either an S+ timeSeries or a list with \$data that is prices or returns, and \$ milliseconds
cts	Calendar time sampling or tick time sampling
makeReturns	If you pass prices you should have this set to T
millisstart	When does your integrated variance start 34200000 is 09:30
millisend	When does your integrated variance end 57600000 is 16:00

Details

See user's manual.

Value

Object of type realizedObject

Author(s)

Scott Payseur <spayseur@u.washington.edu>

Examples

```
# see users manual
```

rKernel

Kernel Function

Description

The kernel function that is used for the realized variance kernel estimators.

Usage

```
rKernel(x, type = 0)
```

Arguments

x Value between [0,1] to calculate kernel weight
type Type of kernel 0-11, or values from rKernel.available()

Value

Kernel value

Author(s)

Scott Payseur <spayseur@u.washington.edu>

References

Ole E. Barndorff-Nielsen, Peter Reinhard Hansen, Asger Lunde, and Neil Shephard. Regular and modified kernel-based estimators of integrated variance: The case with independent noise. *Working Paper*, 2004.

See Also

[rKernel.available](#), [rv.kernel](#), [rc.kernel](#)

Examples

```
#
# Plot all available kernels
#
par(mfrow=c(3,4))
x <- (0:100)*.01
for(i in 1:length(rKernel.available()))
  plot(x=x,y=sapply(x, FUN="rKernel", type=rKernel.available()[i]), xlab="", ylab="", main=rKernel.available()[
```

rKernel.available *Available Kernels*

Description

Returns a vector of the available kernels.

Usage

```
rKernel.available()
```

Author(s)

Scott Payseur <spayseur@u.washington.edu>

References

Ole E. Barndorff-Nielsen, Peter Reinhard Hansen, Asger Lunde, and Neil Shephard. Regular and modified kernel-based estimators of integrated variance: The case with independent noise. *Working Paper*, 2004.

See Also

[rc.kernel](#), [rv.kernel](#), [rKernel](#), [rRealizedVariance](#)

Examples

```
rKernel.available()
```

rMarginal *Marginal Contribution to Realized Estimate*

Description

Plots the marginal contribution to the realized estimate.

Usage

```
rMarginal(x, y = NULL, period, align.period = 1, plotit = FALSE, cts = TRUE, makeReturns = TRUE)
```

Arguments

x	RealizedObject or TimeSeries for S+
y	RealizedObject or TimeSeries for S+
period	Sampling period
align.period	Align the returns to this period first
plotit	T for plot
cts	Create calendar time sampling if a non realizedObject is passed
makeReturns	Prices are passed make them into log returns

Details

Plots the marginal contribution to the realized estimate. This is a good tool to determine what observations are adding (possibly subtracting for covariance) to the estimate. For version 0.7 this is only implemented for the naive estimators, in 1.0 it will be implemented generically.

Value

Marginal contribution vector if plotit = F

Author(s)

Scott Payseur <spayseur@u.washington.edu>

References

S. W. Payseur. A One Day Comparison of Realized Variance and Covariance Estimators. *Working Paper: University of Washington*, 2007

See Also

[rAccumulation](#), [rRealizedVariance](#)

Examples

```
data(msft.real.cts)
data(dates.example)

par(mfrow=c(2,1))
plot(rCumSum(msft.real.cts[[1]]), period=10, align.period=60, xlab="", ylab="Cumulative Returns", main="MSFT", s
barplot(rMarginal(msft.real.cts[[1]]), period=10, align.period=60)$y, main="Marginal Contribution Plot")
```

rRealizedVariance *Calculate realized variance, covariance, or correlation.*

Description

Calculate realized variance, covariance, correlation, covariance matrix, or correlation matrix.

Usage

```
rRealizedVariance(x, y = NULL, type = "naive", period = 1, lags = 1, cor = FALSE, rvargs = list(), cts = T
```

Arguments

x	RealizedObject or TimeSeries for S+
y	RealizedObject or TimeSeries for S+
period	Sampling period
type	Type of realized estimator to use, a rv. or rc. is appended to this value and that function is called
lags	Number of lags or subgrids for kernel and subsample based estimators
cor	T for correlation
rvargs	List of extra parameters to pass into rv.* or rc.*
cts	Create calendar time sampling if a non realizedObject is passed
makeReturns	Prices are passed make them into log returns

Details

Calculate realized variance, covariance, correlation, covariance matrix, or correlation matrix.

Value

A single numeric value or a matrix if x is multicolumn matrix.

Author(s)

Scott Payseur <spayseur@u.washington.edu>

See Also

[rc.avg](#), [rc.kernel](#), [rc.naive](#), [rc.timescale](#), [rv.avg](#), [rv.kernel](#), [rv.naive](#), [rv.timescale](#)

Examples

```

data(msft.real.cts)
data(ge.real.cts)

# Traditional Estimate at highest frequency
rRealizedVariance(x=msft.real.cts[[1]], y=ge.real.cts[[1]], type="naive", period=1)

# Traditional Estimate at one minute frequency
rRealizedVariance(x=msft.real.cts[[1]], y=ge.real.cts[[1]], type="naive", period=1, rvargs=list(aligned.period=60))

# Traditional Estimate at 10 minute frequency
rRealizedVariance(x=msft.real.cts[[1]], y=ge.real.cts[[1]], type="naive", period=10, rvargs=list(aligned.period=60))

# Bartlett Kernel Estimate with minute aligned data at 20 lags
rRealizedVariance(x=msft.real.cts[[1]], y=ge.real.cts[[1]], type="kernel", lags=20, rvargs=list(aligned.period=60))

# Cubic Kernel Estimate with second aligned data at 400 lags
rRealizedVariance(x=msft.real.cts[[1]], y=ge.real.cts[[1]], type="kernel", lags=400, rvargs=list(type="Cubic"))

# Lead-Lag with one lag at one minute frequency
rRealizedVariance(x=msft.real.cts[[1]], y=ge.real.cts[[1]], type="kernel", lags=1, rvargs=list(aligned.period=60))

# Subsample Average Estimate with second aligned data at 600 subgrids
rRealizedVariance(x=msft.real.cts[[1]], y=ge.real.cts[[1]], type="avg", period=600)

# Traditional Estimate at highest frequency
rRealizedVariance(x=merge(msft.real.cts[[1]], ge.real.cts[[1]]), type="naive", period=1)

# Traditional Estimate at 10 minute frequency
rRealizedVariance(x=merge(msft.real.cts[[1]], ge.real.cts[[1]]), type="naive", period=10, rvargs=list(aligned.period=60))

# Lead-Lag with one lag at one minute frequency>
rRealizedVariance(x=merge(msft.real.cts[[1]], ge.real.cts[[1]]), type="kernel", lags=1, rvargs=list(aligned.period=60))

# Subsample Average Estimate with second aligned data at 600 subgrids
rRealizedVariance(x=merge(msft.real.cts[[1]], ge.real.cts[[1]]), type="avg", period=600)

# Traditional Estimate at highest frequency
rRealizedVariance(x=msft.real.cts[[1]], y=ge.real.cts[[1]], type="naive", period=1, cor=TRUE)

# Traditional Estimate at one minute frequency
rRealizedVariance(x=msft.real.cts[[1]], y=ge.real.cts[[1]], type="naive", period=1, rvargs=list(aligned.period=60))

# Traditional Estimate at 10 minute frequency
rRealizedVariance(x=msft.real.cts[[1]], y=ge.real.cts[[1]], type="naive", period=10, rvargs=list(aligned.period=60))

# Bartlett Kernel Estimate with minute aligned data at 20 lags
rRealizedVariance(x=msft.real.cts[[1]], y=ge.real.cts[[1]], type="kernel", lags=20, rvargs=list(aligned.period=60))

```

```

# Cubic Kernel Estimate with second aligned data at 400 lags
rRealizedVariance(x=msft.real.cts[[1]], y=ge.real.cts[[1]], type="kernel", lags=400, rvargs=list(type="Cubic"),

# Lead-Lag with one lag at one minute frequency
rRealizedVariance(x=msft.real.cts[[1]], y=ge.real.cts[[1]], type="kernel", lags=1, rvargs=list(align.period=60),

# Subsample Average Estimate with second aligned data at 600 subgrids
rRealizedVariance(x=msft.real.cts[[1]], y=ge.real.cts[[1]], type="avg", period=600, cor=TRUE)

# Correlation Matrices
# Traditional Estimate at highest frequency
rRealizedVariance(x=merge(msft.real.cts[[1]], ge.real.cts[[1]]), type="naive", period=1, cor=TRUE)

# Traditional Estimate at 10 minute frequency
rRealizedVariance(x=merge(msft.real.cts[[1]], ge.real.cts[[1]]), type="naive", period=10, rvargs=list(align.perio

# Lead-Lag with one lag at one minute frequency
rRealizedVariance(x=merge(msft.real.cts[[1]], ge.real.cts[[1]]), type="kernel", lags=1, rvargs=list(align.perio

# Subsample Average Estimate with second aligned data at 600 subgrids >
rRealizedVariance(x=merge(msft.real.cts[[1]], ge.real.cts[[1]]), type="avg", period=600, cor=TRUE)

```

rScatterReturns	<i>Scatterplot of aligned returns</i>
-----------------	---------------------------------------

Description

Creates a scatterplot of cross returns.

Usage

```
rScatterReturns(x,y, period, align.period=1,numbers=FALSE,xlim= NULL, ylim=NULL, plotit=TRUE, pch=NUL
```

Arguments

x	RealizedObject or TimeSeries for S+
y	RealizedObject or TimeSeries for S+
period	Sampling period
align.period	Align the returns to this period first
cts	Create calendar time sampling if a non realizedObject is passed
makeReturns	Prices are passed make them into log returns
plotit	T for plot
numbers	T for count

pch	type of point
ylim	ylimit
xlim	xlimit
scale.size	.
col.change	.
...	...

Details

Scatterplot of returns.

Author(s)

Scott Payseur <spayseur@u.washington.edu>

References

S. W. Payseur. A One Day Comparison of Realized Variance and Covariance Estimators. *Working Paper: University of Washington*, 2007

Examples

```
data(msft.real.cts)
data(ge.real.cts)
par(mfrow=c(2,1))
rScatterReturns(msft.real.cts[[1]],y=ge.real.cts[[1]], period=1, align.period=20,ylab="GE",xlab="MSFT",numbers=
rScatterReturns(msft.real.cts[[1]],y=ge.real.cts[[1]], period=1, align.period=20,ylab="GE",xlab="MSFT",numbers=
```

rSignature

Signature Plots

Description

Creates realized variance, covariance, and correlation plots for one or multiple days for each type of estimator.

Usage

```
rSignature(range, x, y = NULL, type = "naive", cor = FALSE, rvargs = list(), xscale = 1, iteration.funct
```

Arguments

range	x axis of signature plot (inputs for realized estimator)
x	RealizedObject or TimeSeries for S+
y	RealizedObject or TimeSeries for S+
cts	Create calendar time sampling if a non realizedObject is passed
makeReturns	Prices are passed make them into log returns
type	Type of realized estimator to use, a rv. or rc. is appended to this value and that function is called
cor	T for correlation
rvargs	List of extra parameters to pass into rv.* or rc.*
xscale	value to multiply range by for x axis (see below)
iteration.funct	Name of function to be used for average signature plot
iterations	Numeric vector to pass into iteration.funct
plotit	T for plot

Details

Creates a list that contains an x and y value that is used for plotting a signature plot.

Value

List containing:

x	x axis of signature plot (range * xscale)
y	Realized variance or covariance
type	type of estimator used for calculation
cor	is this a correlation signature
cov	is this realized covariance

Author(s)

Scott Payseur <spayseur@u.washington.edu>

References

- T.G. Andersen, T. Bollerslev, F.X. Diebold, and P. Labys. Great realizations. *Risk*, 13:105-108, 2000.
- Y. Fang. Volatility modeling and estimation of high-frequency data with gaussian noise. *unpublished doctoral thesis, MIT, Sloan School of Management*, 1996.
- J. E. Griffen and R. C. A. Oomen. Covariance measurement in the presence of non-synchronous trading and market microstructure noise. *Working Paper*, June 27th, 2006.
- S. W. Payseur. A One Day Comparison of Realized Variance and Covariance Estimators. *Working Paper: University of Washington*, 2007

See Also[rRealizedVariance](#)**Examples**

```

data(msft.real.cts)
data(ge.real.cts)

# see users manual for more examples

test.cov <- rSignature(1:1200,x=msft.real.cts[[1]], y=ge.real.cts[[1]], xscale=1/60)
test.rect <- rSignature(1:600,msft.real.cts[[1]], ge.real.cts[[1]],type="kernel",rvargs=list(type="rectangular")
test.mth <- rSignature(1:600,msft.real.cts[[1]], ge.real.cts[[1]],type="kernel",rvargs=list(type="mth"), xscale=
plot(test.cov, ylab="Realized Covariance", xlab="Minutes", main="GE | MSFT")
lines(test.rect, col=3, lwd=1)
lines(test.mth, col=4, lwd=2)
axis(3, c(0,(1:5)*4), c("Lags:",as.character((1:5)*120)))
legend(13,.00015,c("Rectangular", "Mod TH"), lwd=c(1,2), col=c(3,4))

```

rv.avg

*Realized Variance: Average Subsample***Description**

Realized Variance using average subsample.

Usage

```
rv.avg(x,period, align.period = 1, cts = TRUE, makeReturns = FALSE, ...)
```

Arguments

x	RealizedObject or TimeSeries for S+
period	Sampling period
align.period	Align the returns to this period first
cts	Create calendar time sampling if a non realizedObject is passed
makeReturns	Prices are passed make them into log returns
...	...

Value

Realized variance using average subsample.

Author(s)

Scott Payseur <spayseur@u.washington.edu>

References

L. Zhang, P.A Mykland, and Y. Ait-Sahalia. A tale of two time scales: Determining integrated volatility with noisy high-frequency data. *Journal of the American Statistical Association*, 2005.

See Also

[rv.avg](#), [rRealizedVariance](#)

Examples

```
data(msft.real.cts)

#
# Average subsampled realized variance for CTS aligned at one second returns at
# 600 subgrids (10 minutes).
#
rv.avg(x = msft.real.cts[[1]], period = 600)

#
# Average subsampled realized variance for CTS aligned at one minute returns at
# 5 subgrids (5 minutes).
#
rv.avg(x = msft.real.cts[[1]], period = 5, align.period=60)
```

 rv.kernel

Realized Variance: Kernel

Description

Realized variance calculation using a kernel estimator.

Usage

```
rv.kernel(x, q, align.period = 1, adj = TRUE, type = 0, cts = TRUE, makeReturns = FALSE, rvargs=list(),...
```

Arguments

x	RealizedObject or TimeSeries for S+
q	Number of lags
align.period	Align the returns to this period first
cts	Create calendar time sampling if a non realizedObject is passed
makeReturns	Prices are passed make them into log returns
adj	T to use dof adjustment

type	0-11 or a character string
rvars	.
...	...

Details

The different types of kernels can be found using `rKernel.available()`.

Value

Kernel estimate of realized variance.

Author(s)

Scott Payseur <spayseur@u.washington.edu>

References

Ole E. Barndorff-Nielsen, Peter Reinhard Hansen, Asger Lunde, and Neil Shephard. Regular and modified kernel-based estimators of integrated variance: The case with independent noise. *Working Paper*, 2004.

B. Zhou. High-frequency data and volatility in foreign-exchange rates. *Journal of Business & Economic Statistics*, 14:45-52, 1996.

P. Hansen and A. Lunde. Realized variance and market microstructure noise. *Journal of Business and Economic Statistics*, 24:127-218, 2006.

See Also

[rRealizedVariance](#), [rc.kernel](#), [rKernel.available](#), [rKernel](#)

Examples

```
data(msft.real.cts)
data(ge.real.cts)

# kernel realized variance for CTS aligned at one minute returns
#
rv.kernel(x = msft.real.cts[[1]], q=1, type="bartlett", align.period=60)
```

rv.naive	<i>Realized Variance</i>
----------	--------------------------

Description

Traditional realized variance estimator.

Usage

```
rv.naive(x, period, align.period = 1, cts = TRUE, makeReturns = FALSE, ...)
```

Arguments

x	RealizedObject or TimeSeries for S+
period	Sampling period
align.period	Align the returns to this period first
cts	Create calendar time sampling if a non realizedObject is passed
makeReturns	Prices are passed make them into log returns
...	...

Value

Sum of products of high frequency returns.

Author(s)

Scott Payseur <spayseur@u.washington.edu>

References

O. E. Barndorff-Nielsen and N. Sheppard. Econometric analysis of realised volatility and its use in estimating stochastic volatility models. *Journal of the Royal Statistical Society, Series B* 64:253-280, 2002

T.G. Andersen, T. Bollerslev, F.X. Diebold, and P. Labys. The distribution of exchange rate volatility. *Journal of the American Statistical Association*, 96:42-55, 2001.

See Also

[rc.naive](#), [rSignature](#), [rRealizedVariance](#)

Examples

```

data(msft.real.cts)
data(ge.real.cts)

# Traditional RV aligned to 60 seconds
#
rv.naive(x = msft.real.cts[[1]], period = 60)

```

rv.timescale

Realized Variance: Two Timescales

Description

Realized variance using the two timescale variance method.

Usage

```
rv.timescale(x, period, align.period = 1, adj.type = "classic", cts = TRUE, makeReturns = FALSE, ...)
```

Arguments

x	RealizedObject or TimeSeries for S+
period	Sampling period
align.period	Align the returns to this period first
cts	Create calendar time sampling if a non realizedObject is passed
makeReturns	Prices are passed make them into log returns
adj.type	"classic", "adj" or "aa"
...	...

Details

Realized variance using two timescale method.

Value

Realized variance using two timescale method

Author(s)

Scott Payseur <spayseur@u.washington.edu>

References

L. Zhang, P.A Mykland, and Y. Ait-Sahalia. A tale of two time scales: Determining integrated volatility with noisy high-frequency data. *Journal of the American Statistical Association*, 2005.

See Also

[rc.timescale](#), [rRealizedVariance](#)

Examples

```
data(msft.real.cts)
rv.timescale(x = msft.real.cts[[1]], period = 60, adj.type="aa")
```

rv.zero	<i>Calculates the percentage of zero returns at a specified sampling period</i>
---------	---

Description

Calculates the percentage of zero returns at a specified sampling period.

Usage

```
rv.zero(x, period, align.period = 1, cts = TRUE, makeReturns = FALSE, ...)
```

Arguments

x	RealizedObject or TimeSeries for S+
period	Sampling period
align.period	Align the returns to this period first
cts	Create calendar time sampling if a non realizedObject is passed
makeReturns	Prices are passed make them into log returns
...	...

Value

Percentage of zero returns.

Author(s)

Scott Payseur <spayseur@u.washington.edu>

References

S. W. Payseur. A One Day Comparison of Realized Variance and Covariance Estimators. *Working Paper: University of Washington*, 2007

See Also

[rSignature](#), [rc.zero](#)

Examples

```
data(msft.real.cts)

#
# Plot the percentage of zero returns for sampling periods of 1 second
# to 600 seconds.
#
plot(rSignature(1:600, x=msft.real.cts[[1]], type="zero", xscale=1/60), main="Percentage of co-zeros", ylab="Per
```

Index

*Topic **datasets**

- dates.example, 3
- ge.real.cts, 3
- ge.real.tts, 4
- msft.real.cts, 5
- msft.real.tts, 5

*Topic **methods**

- merge.realizedObject, 4
- rAccumulation, 6
- rc.avg, 7
- rc.hy, 8
- rc.kernel, 9
- rc.naive, 11
- rc.timescale, 12
- rc.zero, 13
- rCumSum, 14
- realizedObject, 15
- rKernel, 16
- rKernel.available, 17
- rMarginal, 17
- rRealizedVariance, 19
- rScatterReturns, 21
- rSignature, 22
- rv.avg, 24
- rv.kernel, 25
- rv.naive, 27
- rv.timescale, 28
- rv.zero, 29

*Topic **package**

- realized-package, 2

dates.example, 3

ge.real.cts, 3
ge.real.tts, 4

merge.realizedObject, 4
msft.real.cts, 5
msft.real.tts, 5

rAccumulation, 6, 18

rc.avg, 7, 19
rc.hy, 8
rc.kernel, 9, 16, 17, 19, 26
rc.naive, 11, 19, 27
rc.timescale, 12, 19, 29
rc.zero, 13, 30
rCumSum, 14
realized (realized-package), 2
realized-package, 2
realizedObject, 15
rKernel, 10, 16, 17, 26
rKernel.available, 10, 16, 17, 26
rMarginal, 6, 17
rRealisedVariance (rRealizedVariance),
19
rRealizedVariance, 6, 8, 10–12, 17, 18, 19,
24–27, 29
rScatterReturns, 21
rSignature, 11, 13, 22, 27, 30
rv.avg, 8, 19, 24, 25
rv.kernel, 10, 16, 17, 19, 25
rv.naive, 11, 19, 27
rv.timescale, 12, 19, 28
rv.zero, 13, 29